Badische Landesbibliothek Karlsruhe

Digitale Sammlung der Badischen Landesbibliothek Karlsruhe

Leçons I-XVII. (Botanique) - Cod. Karlsruhe 292

[S.l.], [18. bis 19. Jahrh.]

urn:nbn:de:bsz:31-376471

Visual Library

Karlsruhe 292

BLB BADISCHE LANDESBIBLIOTHEK
Baden-Württemberg

Karlsruhe 292

Premiere Leçon

Crocus

Sativus &c.

Bermudiana

iridis folio fibrosâ radice Just
graminea flore minore cæruleo. Just
cyclaminis radice pullo flore Just

Iris

Biflora flore minore odore Lilii Convallii &c.
palustris lutea Lobel. Mont.
vulgaris germanica sive sylvestris &c.
Latifolia germanica odore Sambuci &c.
pannonica colore multiplici &c.
Dalmatica minor &c.
hortensis pallide cærulea &c.
Dalmatica major &c.
hortensis Latifolia &c.
alba florentina &c.
lutea variegata Clusii
media longissimis foliis lutea &c.
Latifolia minor alba aris cæruleis juxertis
Canadensis angustifolia cærulea palustris
angustifolia maritima minor &c.
Corollis imberbibus germinibus trigonis
caule ancipiti Gronov. Fl. Virginic
pratensis angustifolia, non fœtida altior &c.
angustifolia pruinum redolens major &c.
Susiana flore maximo ex albo nigricante &c.
fœtidissima seu Xyris Just
humilis saxatilis gallica Just

337

G.B. HOFBIBLIOTHEK KARLSRUHE

Bermodactylus

folio quadrangulo Coroll Inst.

Antholiza

Corollarum alae patulae labio inferiore minore Linnaei

Xyphion

Persicum praecox flore variegato Inst
latifolium caule donatum flore caeruleo Inst
angustifolium flore vario Inst

Ixia

foliis ensiformibus, floribus remotis Linnaei
foliis ensiformibus, floribus alternis petalis basi hyalina maculâ Linnaei

Gladiolus

utrinque floridus C B.
major Byzantinus C B.

Colchicum

commune C B.
variegatum Cornuti

Asphodelus

foliis compressis asperis caule pratulo just
albus ramosissimus C.B.
luteus flore et radice C.B.
foliis fistulosis C.B.
Zeilanicus foliis rotundis cepaceis floribus
luteis horti Pisani
africanus angustifolius luteus minor just
africanus luteus foliis aloes Lilli
africanus foliis cepaceis angustioribus florib.
Luteis spicatis
foliis planis, caule ramoso floribus sparsis Dil.

Phalangium

alpinum palustre iridis folio just
parvo flore non ramosum C.B.
ramosum Dodonei

Scylla

vulgaris radice rubra C.B.

Ephemerum

virginianum flore albo minore Just
virginianum flore purpureo majore Just

Narcissus

juncifolius luteus minor C.B.
montanus alter flore fimbriato C.B.
albus circulo purpureo C.B.
albus magno odoro flore circulo pallido C.B.
maritimus C.B.

Narcissus

illyricus liliaceus Cb.
americanus floremultiplici albo odore balsami
peruviani Just.

Albuca

floribus e laeteo virescentibus foliis canaliculatis

Ornithogalum

caeruleum lusitanicum latifolium Just
spicatum album Just
angustifolium majus floribus ex albo
virescentibus Cb.
autumnale minus flore dilute purpureo Just

Muscari

uva ramosa major Just
arvense latifolium purpureas ceus Institutionum
arvense juncifolium caeruleum minus Just
obsoletiore flore Clusii

Hyacinthus

oblongo flore caeruleus major Cb.
obsoleto flore Cb.
orientalis maximus Cb.
indicus tuberosus flore hyacinthi orientalis Cb.
africanus tuberosus flore caeruleo umbellato. Com.

Methonica

Malabarica

Lilium

vulgare album. Joannis Bauhini
purpureo coccaneum majus CB.
floribus ne flescis montanum flore rubente CB.
Byzantinum miniatum CB.
breviet. gramineo folio CB.

Lilio=narcissus

japonicus, rutilo flore mariss.
indicus saturato colore purpurascens Morisoni
jacobeus, latifolius, indicus, rubro flore mariss.
indicus primulus monanthos albus Mariss.
polianthos flore incarnato, fundo ex luteo albescente flos.
indicus primulus polyanthos. Morisoni

Liliastrum

alpinum minus Just

Lilio=asphodelus

luteus minor Just
Phoenicus Park.
americanus semper virens minor CB.

Aphyllanthes

Monspelliensium Lobelii

Hypoxis

pilosa capsulis ovatis Linnaei

Narcisso=Leucoium

perenne multiflorum Justii

Commelina

procumbens flore luteo Prod. Fl
erecta ampliore sub cæruleo flore Dillenii.
radice ana campserotice Dillenii
graminea latifolia flore cæruleo Plum.

Allium

Latifolium luteum Just.
angustifolium umbellatum flore albo Justit
Sphæriceo capite folio latiore sive Scorodoprasum
alterum C. B.
Sativum alterum sive allioprasum caule summo
circumvoluto C. B.
latifolium liliflorum flore subrubente Just.
latifolium liliflorum Institutionum
Sylvestre sive montanum minus roseo amplo flore. Alleg.
Sativum C. B.
montanum folio angustissimo
Sylvestre bicorne minus flore cæruleo albicante cum
triplici in singulis petalis stria atro purpurea
Sylvestre latifolium C. B. Raii

Porrum

Commune capitatum C. B.

Cepa

vulgaris floribus cæruleis candidis C. B.
montana bicornis flore luteo Bot. Parisi.
fossilis Matthioli
juncifolia minor purpurascens Justit
tenuifolia sphæro cephalos purpurascens
parvo flore.

Cepa

Lusitanica foliis capillaceis minima flore purpurascente Just.
Scotilis juncifolia perennis Morisoni

Tulipa

precox lutea C. B.

Fritillaria

precox purpurea variegata C. B.
maxima flore obsolete purpureo Justit

Corona-imperialis

Dodonei

Corona-Regalis

Lilii folio crenato Dillenii

Hæmanthus

africanus hermanni
Colchici folio perianthio herbaceo Dillenii

Alstro-Emeria

Caule recto Linnei

Seconde Secon

Orchis

Barbata fœtida. ℔ ℌ
odore hirci minor ℭ ℌ
fucum referens colore rubiginoso ℭ ℌ.
alba bifolia minor calcareo oblongo ℭ ℌ.
palmata pratensis latifolia longis calcaribus ℭ ℌ.
palmata pratensis maculata ℭ ℌ.
flore simiam referens ℭ ℌ.
palmata minor calcaribus oblongis ℭ ℌ.
spiralis alba odorata longo angusto que folio Dill.

Ophris

Bifolia ℭ ℌ

Calceolus

mariana Canadensis Cornuti

Helleborine

angustifolia palustris sive pratensis ℭ ℌ
latifolia montana ℭ ℌ.
purpurea tuberosa radice, Plumerii

Limonium

folijs halimi ℭ Rossei
peregrinum folijs asplenii ℭ ℌ.
minus flagellis tortuosis ℞ Boccone,
maritimum minus oleæ folio ℭ ℌ.
parvum ℌ ellipsis minoris folio ℭ ℌ
maritimum majus ℭ ℌ.
Lusitani cum auriculæ ursi folio ℞ Boccone
maritimum minimum ℭ ℌ.
hispani cum multifido folio Just

Fraxinella

clusii

Pyrola

folio mucronato serrato c.r.

Veratrum

flore atro rubente just
flore subviridi just

Helleborus

major tuberosus
flumarice folio stirpi anni
niger ranunculi folio flore globoso major just
niger flore roseo c.r.
niger hortensis flore viridi c.r.
niger fetidus c.r.
niger trifoliatus moriss

Populago

flore majore just

Sedum

majus arboriscens c.r.
Canariense foliis omnium maximis Commel
montanum tomentosum c.r.
alpinum rubrum magno flore c.r.
majus vulgare c.r.
vulgari magno simile g. B.
minus folio circinato c.r.
cepea dictum hermanni
arvense flore rubente c.r.
echinatum vel stellatum flore albo g. B.
minus teretifolium alterum c.r.
minus luteum ramulis reflexis
minus latoet. crasso caule Pon. land. belg. h. R
minus luteum folio acuto c.r.
minus teretifolium album c.r.

Sedum

parvum acre flore luteo J. 87.
minimum luteum non acre J 87

Anacampseros

purpurea J. 87.
vulgo faba crassa &c
Portulacæ folio &c.
maxima J. 87.
lusitanica hematodes maxima Just
flore flavo amm.
radicerosam spirante magore Just
minor rotundiore folio semper virens J. 87.
minor longioni folio semper virens Just

Pæonia

fœmina flore pleno rubro magore &c.
aquilinæ foliis &c
communis vel fœmina &c.
foliis linearibus multipartitis Lin. Spe.
tenuius laciniata subtus pubescens flore purpureo &c.
fœmina altera &c.
chanthemos Camerarii
folio nigricante splendido quæmar &c.

Melianthus

africanus herman.
americanus minor Just

Moschatellina

foliis fumariæ bulbosæ J. 87.

Parnassia

palustris &c. vulgaris Just

Herba Paris

Dodonei

Anemone

hortensis semifolia prima simplici flore Clusii
sylvestris alba major &c.
nemorosa flore majore &c.
virginiana Herman.
caule dichotomo foliis sessilibus oppositis amplexi
caulibus trifidis incisis Linn
foliis trilobis integerrimis Linn spec.

Pulsatilla

folio crassiore flore majore &c.

Myosuros

Joanni Bauhino

Ranunculus

Tripolitanus vel asiaticus flore pleno varii coloris
vernus rotundifolius minor just
pratensis radice verticilli modo rotunda &c.
arvensis annuus hirsutus flore omnium minimo luteo Moriss.
rotundifolius vernus sylvaticus major vel cassubicus foliis rhoeados sive calthae Morysii
nemorosus vel sylvaticus folio rotundo &c.
latifolius bullatus asphodeli radice &c.
cyclaminis folio asphodeli radice majore just
montanus folio gramineo &c.
pratensis repens hirsutus
longifolius palustris major &c.
longifolius palustris minor &c.
palustris apii folio laevis &c.
Canadensis tenuifolius hirsutissimus flore luteo parvo

montanure aconiti folio albure floremajore Crs.
lanuginosure angustifoliure grumosâ radicemajor Crs.
chœrophillos asphodeli radice Crs.
pratensire erecture acriri Crs.
palustrire echinatare Crs.
arvensire echinatare Crs.
aquaticure capillaceure Crs.

Adonis

hortensire floreminore atro rubente Crs.
radiceperenni L. h. C.
capensire Linn. spec.

Troisieme Leçon

Spermacoce

folïis verticillïs tenuioribus Dillenii

Aparine

seminelevi hortï. & Pari.
latifolia humilïor montana just
vulgarïs crs.
palustrïs minor parisiensis flore albo just
minima magnol.
semine coryandri saccharati Park.
supina, pumila flore caeruleo just

Rubia

tinctorum sativa crs.
folïis senis sessilibus ellipticis perennantibus
lucidis caulelevi Linn
quadrifolia asperrima, lucida peregrina herm
folïis perennantibus lincaribus supra scabris
Linn.

Rubeola

latiore folio just
angustiore folio just
vulgaris quadrifolia levis floríb. purpureas=
centibus just

Gallium

folïis lincaribus falcatis retrorsum scabris
pericellis capillaribus flo. Gallo prox.
luteum crs
arvense flore caeruleo crs.
album vulgare just

Gallium ♃

flore pallido ♃ ♂
saxatile glauco folio Boec.

Cruciata

orientalia latifolia erecta glabra Cy.
alpina tenuifolia levire just
minor glabra flore mollugine albo Barr.
alpina latifolia levire just
hirsuta Cr
muralis minima romana Columnæ
tomentosum floscaliæ luteæ in corniculis
longis hispidis Boec.
orientalis glabra humifusa Coroll. just

Anthospermum

L. Gene.

Simpla = nobla

Canariensium Pluk.

Bæderia

fœtida Linn.

Santolina

valerandi dourese ♃ ♂

Glaux

maritima Cr
palustris flore striato clauso foliis portulacæ ♃

Salicaria

hissopi folio latiore just
erecta caule rubente foliis longis angustis
vulgaris purpurea foliis oblongis just
purpurea foliis subrotundis just

Lysimachia

lutea major quæ Dios coridis Cr
floridana lutea minor chamæneriis binatis foliis
nigris punctis notatis parvis floribus in spicam
digestis Park.

orientalis angustifolia flore purpureo Cor. Just
bifolia flore globoso luteo C.B.
annua minima poligoni folio Just
humifusa folio rotundiore flore luteo Just
spicata flore albo salicis folio Just
lutea major foliis angustioribus
canadensis galapæ folio Sarra.

Onagra

Bonariensis, villosa flore mutabili Dillenii
Bonariensis, tubo calycis longissimo
angustifolia Just
angustifolia fructu inverso permo tetragono
latifolia Just
angustifolia caule rubro flore minore Just
foliis dentatis parvo flore

Cunnera

frutescens ulmifolia Plum.

Chamaerion

alpinum alsines folio Scop.
angustifolium alpinum flore purpureo Just
latifolium vulgare Just
glabrum minus flore albo Just
glabrum angustifolium Just
villosum majus parvo flore Just
villosum magno flore purpureo Just

Cassida

cretica, fruticosa cataria folio flore albo Cor. Just
orientalis chamaedryos folio flore luteo Just

Columnæ
alpina supina magno flore Just
peregrina melissæ folio Just
americana procerior Just
palustris vulgatior flore cæruleo Just
palustris minima flore purpurascente Just

Lavandula

angustifolia C. B.
latifolia C. B.
latifolia, indica, subcinerea spica breviore h. R. P.
folio dissecto C. B.
folio longiori, tenuius et elegantius dissecto Jus

Stœchas

folio serrato C. B.
purpurea C. B.

Moluccа

spinosa Dodon.
levis Dod.

Saturcia

Sativa C. B.
americana caule lignoso folio dentatis et angustis
floribus in summitate dispositis herm.

Rissopus

hirsuta C. B.
officinarum cærulea hispicata C. B.
humilior myrthi folia h. R. P.

Leonurus

capitis Bonæ spei Breynii
minor capitis bonæspei vulgo Boccone
annuus africanus nepethæ folio flore albo minore

Ros=Marinus

hortensis angustiore folio C. B.

Monarda

capitulis terminatricibus caule obtuse angulato, L.
caule acute angulato, capitulis quo terminatricibus L.
capitulis terminatricibus caule angulato obtuse
foliis acutioribus floribus albis

Chamæpitis

lutea vulgaris sive folio trifido C. B.
moschata, foliis serratis an prima Dioscoridis C. B.

Thymbra

sive Satureia vera Lobelii
spicata verior hispanica C. B.
Legitima Clusii
hispanica majoranæ folio Just

Thymus

capitatus qui Dioscoridis C. B.
citriodorus
lusitanicus cephalotos squammis capitulorum
amplioribus Just
vulgaris folio latiore
vulgaris folio tenuiore C. B.

Serpillum

vulgare majus C. B.
foliis citriodorus C. B.
latifolium hirsutum C. B.
folio thymi C. B.

Ruyschiana

folio dentato augusto
flore cæruleo magno Boerh.

Polium

montanum album C B.
montanum luteum C B.
pyrenaicum, supinum hederæ terrestris folio
candidum tenellum tomentosum flore purpu
Lavandulæ folio C B 9. B.

chamedrys

laciniatis foliis Lobelii
fruticosa cretica, purpureo flore Just
frutescens seu crinum vulgo Just
fruticosa sylvestris melissæ folio Just
fruticosa insularum Stœchadum melissæ folio minori pomum redolens
herbacea Canadensis melissæ foliis longioribus
alpina lucida h. a. Paris.
major repens C B.
multiflora tenuifolia hispanica Just
maritima incana frutescens foliis lanceolatis
foliis cordatis crenatis spicis oblongis Just
palustris densissimis canescens seu scordium officinarum Just.
fruticosa lusitanica melissæ folio minori flore purpureo Just

Ocimum

Zeilanicum perenne frutescens foliis
calamenthae nonnihil simili P.B. Or.
caule subfruticoso foliis ovatis racemis tenuibus
Linn. spec.
foliis sublanceolatis acuminatis serratis,
racemis rotundis caule subherbaceo Linn.
foliis ovato oblongis serratis bracteis
cordatis reflexis concavis L. spe.
majus Bullatum Barrel.
foliis fimbriatis viridibus Cr.
majus vulgare Barrel
minimum Cr.

quatrieme Leçon

Teucrium

hispanicum latiore folio Jurt
Boeticum Clusii
Roriæ-marini folio ex facie aegyptiacum D. Granger.
hispanicum spinosum verbenæ tenuifoliæ foliis Jurt
spinosum Lin. spec.
spinosum perenne foliis laciniatis J. R. h.

Verbena

Communis cæruleo flore C. B.
americana altissima urticæ foliis angustioribus
spicis brevioribus floribus cæruleis Boerh.
americana spica multiplici foliis urticæ angustis
floribus cæruleis Prod. Parad. Bat.
Hubi caroliniæ foliis primulæ veris floresilinquis
ex seminibus longissimis herm.
Bonariensis altissima lavandulæ canariensis
spica multiplici Dillenii
urticæ foliis, canadensis h. R. P.
mexicana trachelii folio fructu aparine Dille.
tenuifolia C. B.
nobiliora C. B.
nobilior frutescens salviæ folio americana
americana spicis longis carnosis foliis lanceolato
ovatis dentatis
americana lamii folio semine in singulis echinatis
capitulis D. Jussieu

Origanum

vulgare spontaneum J. B.
folio subrotundo C. B.
sylvestre humile C. B.
creticum latifolium tomentosum, seu Dictamnus
creticus Jurt
montis nipyli herm.

Majorana

vulgaris ers
rotundifolia scutellata exotica h. R. Paris.
cretica origani folio villosa satureiae odore
corymbis majoribus albis cf.

clinopodium

arvense acymi facie ers.
perenne pulegii odore majoranae folio patavinum
Boccone.
menthae folio incanum ers. odoratum ers.
origano simile ers.
alpinum roseum satureiae foliis Boccone
orientale hirsutum foliis inferioribus acinum
superioribus his sopum referentibus C. Pin
majus capitulis scabiosae Dillenii

Catania

pannonica major. elatior
minor alpina just
orientalis tenuifolii folio, lavandulae odore verticillis
florum crassissimis Cor. just
orientalis tenuifolii folio floribus rarioribus Cor. just
major vulgaris just
canadensis altissima scrophulariae folio caule
canadensis altissima scrophulariae folio caule
virescente
purpurascente
hispanica betonicae folio angustiori flore
hispanica betonicae folio angustiori flore
purpurascente
hispanica betonicae folio angustiori flore albo
foliis sessilibus verticillis nudis
hispanica serpina betonicae folio tuberosa radice
lusitanica erecta betonicae folio tuberosa radice
montana foliis veronicae pratensis

Perilla

acinoides Linnaei

Calamintha

humilior folio rotundiore Just
incana ocimi foliis C B.
vulgaris exiguo flore C B.
vulgaris vel officinarum germanica C B
magno flore C B.
pulegii odore sive nepetha C B.
frutescens satureiæ folio facie et odore Just
cretica, angusto oblongo folio Just

Mentha

aquatica satureiæ folio Just.
aquatica seu pulegium vulgare Just
sylvestris longiore folio C B.
ægyptiaca, semiliaca incana spicis brevioribus angustifolia
sylvestris rotundiore folio C B.
hortensis verticillata ocimi odore C B.
rotundifolia spicata altera C B.
spicis brevioribus et habitioribus foliis menthæ fuscæ sapore fervido. Raii
crispa Danica aut. germanica speciosa Park.
angustifolia major serrata Boerh.
arvensis verticillata hirsuta C B.
rotundifolia palustris seu aquatica major C B.
floribus capitatis exutis foliis ovatis crenatis caule arborescente L. h. Cliff

Galeopsis

procerior fœtida spicata Just
patula segetum flore purpurascente Just
annua hispanica rotundiore folio Just
sive urtica inerus flore luteo J. B.
palustris Betonicæ folio flore variegato Just
procerior caliculis aculeatis flore purpurascente Just
hispanica frutescens teucrii folio Just

Lamium

folio caulem ambiente minus &c.
orientale nunc moschatum nunc foetidum magno flore &c.
purpureum non foetens folio oblongo &c.
maximum sylvaticum sive archangelica flore albo
purpureum foetidum folio subrotundo sive galeopsis Dioscoridis flore albo &c.
italicum maximum, flore amplo purpureo, act. ac. parietariae facie Morin.

Cardiaca

q. s.
tartarica foliis tenuissime divisis
crispa ~~Raii~~ Raii

Amethistea

2. spec.

Lycopsis

Canadensis glabra foliis incisis Pluk
palustris glabra Pluk

Ballote

mathioli
inodora foliis coronopi Amm.
foliis geranii Babrachioides Amm.

Marrubium

album latifolium peregrinum &c.
album peregrinum brevibus et obtusis foliis &c.
album vulgare &c.
hispanicum supinum calice stellato et aculeato Pluk
album angustifolium peregrinum &c.
hispanicum supinum foliis sericeis argenteis Pluk

Pseudo-Dictamnus

hispanicus foliis crispis et rugosis fruct
verticillatus inodorus cet.
hispanicus scrophularius folio fruct
hispanicus amplissimo folio nigricante et villoso fruct

Pinguicula

generis J. B.

Corix

Caerulea maritima cet.

Pedicularis

ferotina purpurascente flore fruct
pratensis lutea vel crista galli cet.
palustris rubra et elatior Raii

Acanthus

aculeatus cet.
rarioribus et. brevioribus aculeis munitus fruct
sativus vel mollis virgilii cet.

Scoparia

Linn

Capraria

aurassavica cabritta vulgo dicta Commel.

Dodartia

orientalis flore purpurascente cet.

Mantysia

foliis serratis L. h. Clift
annua caule ramoso foliis integerrimis calicibus
cordato lobatis exterioribus dyphyllis Linn.

Browallia

L. horti Cliffortiani.

Melampyrum

purpurascente comâ &c.

Ageratum

Serratum alpinum &c.
Serratum pyrenaicum villorum flore purpureo ju

Scrophularia

aquatica major &c.
nodosa fœtida &c.
ruta canina dicta vulgaris &c.
lasciniis folio Boccone.
Betonicæ folio just
folio urticæ &c.
melissæ folio just
orientalis foliis cannabinis. Cor. just
hispanica sambuci folio glabro just
flore luteo &c.

Orobanche

major cariophillum olens &c.

Valeria

Spinis axillaribus quaternis foliis integerrimis
L. spec.

Ruellia

humilis flore cœruleo asphodeli radice Plum.
Herpeuris capitulis convexis Dillenii

Cinquieme Leçon

Sideritis

hirsuta procumbens C.B.
montana trifido folio Garid.
orientalis phlomitis folio Tournef.
persica odorata Zanoni
hispanica crenata procumbens flore albo major Just
alpina hissopi folio Just
incana oleae folio Boccone.
folüs hirsutis profundè crenatis C.B.

Marrubiastrum

sideritis foliis, calyculis aculeatis flore candicante
sideritis folio, calyculis aculeatis flore flavo cum Tournef
Limbo atropurpureo Just
vulgare tournef
cardiacae folio Boccone

Moldavica

betonicae folio floribus minimis pallido caeruleis Amm.
betonicae folio floribus minoribus caeruleis pendulis Am.
orientalis alicis folio flore parvo caeruleo C.B. Just
orientalis, betonicae folio flore magno viola C.B. C.B. Just
betonicae folio flore caeruleo Just
americana trifolia odore gravi Just

Melissa

atrorubens bugulae folio Dillenii
hortensis C.B.
Romana mollitèr hirsuta et gravèolens h. R. Paris.
humilis latifolia maximo flore purpurascente Just
americana altissima foliis subrotundis glabris
pyrenaica caule brevi plantaginis folio Just

Betonica

orientalis angustissimo et longissimo folio spicâ florum crassiori C.B. Just
major Danica Park.
purpurea C.B.

arvensis annua flore ex albo flavescente Juss
major Dalica flore albo h. Cor. Carol. Alm.

Bugula

Dodonæi
sylvestris villosa flore cæruleo Juss
orientalis villosa flore juxta cæruleo albâ macula
notato Cor. Juss

Brunella

Bætica annua foliis laciniatis Park.
verbenulæ folio flore purpurascente D. Vaill.
major folio non dissecto Cor.
folio laciniato flore albo h. R. P.
cæruleo magno flore Cor.
hyssopifolia Cor.

Colinsonia

Linnæi

Dracocephalum

americanum Cor. regnii

Stachys

major germanica Cor.
cretica latifolia major
quæ pseudostachys alpina Cor.
major Salviæ folio
orientalis Salviæ folio flore variegato
orientalis Salviæ folio angustiori flore purpurascente
Canariensis frutescens verbasci folio Juss variegato.
Canariensis frutescens verbasci folio in cano

Salvia

baccifera Cor.
major calice flore purpurascente h. R. P.
major auriculæ ursi Theophrasti Cor.
hispanica flore albo. horti. Eistet.
Latifolia serrata Cor.
altera pro elegans tricolor argentea Belgarum. h. R.
major foliis ex luteo et viridi variegatis h. R. Paris.
angustifolia serrata Cor.
minor aurita et non aurita Cor.
foliis cordatis serratis flore parvo violaceo et albo
folio tenuiore Cor.

Salvia

orientalis foliis alatis majoribus et serratis C. Jnst
orientalis latifolia hirsutissima viscosa pinnata flore
et calice purpureis inodora Boerh.
montana maxima foliis hominis flavescente Jnst
africana fruticans folio subrotundo glauco flore
magno aureo Commel.
africana frutescens Cardouae foliis flore violaceo
Commel.

Sclarea

folio triangulari caule tomentoso Jnst
salviae folio flore caeruleo
quae horminum minus Botanicae folio flore purpureo
Barrel.
mexicana altissima facie heliotropii Dillenii
folio salviae major et maculata Jnst
tab. mont.
rugoso verrucoso et laciniato folio Jnst
laciniata pumila aegyptiaca
aegyptiaca frutescens foetidissima hirsuta flore
albo
tingitana foetidissima flore albo Jnst
indica flore variegato Jnst
orientalis folio subrotundo flore magno partim albo
partim purpureascente Cor. Jnst
africana procox annua Jnst
pratensis foliis serratis flore caeruleo Jnst
orientalis Botanicae folio acutiori comâ purpurascente
Cor. Jnst
laciniatis foliis Jnst

horminum

napifolio ostruss.
sylvestre latifolium verticillatum C.B.
aegyptium minimum ramosissimum Lippi
Jatirum C.B.
comâ rubrâ C.B.
sylvestre lavandulae flore C.B.
pratense flore minimo h. R. P.

Horminum

horminum hispanicum urtica folio flore parvo cæruleo
foliis cordatis inæqualiter basi incisis spicâ florum
procumbente foliis ovatis floribus in curvâ minimis cæruleis

Phlomis

cretica fruticosa folio subrotundo flore luteo Cor. just
horminj folio floribus parvis suave rubentibus
narbonensis horminifolio flore purpurascente just
orientalis horminj folio subtus incano flore purpur
fruticosa salvia folio longiore et angustiore just
Latifolia capitata lutea grandiflora Dillenii
fruticosa salvia folio latiore et rotundiore just
hispanica fruticosa candidissima flore ferrugineo
fruticosa lusitanica flore purpurascente foliis
acutioribus just
Lychnitis Clusii
orientalis foliis laciniatis Cor. just

Centaurium

minus Cor.
minus luteum perfoliatum Cor.

Gentiana

alpina magno flore J. B.
angustifolia autumnalis major Cor.
major lutea Cor.
cruciata Cor.
asclepiadis folio Cor.

Primula veris

rubro flore clusii
odorata flore luteo simplici J. B.
pallido flore humilis Clusii

Auricula=Ursi

flore luteo g. 87.
alpina angustifolia just
alpina graminea folio jasmini lutei flore just

Androsace

alpina perennis angustifolia glabra et multiflora
Cornutpii folüs glabra floscul. ex verticilli just
foliosi umbilico pluribus albis
vulgaris latifolia annua just

Sixieme Leçon

Verbascum

nigrum flore ex luteo purpurascente C.B.
pulverulentum flore luteo parvo J.R.
nigrum foliis papaveris corniculati C.B.
Lychnitis flore albo parvo C.B.
femina flore luteo magno C.B.
mas latifolium luteum C.B.
humile alpinum villosum C.B. ragineis foliis et flore just.
orientale sophiæ foliis Cor. just
foliis subrotundis flore C.B. lactariæ C.B.

Blattaria

pilosa cretica sive arctarum quorundam J.R.
lutea J.R.
magno flore J.R.
hispanica odorata agrimoniæ foliis
orientalis foliis verbasci flore luteo ægyptia D. grang.
flore nigro violæ colore elegantissime nitente C.B.

Adathoda

Zeilanensium herm.
indica foliis saligni flore albo herm.
floris labio superiori angustissimo et ad posteriora reclinato just

Chelone

foliis sessilibus acuminatis
floribus dilute purpureis Gronov.
L.h. upsal. Mimulus

Digitalis

minima gratiolæ dicta Morison
achantoides Canariensis frutex cum flore aureo C.B.
hispanica purpurea minor just
purpurea J.R.
~~lutea Germanica flore albo C.B.~~

Digitalis

Lutea magno flore C. B.
major lutea vel pallida parvo flore C. B.
angustifolia flore purpurascente Just
media flore luteo rubente Park.
latifolia flore ferrugineo H. R. P.
angustifolia flore ferrugineo C. B.

Bignonia

americana arbor Syringae caeruleae folio flore purpureo
Millerii
arbores caeruleae folio singulari undulato siliquis longissimis
et angustissimis Plum.
americana capreolis adunci s donata siliquâ longissimâ Just
americana capreolis adunci s ornata siliqua breviori Just
arbor flore luteo fraxini folio Plum
americana scandens minore fraxini folio
americana fraxini folio flore amplo phoeniceo Just.

Helianthemum

vulgare flore luteo J. B.
sive cistus humilis folio sampsuci capitulis waldeburg
Aegyptium canescens floribus spicatis unoversus
dispositis Ligni
foliis majoribus flore albo J. B.
thymi folio flore rubello D. Degussieux
hispanicum angusto folio flore carneo Just
aegyptiacum annuum angustifolium fructu vesicario
massiliense cordis folio Just
tenuifolium glabrum erectum flore luteo J. B.
foliis myrthi minoris subtus in canis Just
salicis folio Just
cedri folio Just
aegyptiacum latifolium annuum semine carnei coloris
folio thymi incano J. B.
kalymi foliis latioribus crenatis Just

Cistus

Ledon foliis populi nigrae major C. B.
Ledon hirsutum C. B.
Femina folio salviae latiore erectiore virgis C. B.
Ledon foliis laurinis C. B.
Ladanifera hispanica salicis folio flore albo maculâ
purpurea notato J. R.
Ledon latifolium creticum J. R.
Ladanifera montpeliensium C. B.
Ledon foliis rosmarini sed nonnihil canis C. B.
Mas folio oblongo incano C. B.
Mas foliis undulatis et crispis J. R.
Mas major folio rotundiore J. R.
Mas secundus folio longiore J. R.

Hypericum

vulgare C. B.
villosum erectum caule rotundo J. R.
ascyroides dictum caule quadrangulo J. R.
fetidum frutescens J. R.
canariense frutescens multiflorum C. B.
minus supinum vel supinum glabrum C. B.
elegantissimum non rosmarinum foliis lato J. R.
supinum tomentosum majus vel hispanicum C. B.
aegyptiacum frutescens polygoni foliis
pulchrum tragi
hypericum minus ruellii foliis C. B.

Ascyrum

Balearicum foliis crispis sive empetro cistum Bauh. Pinax
magno flore C. B.

Androsaemum

maximum frutescens C. B.

Linaria

pumila spinis lutea C. B.
anthemis angustifolia floribus albis longius caudatis Tournef.
tenuifolia ferrugineo colore C. B.
capillacea folio adiantoides C. B.
tryphillia minor lutea C. B.
foliis carnosis cinereis C. B.
pumila vulgatior arvensis J. R.

Linaria

Siculamulticaulis mollugineæ foliis Boccone.
Luteamontana genistæ tinctoriæ foliis C. B.
vulgaris lutea floremajore C. B.
purpurea major obsoleta C. B.
mauritanica pumila hastato folio tricuspidi flore
luteo Lippi.
segetum minimularia folio auriculo cæ. villoso flore
luteo Jmt
segetum minimularia folio villoso Jmt
hederaceo folio glabro seu cymbalaria alpina Just
hederaceo folio glabro seu cymbalaria vulgaris Just
segetum minimularia folio auriculo cæ. villoso flore
cæruleo Jmt

Anthyrrinum

saxatile villosum folio origani glutinoso Barrel.
hispanicum villosum origani folio Just
vulgare C. B.
majus alterum folio longiore flore ex candido dilute
purpurascente C. B.
arvense majus C. B.

Azarina

Lobelii

Rebenstretia

foliis dentatis Linn.

Linum

Catharticum luteum C. B.
sylvestre luteum foliis subrotundis C. B.
pratense flosculis exiguis C. B.
sylvestre angustifolium floribus dilute purpureis vel
carneis
perenne majus cæruleum capitulo majore Morison
sylvestre minus luteum annuum foliis angustioribus Morison
arvense C. B.
Sativum C. B.
africanum sativo simile foliis latioribus fructu majore

Geum

rotundifolium magnae flor.
folio subrotundo majori pistillo florise rubro flor
folio circinnato pistillo florise pallido flor

Saxifraga

muscosa trifido folio flor
pyrenaica foliis partim integris partim bifidis flor
sedifolio flore albo multiflora flor
sedifolio angustiore serrato flor
foliis subrotundis serratis flor
foliis ovalibus retusis obsolete serratis petiolatis caule nudo paniculo conglomerata Linn.
alba petraea Bonn
procumbens foliis linearibus tri fidis et quinquefidis
Vernia annua humilior flor Vaillant
rotundifolia alba C. B.

Cortusa

americana flore squalide purpureo herm.

Mitella

americana florum petalis integris flor
americana florum petalis fimbriatis flor
americana repens petalis florum fimbriatis

Benthorum

Gron. or.

Septieme Leçon

Campanula

pentagonia perfoliata Moriss.
arvensis erecta L. h. &c.
arvensis erecta euphrasia lutea folio aur. hirsuta
ajuga columnae
radice esculenta flore caeruleo herm.
maxima foliis latissimis flore caeruleo &c.
vulgatior foliis urticae vel majoris asperior &c.
radice esculenta caulibus et foliis hirsutis
perlicae folio &c.
urticae foliis glabra floribus minoribus pendulis
minor annua foliis ammanni circae Moriss
alpina sphaerocephalos &c.
media foliis inferioribus candida lanugine vestitis &c.
hortensis rapunculi radice &c.
pratensis flore conglomerato &c.
minor rotundifolia vulgaris &c.
alpina tenerii folio angulato just
alpina rotundifolia minor &c.
canariensis triplicis folio tuberosa radice
hortensis folio et flore oblongo caerulea &c.
pyramidata altissima just

Trachelium

arvense umbelliferum Tourn

Rapuntium

americanum florae lutae caerulea act. acc.
maximum coccineo spicato flore columnae.
americanum virgae aureae foliis flore parvo
sub caerulea just
trachelii folio flore purpurascente Plum.
minimum ageratifolio flore purpurascente
arvense foliorum violaceo flore Moriss.
sonchi folio flore albo longissimo
creticum minimum bellidis folio flore maculato
cor. just

Ranunculus

spicatus C. B.
scabiosæ capitulo cæruleo C. B.

Psyllium

major erectum C. B.
major reptans C. B.
Dioscoridis vel indi cum crenatis foliis C. B.
minus C. B.

Plantago

latifolia sinuata C. B.
latifolia incana C. B.
latifolia incana spicâ albâ horti Edinb.
canadensis latissimo folio glabro
angustifolia major C. B.
angustifolia albida neruspeciensium Inst.
angustifolia albida hispanica Inst.
angustifolia paniculis lagopi C. B.
media incana virginiana serratis foliis
gramineo folio minor Inst. annua Morif.
maritima major tenuifolia Inst
palustris gramineo folio monanthos Parisiensis
gramineo folio major Inst

Coronopus

hortensis C. B.

Dentaria

heptaphillos C. B.
pentaphillos foliis molliusculis C. B.

Napus

sativa C. B.

Raphanus

minor oblongus C. B.

Raphanistrum

aegyptium siliquis longissimis nodosis
flore purpureo aut dilute violaceo Moris.
arvense flore albo Inst
segetum flore luteo vel pallido Inst

Raphanus

arvense folio auriculato acuto Just
orientale acanthi folio Corall. Just
pannonicum, radice maximâ esculentâ
maximum rotundifolium monospermum Cornuti
monospermon C.B.

Sinapi

hispanicum pumilum album Just
apii folio sive album C.B.
hispanicum minus Raphani folio Just
Rapifolio C.B.
arvense praecox semine nigro Morison
indicum lactucae foliis angustioribus herm.
foliis subincanis siliquis brevissimis
hispanicum nasturtii folio Just

Eruca

minimo flore monospeliensis J. B.
Bellidis folio Morison.
coerulea in arenosis crescens C.B.
procumbens alba siliquis singularibus in alis foliorum D. Vaillant
eruca latifolia alba sativa Dioscoridis C.B.
inica floribus luteis
tenuifolia perennis flore luteo J. B.
sylvestris major lutea caule aspero C.B.

Sisymbrium

caule subnudo ramoso foliis radicalibus runcinatis dentatis hispidis Linn
aquaticum Mathioli
Erucae folio siliqua breviori
aquaticum raphani folio siliquâ breviori Just
orientale Barbareae facie plantaginis folio Just
erucae folio glabro luteo Just
erucae folio glabro minus erecto cocineo Just.

Sisymbrium

Balearicum siliquâ brevi echinata
hispanicum folio oblongo dentato
annuum absinthii minoris folio just
palustre minus siliquâ asperâ just
palustre repens Nasturtii folio just

Erysimum

polyceration vel corniculatum Cor.
latifolium majus glabrum Cor.
vulgare Cor.
montis pessulanum sinapios folio Walth
angustifolium majus Cor.

Lepidium

graminei folio sive iberis just
capillaceo folio fruticosum hispanicum Inst.
latifolium Cor.
humile incanum, arvense just.

Nasturtium

sylvestre capsulis crista tis just
alpinum tenuissime divisum Cor.
hortense vulgatum Cor.
hortense crispum Cor.
hortense latifolium Cor.
sylvestre glauco folio
sylvestre tenuiter incisum minori fructu Inst
orientale foliis inferioribus mille folium
superioribus perfoliatum referentibus Inst

Nasturtioides

sive nasturtium sibsertre clusii
hispanicum frutescens foliis subrotundis
asperis

Cardamine

quarta Dalecampii h. Lugd. Batav.
pyrenaica latifolia purpurascente flore Dejussieu
pratensis magno flore purpurascente Just
alpina prima trifolia clusii

Erucago

segetum Just
aegyptia fructu verrucoso

Myagrum

monospermon latifolium C. B.
monospermon minus C. B.
creumatica fructu spinoso

Cakile

maritima angustiori folio C. B.
graeca arvensis siliquâ striata brevi C. B.

Alissoides

incanum foliis sinuatis Just

Peltaria

alliacea jacquinii

Cochlearia

foliis cubitali Just
foliis subrotundo C. B.
montana sive thlaspi myagroides Bona
altissima glastifolia Just

Thlaspi

arvense siliquis latis C.B.
umbellatum arvense amarum J.B.
creticum quibus dam flore albo J.B.
creticum quibus dam flore rubente J.B.
lusitanicum umbellatum graminea flore purpurascente Inst
allium redolens etoris.
virginianum, foliis iberidis amplioribus
rosa delicichi dictum serratis Inst etoris.
vulgatius J.B.
saxatile vermiculato foliis C.B.
parvum saxatile flore rubente C.B.

Huitieme Leçon

Alysson

perenne in canum Leucoii folio flore luteo fructu obtuso et velute cordato Leonardi
in canum serpilli folio fructu undo Just
in canum luteum serpilli folio minore Just
in canum luteum serpilli folio majore Just
fruticosum in canum Just
perenne in canum procumbens folio subrotundo
orientale turritis flore luteo C. Just
creticum folio angulato flore violaceo Cor. Just
fruticosum aculeatum Just
creticum saxatile folio undulato in canis Cor. Just
alpinum hirsutum luteum Just
maritimum Just

Camelina

sive myagrum Dodonæi
sive myagrum Dodonæi fructu majore

Thlaspidium

apetalum spicatum Just
hirsutum calice flore auriculato Just
ægyptiacum fructu minimo
monspeliense hieracii folio hirsuto Just
fruticosum Leucoii folio semper virens et floreus Just

Jonthlaspi

minimum spicatum Lunatum Columnæ

Bursa pastoris

major folio non sinuato Cl.
major folio sinuato Cl.

Leucoium

hesperidis folio just
verum perenne album minus just
verum perenne album majus just
incanum majus cor.
incanum minus floribus rubentibus cor
minus purpureum angustifolium
album odoratissimum folio viridi cor.
luteum vulgare cor.
foliis conferto capitatis recurvatis emarginatis
maritimum candidum cor.

Resperis

maritima angustifolia incana cor
maritima supina exigua just
hortensis flore candido cor.
maritima latifolia siliqua tricuspidi just
chia fasciatilis Leucoii folio serrato flore parvo
flore albo minimo cor. just siliquâ longa folio profundè dentato cor.
Leucoii folio non serrato siliquâ quadrangula just
altum resedaceum Morisi
exigua lutea folio dentato angusto herm.
montana pallide odoratissima cor.
Lutea siliquis strictissimis just

Lunaria

Leucoii folio siliquâ oblongâ ♂ folio rotundo alias erumpente
Leucoii folio siliquâ oblonga amplo just
major siliquâ longiore rotundiore g. B.
siliqua oblonga intorta
aegyptiaca parva nasturtii folio flore purpureo
major siliquâ longiore g. B.
frutescens perennis incana leucoii folio

Brassica

arvensis C.B.
maritima arborea sempervirens ramosa e Moriss.
fimbriata C.B.
caulorapa g.B.
lato apii folio C.B.
cauliflora C.B.
alba vel viridis C.B.
campestris perfoliata flore purpureo C.B.
campestris perfoliata flore albo C.B.
capitata alba C.B.
capitata rubra C.B.

Eurritis

Lobelii
minor Bot. monspel.
foliis inferioribus cichoraceis caeteris perfoliatis just
vulgaris ramosa just
annua vernа flore purpurascente just
Leucoii folio just

Isatis

sylvestris minor lusitanica herm.
sylvestris vel angustifolia C.B.
Isatis vel latifolia C.B.

Crambe

orientalis dentis leonis folio Eucagimis facie cor. just
maritima Brassicae folio just

Epimedium

Dodonaei

Sinapistrum

indicum triphillum flore carneo non spinosum herm.
guianense pentaphillum et heptaphillum viscosum
caule frutescente
indicum pentaphillum flore carneo minime non spinosum
sive trifolium asphaltitum canadense cornuti
zeilanicum triphillum cum pentaphillum viscosum flore
flavo
orientale triphillum ornithopodii siliquis cor. just
trifoliatum angustifolium siliquâ latiore.

Chrysosplenium

foliis amplioribus auriculatis just

Portulaca

latifolia sive sativa Cor.
angustifolia sive sylvestris Cor.
curassavica lanuginosa procumbens herm.
sedifolio flore albo Feuillée
africana semper virens flore rubicundo Comm.

Trianthema

floribus monogynis Linn
floribus pentandris digynis Linn

Helianthemoides

portulacae foliis amplioribus floribus racemosis
arborescens portulacae minoribus foliis floribus rubris parvis

Crassula

orbicularis repens foliis semperviri Dillenii
frutescens sedifolio acuto
anacampseroti folio Dillenii
altissima perfoliata Dillenii
cespitosa longifolia Dillenii
foliis oppositis ovatis punctatis ciliatis oblongis inferioribus Linn.

Tillea

procumbens floribus trifidis Linn

Cotyledon

africana frutescens flore umbellato coccineo
aegyptia frutescens foliis subrotundis flore coccineo umbellato
major arborescens atra foliis orbiculatis glaucis Limbo purpureo cum maculis viridibus ornatis
atra arborescens major foliis glaucis oblongioribus flore luteo
africana frutescens foliis orbiculatis Limbo cinctis purpureo gaut
africana frutescens folio longo et angusto flore flavescente. Commelini.
cretica folio oblongo simbriato Dillenii
capensis folio semiglobato Dillenii
atra folio crasso lato laciniato flore culo aureo herm.
radice tuberosa longa repente Morus.
major Cor.
flore luteo media herm.

Kali

vermiculatum hispanicum viride fruticans Bonnel.
siculum Lignosum floribus membranaceis Boec.
spinosum foliis longioribus &c. angustioribus just
magno cochleato semine &c.
aegyptiacum non spinosum tomento lanuginoso incanum
minus villosum &c. Lippi

Corispermum

hissopifolium act. acc.
magno tartaricum hissopifolium spicatum caulibus
rubentibus annuum.

Salicornia

geniculata semper virens &c.
geniculata annua &c. just

Spinacia

vulgaris sterilis just
vulgaris capsula seminis aculeata just.

Rhabarbarum

forte Dioscoridis &c. antiquorum just
folio oblongo crispo undulato flagellis sparsis

Lapathum

aquaticum folio cubitali &c.
minimum &c.
pulchrum Bononiense sinuatum g. B.
aegyptiacum capsulâ semine alba dentata Lippi
hortense folio oblongo secundum Dioscorid. &c.
folio acuto plano &c.
folio acuto crispo &c.
folio rotundo alpinum &c.
folio minus acuto &c.
folio acuto rubente &c.
creticum supinum capsulâ semine aculeata
D. Deyssieux

Acetosa

pratensis Cor.
montana latifolia rotundo folio Boccone.
arborescens tuberosa rotunda folio ex insulis fortunatis Pluk.
scutata repens Cor.
rotundifolia hortensis Cor.
tuberosa radice Cor.
rotundifolia alpina Cor.
ocimi folio neapolitana Cor.
arvensis lanceolata Cor.
americana foliis longissimis pediculis donatis Cor.

Galenia

Linnaei

Petiveria

Solani foliis Lonicerae spinosis Plum.

Neuvieme Leçon

Beta

communis sive viridis C B
rubra vulgaris C B.
pallide virens major C B.

Atriplex

Latifolia, sive halymus fruticosus latifolius Moris.
hortensis alba sive pallide virens C B.
hortensis rubra C B.
folio hastato seu deltoide Moriss
sylvestris fructu compresso roseo C B.
maritima laciniata C B.
maritima mauritanica frutescens polygoni folio
argentea racemosa Pluk.
maritima angustifolia procumbens Moriss
angustissimo. longissimo folio

Chenopodium

folio sinuato candicante Just
pes anserinus primus
maritimum folio candicante
folius linearibus Lan coolatis racemis nudis dichotomis setis
ramosis terminantibus
tartaricum polyspermos folio laciniato
sinense foliis longis angustis pedunculis ramosis
spicatum folio triangulari dentato D. Vaillant
Stramonii folio D. Vaill.
hispanicum procerius deltoide Just
tartaricum frugiferum maximum
quod atriplex sylvestris nori fructu C B.
quod atriplex nori fructu major, seu fragifera major
Moriss
Betæ folio
folio triangulo
Lini folio villoso
fœtidum
angustifolium laciniatum minus
foliis fili formibus acutiusculis caule recto Linn.

Chenopodium

annuum humifusum folio breviore et capillaceo
fruticosum sedifolio incano
quod sed minimum fruticosum
hispanicum fruticosum sedifolio erectum
maritimum salifolio
ambrosioides folio sinuato
ambrosioides mexicanum
lycopi folio perenne
semper virens folüs tenuiter laciniatis

Blitum

quod amaranthus fruticosus erectus spicâ viridi lax
fruticosum americanum minimum et strigosa
africanum frutescens spicis virescentibus
africanum spicis exviridi albicantibus
Caa-ruiherba dicta brasilicensibus lusitanis bredos
indicum spicâ multiplici rubrâ pendulâ
rubrum majus
rubrum minus
virginianum virens folüs subtus cinereis
polygonoides viride polyanthos
indicum virens spinosum
sylvestre pomum varietatis facie
album minus
album majus
sylvestre spicatum folüs ex albo et viridi variegatis
quod amaranthus graecus sylvestris angustifolius
tricolor colore hilariori
tricolor colore obscuriori

amaranthus

panicula conglomerata
spicatus argenteus americanus
albus gangeticus salviæ angustis folüs panicula conglomerata
indicum majoranæ folio panicula multiplici candicante

amaranthoides

lychnidis folio capitulis purpureis
humile maderas patavinum capitulis candicantibus folüs mollibus
humile curassavicum folüs cepæ lucidis capitulis albis
marinum repens polygoni folüs capitulis argenteis

Cadclari

horti Malabarici
malabarica folio rotundiore pubescente
fructu lappaceo molli purpurascente
fructu lappaceo aspero cinerescente

Cannabis

erratica
sativa
africana praecoci semine minori

Cannabina

cretica florifera
cretica fructifera

Capparis

spinosa fructu minori folio rotundo
non spinosa fructu majori

Reseda

aegyptiaca minor odoratissima
minor vulgaris
vulgaris
foliis calcitrapae flore albo

Lutcola

herba salicis folio

Sesamoides

fructu stellato

Mercurialis

spicata sive foemina
caule brachiato, foliis glabris
testiculata sive mas
tricoccos hermaphroditica sive ad folionum punctura
cf foliolis cristatis pilifera, simulat. fructum dcrcuc
montana spicata
fruticosa in cana testiculata

Heliotropium

majore
foliis ovatis integerrimis tomentosis majoris spicis
minore nepinum conjugatis
curassavicum foliis limi umbilicati
americanum foliis hominis
foliis lineari lanceolatis pilosis spicis solitariis
americanum salvia folio flore ex albo. Cesalp.
arborescens folio tenerii flore albo in capitula densa congesto

Echium

vulgare C. B.
caulesim plicie erecto.
lato plantaginis folio italicum Barrel.
rubro flore J. B.
majore et asperrimo flore albo C. B.
foliis angustis et villosis Just.
arvense minus Just
palustre minus flore caeruleo Just
minus repens latifolium C. B.
majus erectum C. B.
seminibus duobus calicibus patentibus Linn.

Pulmonaria

aegyptia calice vesicario flore purpureo
cretica annua calice vesicario J. R. H.
alpina foliis mollibus subrotundis flore caerul
folio echii Lobelii
calicibus abbreviatis foliis radicalibus subcor
Linnaei

Buglossum

arvense annuum lithospermi folio Dillenii
creticum majus flore albo rubro aut carneo Just
angustifolium majus flore caeruleo C. B.
angustifolium semine echinato Just
aegyptiacum angustifolium flore pallide parvo flavescente D. Vaugier
orientale flore luteo Cor. Just
sylvestre minus C. B.

Buglossum

orientale angustifolium flore parvo coeruleo Cor. jmt
annuum minimum lithospermi arvensis facie
egyptium
sylvestre minus hispanicum
latifolium semper virens C. B.

Borrago

floribus albis C. B.
Constantinopolitana flore reflexo coeruleo flore
vesicario Cor. jmt

asperugo

vulgaris jmt

Cynoglossoides

folio caulem amplectente act. accad.

Cerinthoides

argentea flore pulchro coeruleo Tourn.

Cynoglossum

montanum virenti folio minore flore jmt
creticum argenteo angusto folio C. B.
creticum latifolium fœtidum C. B.
majus vulgare C. B.

Plumbago

quorumdam Clusii
americana betæ folio ampliori Plum.
americana viticulis longioribus semper
virentibus ellipticis.

Cerinthe

quorumdam major minor folio flore flavo J. B.
quorumdam major versi colore flore J. B.
alpina flore perenni striato jmt
folius lanceolato linearibus hispidis Linn.

Symphitum

consolida major flore purpureo quaenare cor.
majore tuberosa radice cor.

Omphalodes

pumila verna simplici folio just
Lusitanica lini folio just

Pittonia

scandens baccifera niveis nigris maculis
notatis Plum.
humilis anchusae folio Plum.
scandens foliis lanceolatis scabris spicis
florum recurvis
arborescens chamaedryi folio major. Plum.

Hydrophillum

Morini. horti. pumeq.

Dixieme Leçon

Polemonium

foliis pinnatifidis caule erecto, floribus nutantibus
vulgare caeruleum Linn. Just

Lychnidea

hirsuta repens flore caeruleo
folio melampyri Dillenii
Caroliniana floribus amplis purpureis folio
Latioreet acutiore
folio salicino Dille.

Stellaria

maritima supina saxatilis glauca ericoidea
semper virens flore purpureo Pet. aut. mich.
maritima quadrifolia annua supina chamaelicea
folio et facie flore ex albo purpurascente Cor. Just

Lychnis

sylvestris alba simplex &c.
sylvestris alba simplex semine vidua D. Vaill.
sylvestris quae saponaria vulgo Just
purpurea multiplex &c.
montana viscosa alba latifolia &c.
quae ericoides minus sive album Lugd. Batav.
foliis glabris calice duriore Boccon.
viscosa flore muscoso &c.
sylvestris viscosa rubra angustifolia &c.
auriculae ursi facie &c.
flore albo minimo Raii
hirsuta minor flore variegato act. acad.
supina sicula calice amplissimo striato Just
sylvestris hirsuta annua flore minore carneo ostoris
Lusitanica annua bellidis folio flore purpureo Just
orientalis maxima buglossi folio undulato Cor. Just

Lychnis

chalcedonica annua folijs parvum hirsutis et angustis
floralibus carneis pedicellis infirmis binis calibus
insidentibus capsulis sphaeroturbinatis striatis.
ægyptia minor ramosa parvo flore latiori folio nervoso
ægyptiaca minor angustifolia parvo flore
& lutetica perennis hissopifolio latiore flore albo
septentrionalium foliis hissopi floribus unoversus
positis albis hallerii.
maritima repens C. B.
graeca s. ellebori folio verna flore parvo dilute purpureas-
=cente Cor. Just
alpina pumila folio gramineo sive muscosa alpinus
Lychnidis flore carneo sive rubri dilutioris C. B.
sylvestris quae s. cenalbum vulgo calice florum
purpurascente
orientalis annua supina anthirrini folio flore minimo
purpurascente Cor. Just
sylvestris minima flore muscoso magnol.
foliis inferioribus bellidis minoris similibus flore minimo
carneo aut rubro magnolii
Coronaria noctiflora angustifolia flore albo
segetum rubra foliis perfoliatis C. B.
segetum rubra foliis perfoliatis flore minore
orientalis calice pyramidato striato longissimo Cor. Just
sylvestris angustifolia caliculis turgidis striatis C. B.
noctiflora C. B.
segetum major C. B.
pyrenaica umbellifera minima Just
minor saxifraga Plukenetii
orientalis buplevri folio Cor. Just
maritima annua flore albido
Coronaria dioscoridis sativa C. B.
umbellifera montana helvetica Zanoni.
foliis lanceolatis subtrinervis rectis
calicibus pentaphyllis corymbis fastigiatis foliis
linearibus caule ascendente
pratensis flore laciniato simplici ottoniani
graeca maritima sedi arborescentis folio en facie Cor. Just

Lychnire

orientalire calice pyramidato striato longissimo flore magno purpurascente
sylvestrire albaspricâ reflexâ magnolii
hirsuta flore coccineo major. C. B.
multiflora linarie folio floribus minimis albis
alpina alsinifolia multiflora per ampla radice Just
viscosa alba latifolia levis C. B.
viscosa purpurea latifolia levis C. B.
frutescens myrthifolia flore albo simile C. B.
aegyptia flore albo reflexo calice striato
cretica parvo flore calice striato purpurascente Just
acinastri facie flore viridi herm.
viscosa altissima acinastri facie flore viridi muscoso
orientalis Japonaria folio Crium phoetidi en facie flore minimo, et multiplici Just
minima calice amplo longo hirsuto flore itidem amplo
hispanica kalifolio multiflora asperrimi Just
noctiflora angustifolia odorata Just
multiflora clatior linarie folio parvo flore Just

Cucubalus

Plinii

Cariophillus

altissimus major C. B.
maximus rubeus C. B.
flore pleno minor. C. B.
multiplex laciniatus C. B.
sylvestris humilis flore rubico C. B.
sylvestris flore simplici laciniato rubro Lobelii
sylvestris vulgaris latifolius flore simplici purpureo inodoro C. B.
barbatus hortensis Latifolius C. B.
barbatus flore multiplici
montanus umbellatus floribus luteis ferrugineis Barrel.
sylvestris prolifer C. B.
Barbatus sylvestris C. B.
flore tenuissime dissecto dilutius rubente C. B.
hispanicus maritimus foliis pungentibus
simplex supinus latifolius C. B.
minimus muralis C. B.
sinensis supinus Leucoii folio act. accad. Reg. Paris.

Statice

alpina major flore albo J. R. H.
foliis angustioribus flore rubro & occone.
Lugduno historia
montana minor. J. R. H.

Poligonifolia

vulgaris D. Vaillant

Mimuartia

floribus confertis dichotomis Linn
floribus terminalibus alternis bracteis longioribus
Linnæi

Alsine

pratensis graminea folio angustiore J. R. H.
altissima nemorum &c.
littoralis foliis portulacæ &c.
pratensis graminea folio amplioro J. R. H.
media &c.
tenuifolia J. B.
poligonoides tenuifolia floribus ad longitudinem
caulis velut in spicam dispositis Plukenetii
minor multicaulis &c.
foliis ovatis acutis corollis calice majoribus
saxatilis Cruciatæ foliis umbellatis corymbosis &c.
spergula dicta major &c.
spergula semine foliaceo nigro Moris
spergulæ facie media &c.
spergulæ facie, minor riversporgula flore albo subcæruleo &c.
minima flore fugaci J. R. H.
montana capillaceo folio &c.
foliis linearibus acuminatis petalis florum integris
calice duplo longioribus D. Vaillant
saxatilis laricis folio major cum majori flore
arenaria dicta

Myosotis

arvensis subhirsuta flore majore Just
arvensis hirsuta parvo flore Just
incana repens Just
hirsuta minor Just
orientalis perfoliata Lychnidis folio Cor. Just
hispanica segetum Just

Loeflingia

hispanica Linn.

Polycarpon

tetraphillum Linn

Dianthus

pedunculis lateralibus folia æquantibus sub=
=umbellatis Linn.

Mollugo

foliis verticillatis cuneiformibus a cutis caule
subdivisio decumbente pedunculis uniflorisque Lin.

Camphorata

hirsuta Cor

Poligonum

Latifolium Cor.
maritimum Latifolium Cor.
caule fruticoso calicis foliolis oblongis reflexis Linn.

Atraphaxis

inermis Linnæi

Paronichia

hispanica fruticosa mirthifolio Just
paribonensis erecta Just

Bermiaria

glabra g. B.
hirsuta g. B.

Moniera

Anagallis

Phoenicea flore C. B.
flore obsolete purpureo Parkins.
caerulea flore C. B.
tenuifolia Monelli Clusii

Cyclamen

orbiculato folio inferne purpurascente C. B.

Dodecatheon

Linnaei genernm

Soldanella

alpina rotundifolia C. B.

Pedicularis

foliis serratis Linnæi

Veronica

trifidis vel quinquefidis foliis floribus alibique pedunculis
spicata angustifolia C. B.
spicata longifolia Just
spicata laniginosa cinerea floribus cæruleis amm.
floribus oblongis pedicellis insidentibus foliis chamædryos. Morris.
spicata Cambrobritannica bugulæ subhirsuto folio
virginiana procerior foliis ternis quaternisve et etiam quinis caulem amplexantibus spicis florum candidissimis Kalm.
spicata latifolia C. B.
multicaulis pannonica Just
spicata minor C. B.
mas supina et vulgatissima C. B.
supina facie tenerii pratensis Lobelii
maxima latifolia seu quercina folio Morris.
orientalis minima foliis laciniatis C. B.
pratensis serpillifolia C. B.
terrestris annua folio polygoni flore albo Morris.
floribus solitariis subsessilibus foliis oblongis subdentatis caule erecto Linnæi
alpina fruticosa C. B.
veronica alpina bellidis folio hirsuta C. B.
aquatica angustiore folio Just
aquatica major folio oblongo Morris.
aquatica major folio subrotundo Morris.

Ephedra

maritima major Inst
maritima minor Inst
cretica tenuioribus et rarioribus flagellis &c. Inst

Juncus

palustris humilior erectus Inst
angustifolius villosus floribus albis paniculatis
nemorosus latifolius major Inst
villosus capitulis proliis Inst
foliis articulosis floribus umbellatis Inst
levis panicula sparsa major. &c.
montanus palustris Raii

Asparagus

maritimus crassioris folio &c.
aculeatus altus tribus aut quatuor spinis ad eundem exortum &c.
sylvestris tenuissimo folio &c.
africanus tenuifolius viminalibus virgis foliis lanceis instar et uno pluribus numerosis stellatim positis Pluk.
Satiua &c.
africanus scandens myrthifolio horti Pisani.
aculeatus maximus tomentosus Zeilanicus h. L. Bat.
aculeatus triplici spinâ Pluk.
aculeatus spinis horridus &c.
foliis acutis &c.

Acorus

verus sive calamus aromaticus officinarum &c.

Saururus

foliis profunde cordatis ovato lanceolatis spicis solitariis foliis longioribus Linnæi

Piper

foliis ovatis cuneiformibus Linn

Arum

veniæ albiæ maximum italicum D. Valer.
seorzoneræ folio just
africanum flore albo odorato. Bat.
maximum ægyptiacum quod vulgo caulocasia Cb.
minus esculentum sagittarii foliis viridi nigri=
=cantibus sloan. Catal.
minus nimphææ foliis esculentum sloan. Catal.
palustre arundin aceæ radice hermanni.
hederaceum amplis foliis perforatis Plum.

Dracunculus

polyphillus major indicus serotinus immaculato
caule h. R. P.
polyphillus Cb.
acaulis foliis quinquelobatis spatâ internâ et
spadice pilosâ

Tithimalus

characias folio lanuginoso Cb.
myrsinites latifolius Cb.
linariæ folio flore lunato Morriss.
amygdaloides lini folio acuto Magnolii
helioscopius Cb.
rotundifolius non crenatus hermanni.
exiguus saxatilis Cb.
arvensis latifolius germanicus Cb.
latifolius Cataputia dictus herm.
arboreus Prosp. alp.
characias cubensis peregrinus Cb
maritimus spinosus Cb.
myrsinites fructu verrucæ simili Cb.
Spithimi fructa Columnæ
montanus Pollini amygdali angustioris folio hirsutus
sylvaticus lunato flore Cb
Cyparissias Prosp. alp.
arboreus africanus just
Canariensis frutex cum linariæ folio h. amste.
ramosissimus frutescens pene aphyllus herm.

Tithimalus

indicus vimineus pentandrus aphyllos Brocome
amygdaloides angustifolius Tab. Montani.
lini folio major italicus Barrel.
oleae folio glauco narbonensis Just
maritimus Cor.
characias lanuginosus illyricus Cupani
palustris fruticosus Cor.
characias folio serrato Cor.
orientalis salicis folio caule purpureo flore magno
maritimus juniperi folio Cor. Just Broccone.
americanus annuus foliis striatis Cor. maculatis
americanus hirsutus major Brasiliensis albus
flos cultus Commel.
maritimus folio obtuso amicto rubro perinde ac
exiguus glaber caule Just nummularii folio Just
cyparissias Cor.
arboreus americanus cotyni folio hortis amictus.
americanus arborescens cotyni foliis minoribus
et verticillatim nascentibus Plum.

Apocynum

maritimum venetum salicis folio flore albo Just
virginianum flore herbaceo siliquâ longissimâ
persicariæ mitis folio corniculis lacteis Dillen.
Curassavicum fibrosâ radice floribus aurantii
chamaenerii foliis latioribus P. B. Pat.
novæ angliæ subhirsutum tuberosâ radice floribus
minus rectum canadense cornuti aurantii R. L. Pat.
maritimum venetum salicis folio flore purpureo
erectum africanum villoso fructu salicis folio
glabro angusto hermanni
africanum erectum foliis rubi rotundis crassis
floribus umbellatis albis hermanni
majus syriacum rectum caule viridi flore ex
albido. Just.

Periploca

quae apocynum folio subrotundo &c.
quae apocynum scandens vinca pervincae folio
viride fructu villoso hermannic
quae apocynum Dioscoridis lignicum arbores altissimas
scandens folio subrotundo &c. Junt
folio oblongo Junt
aegyptiaca sive scammonea Prosp. alp.
monspeliaca folio rotundiori ribens Junt
monspeliaca folio acutiori ribens Junt
scandens folio convolvuli fructu alato Plum.
americana folio oblongo hirsuto

Asclepias Dioscoridis

sive asclepias africana asphodeli Junt
sive asclepias africana asphodeli flore pulchro
fimbriato Commel.
mammillaris flore culo albo

asclepias

nigro flore &c.
albo flore &c.

Convolvulus

angustissimo folio nostras cum auriculis Plum.
major albus &c.
indicus minor albus folio flore rubicundo
purpureo Commel.
spicae folio argenteus radice repente Junt
minor argenteus repens acaulis flore D. Vaillant.
siculus minor flore parvo auriculato Boccone.
flore cyaneo, lusitanicus. Dioscorides
sinuatus folio humilior Junt
argenteus umbellatus erectus Junt
minor arvensis &c.
purpureus folio subrotundo &c.
indicus flore albo D. Vaillant.

Convolvulus

coeruleus hederaceo angulosus folio C B.
pentaphillos minor flore purpureo Sloan.
coeruleus indicus myosotis folio
syriacus ces. Scamonea syriaca Morriss
maritimus nostras rotundifolius alteris.
zeilanicus villosus pentaphillus ces. heptaphillus
minor. herman.
multifidus glaber Inst
major heptaphillos flore subpurpureo odorato
speciosissimo Sloan.
pentaphillos folio glabro dentato viticulus.
humilis folius circinatis profundissime ch.
hirsutus Plumerii
tenuissime divisis flore albo
indicus Batatas dictus Raii
americanus subhirsutus folio Cordiformi
arboreus rotundifolius Plukenetii

Quamoclit

americana folio digitato flore coccineo Plum.
americana hederae folio flore coccineo Commel

Viola

mantia purpurea flore rimplicidoro C B.
mantia major hirsuta inodora Morisoni
mantia inodora sylvestris C B.
coerulea maxima cucumeris nis folius glabro
canadensis
tricolor hortensis repens C B.
tricolor arvensis C B.
pyrenaica longius caudata tenuifolius Inst
mantia arborescens purpurea C B.
alpina rotundifolia lutea C B.
palustris rotundifolia glabra C B.
montana tricolor odoratissima C B.

Cardamindum

angliarii folio cum majori flore just.
flore pleno eod.
minore cum vulgare just
quinque foliae foliovulgo etalla feuillée

Balsamina

famina eod
Lutea rivo volime tangere eod.

Douzieme Leçon

Aristolochia

Longa scandens foliis sorri Equimi effigie Plum.
clematitis recta Cl.
indica aromatica odorata minor hu. Car. Alusani
Aristolochia dicta Cl.
Aristolochia altera Cl.
rotunda flore cy purpureo nigro Cl.

azarum

Dodonaei
canadense Cornuti

yucca

foliis aloes Cl.
arborescens foliis rigidis virentibus rectis serratis
Draconis folio serrato reflexo Dillenii. Dillenii
foliis filamentosis Morisi

tamnus

racemosa flore minore luteo pallescente Just
vulgaris mas seu sterilis. D. Vaillant.

Ruscus

latifolius fructu in medio foliorum extra pendente Dill.
angustifolius fructum minimis ramulis innascente Just
latifolius fructu foliorum nascente Just
myrthifolius aculeatus Just
latifolius e foliorum sinu florifer et baccifer Dillenii

Conferva

Plinii

Tubularia

sive fucus tubulosus intestinorum forma Just

Chara

vulgaris foetida D. Vaill.

Limnospongia

vulgaris

Hydrocera tophillum

foliis aspero quatuor cornibus armato D. Vaill.

Stellaria

quae lenticula palustris bifolia fructu tetragono C.B.
quae lenticula palustris angustifolia folio in apice
dissecto Loeselii

Limnopence

Valerii

Potamogeton

rotundifolium C.B.
foliis angustis splendentibus C.B.
foliis crispis sive lactuca ranarum C.B.
perfoliatum Raii
millefolium seu foliis gramineis ramorum Raii
ramorum angustifolium C.B.

Algoidea

vulgaris D. Vaill.

Myriophillon

aquaticum majus D. Vaill.
aquaticum minus clusii

Lenticula

palustre major Commel.
palustre vulgaris C.B.
aquatica trisulca C.B.

Menianthes

palustre latifolium s. trifolium Just

Nymphæa

Lutea major C.B.

Nymphoides

aquis innatans flos

Morsus=Rana

folio circinnatis floribus albis act. acad. Reg. Paris.

Butomus

Cæsalpini

alisma

plantaginis folio amplior
plantaginis folio minor

Sagitta

aquatica major C.B.

Sparganium

ramosum C.B.

tribuloides

vulgare aquis innascens flos

Rosa solis

folio oblongo C.B.

Plantaginella

aquatica vulgaris D. Tournefort

Lilium=convallium

album C.B.
floribus e folliculo prodeuntibus flos

Poligonatum

Latifolium vulgare C.B.
Latifolium hellebori albi folio C.B.
angustifolium nonnullorum C.B.
latifolium flore majore odoro C.B.

Poligonatoides

spicata
humillima sive minus folium D. odorati

Lilianthos

flore majore luteo D. Tournefort
folio amplexi caulibus parvo flore

Smilax

aspera caulibus ac sarmentis minus aculeatis foliis oblongis per limbum purpurascentibus
viticulis asperis virginiana folio hederaceo lævi
Zarza nobilissima nobis Pluk.
aspera fructu rubente &c.
orientalis sarmentis aculeatis arboreis excelsas scandentibus foliis non spinosis Cor. just

Clematitis

sylvestris latifolia &c.
sive flammula repens &c.
sive flammula surrecta alba J. B.
hispanica surrecta altera cui humilior flore albicante D. Vaillant.
sive flammula surrecta altera minor flore, elatior, albicante
cretica foliis pyri incisis nunc singularibus nunc ternis Cor. just
cærulea repens &c.
Canadensis trifolia dentata flore albo Bocconi
orientalis apii folio flore viridi flavescente reflexo posteriore Cor. just
cærulea erecta &c.

Menispermum

folio hederaceo Dillenii
Canadense scandens umbilicato folio Act. acad.

Granadilla

folio tricuspidi fructu parvo flavescente just
polyphillos fructu ovato just
hispanica flos passionis, italis Columnæ
folio angusto tricuspidi fructu olivæ formâ just.
folio amplo tricuspidi fructu olivæ formâ just
folio hastato hortensi et altis candicantibus limbis ex purpureo et luteo variis Martyni
flore suaverubente folio bicorni just
folio tricuspidi obtuso enoculato feuillée
folio bicorni fructu exagono ubique acuminato Plum
syringaensis folio oblongo serrato just

Granadilla

foetida folio tricuspidi villoso flore albo just
fructu citriformi foliis oblongis just

Persica

vulgaris latifolia flore caeruleo just
vulgaris angustifolia flore caeruleo just
angustifolia variegata just
erecta foliis ovatis flore rubro in Asia orientali

Jalapa

mexicana tubo floris longissimo
officinarum fructu rugoso just
flore purpureo just

Boerhavia

scandens altiner folio
flore purpureo foliis crassis succulentis radice
napiformi esculenta vulgo Tasso
solanifolia major D. Vaillant

Capsicum

fructu longo sulcis tumido per summum tetragono just
fructu teretis spitameo just.
siliqua propendente ceraciformâ just
fructu rotundo minimo just

Jasminoides

africanum aculeatum Rhamni aculeati foliis ex facie
act. acc. R. S.
aculeatum humile halimi minoris folio flore majori
violaceo fructu crassiore per maturitatem flavescente
just
aculeatum salicis folio flore parvo ex albo purpurascente
Sinense halimi folio latiore et angustiore
Sinense halimi folio latiore et rotundiore
spinosum foliis rotundioribus floribus lilac spirantib.
subcaeruleis
Laureola folio flore candido vespertino odorato Dillenii
folio Bisbaminis flore virescente suavi odoratissimo Dill.
solani folio et odore
foetidissimum floribus viridibus baccis atro violaceis
foliis laurinis ovatis obtusis atro virentibus

Stramonium

fructu spinoso oblongo flore albo &c.
folio hyosciami flore candido fructu prope pendente rotundo
spicae inexae armato Boerh.
ferox Boccone.
americanum minus altekkingi folio Plum.

Phitolacca

americana major fructu just
arborescens
mexicana baccis sessilibus Dillenii

Bella dona

majoribus foliis ex. floribus just
frutescens rotundifolia hispanica just
erecta amplo flore violaceo

Nolana

prostrata Linn

Rivina

quae Solano videtur americana circaea foliis glabris just
humilis racemosa baccis puniceis Plum.

Solanum

scandens seu dulcamara &c.
dulcamarum africanum foliis crassis hirsutis Dillk
scandens seu dulcamara flore albo &c.
foliis quernis feuillée
caule inermi herbaceo levi teretiusculo prostrato, foliis
pinnatifidis, radicante, racemis oppositis Linnaei
nigrum vulgari simile caulibus exasperatis Dillenii
bacciferum vulgari simile maximum hyrinamense herm
tuberorum esculentum &c.
Bonariense arborescens pappare floribus Dillenii
fruticorum baccifernm &c.
pomiferum frutescens africanum Borraginis flore
spinosum nigricans foliis profunde laciniatis herm.
americanum tomentosum foliis verbasci parvo fructu
flavescente Plum.
maxime tomentosum spinosum Boccone
fruticosum indicum fructu rubro just

aliud arborescens acanthifolio Plum
spinifernum frutescens spinis igneis americanum Pluk.
fruticosum laurifolium spicatum Plum.
lignosum africanum semper virens laurinis foliis h. amst
africanum semper virens laurifolio flore parvo
amplissimo angulosa hirsuto que folio fructu aureo
maximo feuillée
frutescens foliis longis et angustis floribus purpureas=
=centibus
africanum tomentosum flor. coeruleis umbellis
americanum molle foliorum nervis et aculeis fructu
mammoso flavescentibus Plum.
officinarum acinis luteis C. B.
procerius patulum vulgari fructu Dillenii
officinarum acinis nigricantibus C. B.

Alkekingi

fructu parvo verticillato Just
curassavicum foliis origani in canis flore viete sulphureo
fundo purpureo Dillenii
maximum frutescens incanum
Bonariense repens Baccâ turbinatâ vix cotâ Dillenii
officinarum Just
virginianum baccâ turbinata foliis subin canis
indicum glabrum chenopodii folio Dillenii
indicum majus capuli dictum
americanum majus latifolium vis corum et hirsutum
hirsutum
virginianum fructu luteo Just

Lycopersicum

Galenii
fructu Cerasi rubro Just
pempinellæ sanguisorbæ folio feuillée
arborescens amplissimis foliis angulatis fructu aureo
Plum.
fructu striato duro Just
fructu rubro non striato Just

Melongena

fructu oblongo violaceo Just
fructu rotundo Just
Laurifolia fructu turbinato variegato feuillée

Treizieme Leçon

Nicotiana

major latifolia C.B.
minor C.B.
folio cordiformi calicibus laciniis inaqualibus tubo
floris prælongo ~~fenillée~~. ad collum patente
minor folio cordiformi tubo floris prælongo. fenillée

Hyoscyamus

peregrinus luteus minor annuus h. R. Monsp.
minor albo similis umbilico floris atro purpureo C.B.
creticus luteus major C.B.
vulgaris vel niger C.B.
aegyptius Betæ folio flore luteo intus pruicante atro
Lippi

Cor=indum

amplius folio fructu majore Jmt
folio en fructu minori Just

Chiopteris

L. h. Cliff.

Serjania

Scandens polyphilla arta cemura Plum.
Scandens tryphilla cruracemura Plum.

Mandragora

fructu rotundo C.B.
foliis asperis fructu parvo ovato cum acuminato
floribus violaceis Cor. Just
flore sub cæruleo foliis minoribus fructu globoso Jmt

Basella

horti Malabarici
foliis majoribus cum caulibus virescentibus crassioribus.
lingulis folio minore virente
americana semine capsula membranacea convoluto

Bocconia

racemosa Sphondilii folio tom. cultoro Plum.

Betharnosia

canadensis flore albo simplici Just

Chelidonium

majus vulgare C. B.
majus foliis querci fre C. B.
majus foliis C. B. flore minutissime laciniatis D. Vaill.

Hypecoon

Latiore folio Just.

argemone

mexicana Just
mexicana flore albo

Papaver

hortense semine albo Plinio Sativum Dioscoridis album Plinio C. B.
hortense nigro semine sylvestre Dioscoridis nigrum
erraticum majus rheade Plinio C. B. Dioscoridis Euphrasto Plinio C. B.
erraticum capite oblongo hispido Just
erraticum capite longiore hispido Just
erraticum capite longissimo glabro Just
erraticum pyrenaicum flore flavo C. B.
orientale hirsutissimum flore magno Tourn. Just

Glaucium

hirsutum flore phoniceo Just
flore luteo Just
flore violaceo Just

Aconitum

pyrenaicum ampliore folio tenuiore laciniato Just
Lycoctonum luteum majus ampliore caule ampliuribusque foliis Dodonaei
Lycoctonum luteum C. B.
salutiferum seu anthora C. B.
coeruleum seu napellus primum C. B.

Aconitum

viola cum sem apellare secundare &c.
caeruleo purpureum flore maximo sive napellare quartare &c.

Delphinium

segetum flore caeruleo just.
hortense flore majore et simplici caeruleo just
perenne montanum villosum aconiti folio just
platanifolio staphis agria dictum just
Latifolium parvo flore just
perenne ranunculi folio floribus azureis elegantissimis

Poligala

caerulea tab. mont.
africana frutescens buxifolio maximo flore. Oldenl.

Fumaria

Lutea &c.
semper virens et florens flore albo Boccon.
officinarum dioscoridis &c.
foliis tenuissimis floribus albis circa amen spelium nascens &c.
minor tenuifolia &c.

Caprioles

Institutionum

Aquilegia

pumila precox Canadensis Cornuti
sylvestris &c.
flore roseo multiplici &c.

Thalictrum

majus siliqua angulosa aut striata &c.
majus flavum foliis angulosis
majus flavum staminibus luteis vel glauco folio &c.
pratense majus montis pelicensium foliis rugosis D'Val
pratense angustissimo folio &c.
minus alterum parisiensium foliis crassioribus et lucidis D. Vallot.

Thalictrum

alpinum majus aquilegiæ foliis florum caule viridi staminibus albis just
alpinum aquilegiæ foliis florum staminibus luteis purpurascentibus just
virginianum latius glaucum caulibus purpurascentibus
minus foliis subtus flexis apice incisis florum cæruleis minus C. B.
majus enum striatum C. B.
americanum minus Park.
minus asphodeli radice magno flore just
minus asphodeli radice parvo flore just
minimum fœtidissimum C. B.

Ruta

hortensis latifolia C. B.
chalepensis latifolia florum petalis scatentibus villis lutea.
sylvestris minor C. B.

Parmala

Dodonei

Garidella

foliis tenuissime divisis

Nigella

orientalis flore flavescente plano semine alato Cos.
cretica C. B.
latifolia flore majore simplici cæruleo C. B.
angustifolia flore majore simplici cæruleo C. B.

Valeriana

palustris minor C. B.
tuberosa imperati
hortensis plus folio sinuatis Dioscoridis C. B.
sylvestris major altera folio lucido D. Vaillot
sylvestris major C. B.
foliis calcitrapæ C. B.
alpina prima C. B.
maxima pyrenaica Cacalia foliis D. Sagon.
rubra C. B.
marina latifolia seu major alba Mouss

Valerianella

semine stellato cor.
erecta floribus luteis foliis dissectis Amman
semine umbilicato ovato oblongo Moriss
semine umbilicato rotundo ovato Moriss
semine umbilicato hirsuto minore Moriss
arvensis scabiosa semine nostras Moriss
Corona copioides flore galeato Moriss
cretica fructu vericario Cor. Just

Filipendula

vulgaris an Ulmaria Plinii cor.

Ulmaria

Clusii

Barba Capræ

floribus oblongis cor.

Aralia

Canadensis Just
arborescens spinosa D. Vaill.
Canadensis humilior Zanthoxylo radicibus saraceni

Aureliana

Canadensis sinensibus Jussieu foliis quinis quaternis
Lasitan.

Christophoriana

vulgaris nostras racemosa Moriss
americana racemosa baccis rubris Moriss
americana racemosa Baccis niveis Moriss

Anaphalophillon

Canadense Morini

Pimpinella

Sanguisorba inodora C. B.
Sanguisorba minor levis C. B.
Sanguisorba major C. B.
major hispanica altera conglomerato flore D. Vall.
Canadensis spicâ longâ rubente D. Vallot
maxima Canadensis Cornuti
agrimonoides odorata D. Vallot
spinosa seu semper virens altissima

Clifftortia

foliis dentatis Lin. hort. Cliffortiani

Quatorzieme Leçon

Tragoselinum

major umbellâ candida Just
orientale laciniatum umbellâ alba Cor. Just
alterum majus laciniatum
alterum majus Just
minor Just

Phellandrium

Dodonæi

Œnanthe

cherophilli folio C B.
apii folio C B.
aquatica C B.
maritima apii nigri ore crassiore folio Morisson
aquatica bifloria caulibus fistulosis Morisson
lusitanica semine crassiore globoso Just

Cuminoides

vulgare Just

Cuminum

sive cyminum sativum g. B.

Crithmum

sive fœniculum maritimum minus C B.

Caucalis

pumila maritima C B.
arvensis echinata parvo flore et fructu C B.
arvensis echinata magno flore C B.
major Dauciformis tingitana Morisson
Dauci sylvestris folio echinato magno fructu Magn.
arvensis echinata latifolia C B.
monspeliaca echinato magno fructu C B.
arvensis echinata parvo flore magno fructu

Hydrocotyle

vulgaris Just
Zeylanica Azari folio Justit

Chærophillum

Siculum sophiæ foliis semine villoso Just
Satirum C.B.
Sylvestre seminibus brevibus hirsutis Just
alterum geniculis tumentibus De vallon.
Sylvestre C.B.
Sylvestre perenne cicutæ folio Justit

Myrrhis

perennis alba minor foliis hirsutis semine aureo
major vel cicutaria odorata C.B. Morisson
folio angelicæ rugoso hirsuto Boerhaave.
trifolia Canadensis angelicæ facie Just
orientalis foliis angustioribus peucedani semine villoso
orientalis pastinacæ foliis lucte virentibus Corol. Just Boerha.

Scandix

semine rostrato vulgaris C.B.

Cicuta

major. C.B.
minor Petroselino similis C.B.

Cicutaria

Latifolia fœtida C.B.

Ligusticum

quod seseli officinarum &c.
sivestre montanum angustifolium &c.
ferulae folio just
cicutae folio glabrum just
mei folio
scoticum apii folio just
alpinum multifido longoque folio just

Pastinaca

sativa latifolia &c.
sylvestris altissima just
sylvestris latifolia &c.
Balearica amplissimo folio caule brevi

Daucus

vulgaris Clusii
sativus radice albâ just
sativus radice atro rubente just
maritimus Lucidus just
segetum minor D. Gaillard
annuus minor floribus albis just
annuus ad nodos floridus just

Ammoides

major odore origani Boerhavii.
ammoides &c.

Carvi

Cesalpini
foliis tenuissimis asphodeli radice just

Sisarum

Germanorum &c.

Sium

umbellatum repens Gerardi
Latifolium C.B.
Erucæ folio C.B.
arvense sive segetum Just
aromaticum seu officinarum Just

Ammi

majus C.B.
perenne Morisoni

Coriandrum

minus testiculatum C.B.
majus C.B.

Apium

Anisum dictum semine maxime olente majori Just
macedonicum C.B.
hortense latifolium C.B.
hortense seu petroselinum vulgare C.B.
palustre et apium officinarum C.B.
dulce celeri italorum D. Vallot
petræum sive montanum album J. B.
foliis pinnatis inciso angulatis

Smyrnium

peregrinum rotundo folio Mathioli

Oreoselinum

Dauci hortensis folio
apii folio minus Just
apii folio majus Just

Cordylium

maximum Just
ægyptiacum sive sesamoides arabicum et maurorum sive pastinaca syriaca Rauwolfii
narbonense minus Just

Bupleurum

rotundifolium perfoliatum annuum just
folio subrotundo sive vulgatissimum C.B.
annuum angustifolium Magnolii
folio rigido C.B.
arborescens foliis folio just
frutescens foliis ex uno puncto plurimis junctis
tetragonis Burmanni

Peucedanum

gallicum rarioribus et brevioribus foliis D. Vaillan.
majus italicum C.B.

Astrantia

major corona floris candida just.
major corona floris purpurascente just

Sanicula

floribus masculis pedunculatis hermaphroditis
Canadensis amplissimo laciniato folio sessilibus Linnei
officinarum C.B.

Echinophora

maritima spinosa just

Laserpitium

humilius palidapii folio flore albo just
foliis latioribus lobatis Morris.
lobis angustioribus dilute virentibus et multifari=
=am divisis Morris
gallicum C.B.
Selinoides semine crispo just
Latifolium nonramosum just
angustifolium non sinuatum D. Vaillan

Imperatoria

major C.B.
sativa just
pratensis major just
Lucida Canadensis

Angelica

pratensis apii folio just
pratensis apii folio flore luteo
pratensis altera apii folio just
sylvestris minor sive erratica C. B.
montana perennis paludapii folio just
Canadensis tenuifolia asphodeli radice just
montana perennis aquilegiæ folio just

Sphondilium

vulgare hirsutum C. B.
foliis angustioribus atro purpureis ottaguolii
majus sive panax heracleum quibusdam J. B.
alpinum glabrum C. B.

Cachrys

foliis peucedani semine fungoso sulcato aspero
minori Cor. just
semine fungoso sulcato plano minore foliis peucedani
orientalis ferulæ folio fructu alato plano Cor. just
Morisson

Bulbocastanum

majus folio apii C. B.

Chapsia

maximo latissimo folio C. B.
foliis libanotidis fœtidissima C. B.
latifolia villosa C. B.
sive turbith garganicum semine latissimo J. B.

Anethum

hortense C. B.
segetum gristei viridarii Lusitanici

Thysselinum

palustre just

Ferula

fruticosa semper virens foliis anisi galbanifera
ex quâ galbanum officinarum. hermanni.
orientalis cachrios folio ex facie Just
tenuior folio Just
tingitana folio angusto lucido h. Lugd. Bat.
tingitana lucida herm.
durior sempervirens et brevissimis foliis Boccone
minor ad nodos singulos umbellifera Just

Gingidium

umbella oblonga C B.

Seniculum

annuum tragoselini odore umbellâ alba D. Vaill.
minimum patulum Just
montanum multifido brevique folio
tortuosum J. B.
vulgare germanicum C B.
hybernum elatius ferulae folio longiori Just
orientale seseleos massiliensis facie Cor. Just
sylvestre perenne ferulae folio breviori Just

Meum

foliis anethi C B.
alpinum umbellâ purpurascente C B.

Quinzieme Leçon

Ethulia

floribus paniculatis Linn

Tanacetum

africanum arborescens foliis lavandulæ multifido folio cl.
africanum frutescens foliis lavandulæ multifidis
longo minoribus graveolens cl.
vulgare luteum cl.
foliis crispis cl.
foliis cn odore menthæ multifidis
hortense folio cn odore menthæ hermanni.
foliis bipinnatis tomentosis corymbo ovatoque composito. h.

Conyza

major vulgaris cl.
hispanica glutinosa odorata hissopifolia D. jussieus
sicula annua lutea foliis atro viridibus caulerubente Boc.
latifolia viscosa suaveolens flore aureo è gallo provincia. Jus
ægyptiaca frutescens altissima virgæ aureæ foliis
flore purpurascente Lippi
indica virgæ aureæ folio magno flore purpurascente D. Vail
americana urticæ folio flore albo just
arborescens purpurea folio verbasci undulato plumerii
americana Lamii folio just
americana Lamii folio flore cæruleo
africana tenuifolia subfrutescens flore aureo Boerh.
malabarica lamii folio flore purpureo Commel.
africana senecionis floreretusis foliis hermann.
ægyptia villosa foliis oblongis dentatis
quæ Dacharis minor Palmensis folio subrotundo
cretica fruticosa folio molli candidissimo tomentoso serrato
Cor. just

Conizoides

flore flavescente cernuo a cl. a cc.

Coma-aurea

Germanica, Parkins.
aegyptiaca repens senecionis folio
fruticans foliis glaucis succulentis digitatis odoratis
africana fruticans foliis crithmi marini hb. amstel. Boerh.

Eupatorium

frutescens foliis lanceolatis leviter serratis sessilibus serratis
corymbosis floribus albis
Cannabinum floribus albis
Cannabinum Cb.
folio oblongo rugoso caule purpurascente just
americanum scandens hastato magis acuminato
folio D. Vaillant.
virginianum longissimis et angustis minis foliis Mor.
scorodonis folio flore caeruleo Dillenii
foliis ovatis obtuse serratis petiolatis trinervis
calicibus simplicibus Gron. flor. virgin.
frutescens atriplicis folio flore albo Plum.
novae angliae urticae foliis flore purpurascente
caule maculato hort. Lugd. Bat.

Bidens

americana frutescens foliis subrotundis scabris
americana frutescens foliis oblongis serratis asperis
americana apii folio just
foliis tripartito divisis Caesalpini
canadensis latifolia flore luteo just
latifolia hirsutior semine angustiore radiato
americana pentaphilla flore radiato Plumerii
americana annua Vaillantii folio flore luteo parvo
virginiana anagyridis folio minor
canadensis anagyridis folio elatior
quae coreopsis foliis verticillatis lineariibus multifidis
Gronov. flor. Virg.
indica hieracii folio caule alato just
calice squamoso flore radiato minore ruberrimo
calice squamoso flore amplo radiato semine ibis culis
non deciduis

Millefolium

nobile tragi
tomentosum luteum C.B.
vulgare album C.B.
purpureum majus C.B.
maximum umbellâ albâ C.B.
alpinum sive civa moschata montana Rhetorum J.B.

Ptarmica.

alpina folijs profunde incisis Just
vulgaris pleno flore clusii
vulgaris folio longo serrato flore albo J.B.
incana pinnulis cristatis Cor. Just
orientalis santolinæ folio flore majore Cor Just
alpina matricariæ folijs Crinnyphetti
lutea suaveolens Just
incana humilis foliis laciniatis absinthii emulis
horti Lugd Bat.
orientalis foliis tanaceti incanis semiflosculis
florum brevioribus Cor. Just
orientalis foliis tanaceti incanis flore aureo Cor. Just.
foliis pinnatis pinnulis integris pedunculis
unoflorus

Buphthalmum

tanaceti minoris foliis C.B.

Spilanthus

foliis sub cordatis serrulatis petiolatis Linnæi

Bartheniastrum

americanum ambrosiæ folio act. accad. Reg. Paris.
helenii folio Dillenii

ambrosia

maxima indora marrubii aquatici foliis tenuiter
laciniatis virginiana Pluk.
Canadensis altissima hirsuta platani folio Just
maritima peruana major
absinthii incana folio peruana

Tarchonanthos

africana foliis subrotundis trinervis dentatis floribus luteis erectis
folio trinervi dentato floribus pendulis D. Vaillant.
Salicis caprece foliis odoratis D. Vaillant.

Artemisia

vulgaris major C B.
procerior foliis ex capitulis tenuibus D. Vaill

Absinthium

maritimum Lavandulae folio
Seriphium hispanicum flore oblongo Just
ponticum tenuifolium incanum C B.
arborescens Sobelii
Seriphium Belgicum C B.
ponticum seu romanum seu dios corydis C B.
Santonicum gallicum C B
maritimum Seriphio belgico simile latioribus foliis odoris grati Pluk.
Seriphium tenuifolium incanum hispanicum
foliis virentibus hispanicum ex foliis superioribus in laciniis aliquot palmatas divisis
alpinum candidum humile C B.

Abrotanum

tenuifolium, Borchel.
Linifolio acriori ex odorato Just
mas angustifolium majus C B.
humile corymbis majoribus aureis D. Vallon
hispanicum absinthii ponticifolio Just
mas angustifolium maximum C B.
mas angustifolium minus C B.
Campestre caulibus rubentibus C B.

Santolina

foliis teretibus Just.
repens ex canescens Just
foliis roris marini major Just
foliis Ericae vel sabinae Just
spinosa foliis agerati Boerhav.

Chamœmelum

maximum J. B.
luteum capitulo aphyllo C. B.
nobile seu odoratius C. B.
italicum repens odoratius flore luteo aphyllo
chium vernum folio crassiore flore magno Cor. Inst
Leucanthemum bis pani cum magno flore C. B.
tenuifolium folius floris deorsum extuberante
pratense sive umbone suaviore olens hort. Catalo.
fœtidum C. B.
vulgare leucanthemum Dioscoridis C. B.

Cotula

maritima flore luteo elegantiæ semine ad oras villoso
flore albo radiato
foliis pinnato multifidis dilatatis corollis radio
destitutis Linnæi
floribus radiis sulphureis disco luteo Boerh.
flore luteo nudo Inst
creticа minima chamæmelifolio capite inflexo Cor. Inst
africana calice elegantiæ cæsio Inst

Cacalia

tomentosa C. B.
caule herbaceo foliis hastato sagittatis denticulatis
petiolis superne dilatatis Linnæi

Anemonespermos

afra folio et facie taraxaci incanis Boerh.
africana foliis cardui benedicti flosculum interioribus
albicantibus Commel
africana jacobeæ maritimæ foliis flore sulphureo Com.

Chrysanthemum

segetum Lobelii
exoticum minus capite aphyllo chamæmeli nudi facie
Breynii
creticum Clusii

Chrysanthemoidea

africana frutescens Leucoii foliis incanis
africana frutescens Leucoii foliis viridibus
africana populi albæ foliis act. acead. Reg. Paris
africana populi albæ foliis minor et spinosa
americana altissima foliis amplis et angulatis

Eupatoria

maximus flore simplici ex luteo pallido J. B.
indicus minor flore simplici sive cario phillyræ indicæ
sive flos africanus J. B.

Matricaria

foliis lanceolatis integris glabris obliquis Linnæi
vulgaris C. B.
flore pleno C. B.
flore aphyllo D. Vaillan.
tanaceti folio flore majore semine umbilicato Just
tanaceti folio flore minore semine umbilicato Just
foliis tenuissimis achilleæ exturis

Jacobea

ægyptia senecionis folio, multiflora Lippi
foliis sonchaceis flore minore Just
pannonica prima Clusii
ægyptiaca senecionis folio latiore D. Granger
laciniata latifolia flore purpureo oldenlandi
virginiana foliis imis alliariæ caules centibus Barbarea
integro et crasso lactucæ folio Just
palustris altissima foliis serratis Just
vulgaris laciniata C. B.
africana geranii Columbini folio
africana hederæ terrestris folio repens Commel.
frutescens coronopi folio Commel.
africana frutescens folio longo glauco Commelini
africana arborescens a tripolitana marinæ foliis
maritima C. B.

Jacobea

africana frutescens foliis longis angustis ch.
dentatis
orientalis cacalis folio Cor. just
orientalis limonii folio Cor. just
pratensis altissima limonii foliis floribus
dentatis just
pratensis altissima limonii folio just
alpina foliis longioribus serratis just.

Seizieme Leçon

Virga-aurea

angustiore folio serrato C.B.
latifolia serrata C.B.
novæ angliæ lato rigidoque folio hermanni
foliis non auritis longioribus non serratis caulibusve
viridibus rubentibusve
Linnæi folio paniculato uno versu disposita D. Vallon
Canadensis angustifolia non serrata sarraceni
novæ angliæ altissima paniculis nonnunquam
reflexis flore Batav.
Canadensis latissimo folio glabro Just
americana foliis rotundis hirsutis dentatis
Canadensis folio subrotundo serrato glabro Just
americana paniculata speciosa flore majore altissima
Canadensis altissima folio subtus incano Just
angustifolia paniculata speciosa Canadensis D. Vallon
omnium minima h. R. Reg. Paris.
Canadensis elatior salicis minoris folio
major foliis glutinosis et graveolentibus Just
minor foliis glutinosis et graveolentibus Just
Canadensis hirsuta paniculata minus speciosa h. R. Par.
Canadensis foliis oblongis glabris floribus parvis
cæruleis
Canadensis altissima paniculata speciosa foliis et
caulibus glabris
virginiana annua Zanoni
flore albo spicato Breynii
Canadensis humilior salicis minoris folio humilis
ramulis rubentibus
patula foliis auritis floribus dilute purpurascentibus. Justit.
patula foliis non auritis floribus dilute purpuras=
=centibus Just

aster

serotinus ramosus albo flore purpurascente D. Vallon.
Canadensis subhirsutus salicis folio serotinus flore
cæruleo Just
Canadensis longissimo et angustissimo serrato flore
folio purpurascente

Aster

grandiflorus asper squamis reflexis Dillenii
procerior ramosus foliis sylvestris flore D. Vallon.
Canadensis tripolii flore cæruleo majore
novæ belgiæ latifolius umbellatus floribus dilute violaceis hermanni
novæ angliæ altissimus hirsutus floribus amplis purpureo violaceis Parad. Bat.
foliis subfiliformibus scabris pedunculis nudis calicibus hemisphericis globosis Linnæi
acadiensis coronæ solis folio
palustris parvo flore glabro Just
Acadiensis altissimus ramosus floribus albis sa
Canadensis angustissimo folio floribus parvis umbellatis aureis
africanus frutescens foliis angustis emplerumq conjunctis Commel.
Latifolius tripolii flore D. Vallon.
tripolii flore &c.
ægyptius minimus ramosissimus hirsutus lute parvo flore.
caule ramoso scabro perenne foliis ovatis sessilibus pedunculis nudis uniflorus Miller
maritimus tuberosus luteus Just
pyrenæus precox flore cæruleo majore D. Vallon
pratensis autumnalis Conizæ folio Just
atticus luteus montanus villosus magno flore
arvensis cæruleus acris Just.
maritimus palustris cæruleus salicis folio Just
maritimus folio tereti crasso bidentato Just
omnium maximus helenium dictus Just
ægyptius flore luteo foliis crispis
palustris luteus folio longiori lanuginoso
luteus hirsuto salicis folio &c.
Conizoides odoratus luteus horti Eystet.
montanus luteus salicis glabro folio &c.
atticus cæruleus vulgaris &c.
asteri montano purpureo similis vel globularia
ramosus annuus Canadensis Moris
chenopodii folio annuus flore in genti speciosi

Asteriscus

annuus foliis ad florem rigidis just
aquaticus annuus patulus just
annuus foliis ad florem rigidis floresulphurei
coloris just
maritimus perennis patulus Institut

Asteroides

alpina salicis foliis Cor. Instit

Senecio

minor vulgaris C. B.
americanus altissimus amplissimo folio just
Bonariensis purpurascens foliis imi coronopi
sive Conyza africana humilis foliis angustioribus
nervosis floribus umbellatis just
virginianus arborescens atri plicis folio Pon. Bat
montanus altissimus flore luteo nonnunquam
radiato

Obeliscoteca

trifido folio D. Vaillant
integrifolia radio aureo umbone atro rubente Dille.

Leucanthemum

alpinum foliis profunde incisis just
radice repente foliis latioribus serratis Instit
orientale costi hortensis folio Cor. just
Canariense foliis chrysanthemi pyrethri sapore just
vulgare just

Kleinia

foliis lanceolatis planis caule levi ventricoso L. h. Cat
foliis carnosis lanceolatis compressis caule tereti Lin
foliis carnosis glabris ovato oblongis Linn
foliis oblongis cylindraceis
caule petiolis truncatis obvallato Linnæi

Eupatoriophalacron

arborescens atriplicis folio incano
americanum folijs subrotundis acuminatis adnat
crispis flore aureo parvo
Balsamina semina folio flore albo discoide D. Vaill
mentha arvensis folio D. Vaillant.

Bellis

sylvestris minor &c.

Pectis

foliis ovatis petiolatis scabrebus

Globularia

vulgaris Just.
fruticosa myrthifolio tridentato Just
montana humillima repens Just
pyrenaica folio oblongo caudemudo Just

Caltha oides

africana procumbens folio integro glauco perennis

Caltha

arvensis &c.
vulgaris &c.
caule fruticoso perenni foliis oblongis denticulatis
africana flore intus albo, foris violaceo Just
foliis profunde incisis flore intus albo foris purpurascente major

Corona Solis

humilis et repens
folio tenuiore laciniato
foliis amplioribus laciniatis Just
foliis angustioribus laciniatis Just
trachelii folio angustiore
perennis flore et semine masculis Just
minor femina Taberm. mont.

Corona Solis

parvo flore tuberosâ radice just
altissima caule alato just
Trachelii folio latiore elatior
tabernæ mont.
minor disco atro rubente Dillenii
Salicis folio alato caule just
angustifolia repens flore dilute luteo just
ranunculi radice just

Silphium

foliis ternis Van Royen
foliis crenatis
integro amplissimo folio
foliis laciniatis

Millefolium

persicæ folio

Doronicum

plantaginis folio cor.
radice dulci cor
radice scorpii cor.

Tussilago

vulgaris cor.

Petasites

major et vulgaris cor.
minor cor.

Elycrisum

americanum latifolium Just
montanum longiore flore cr. folio purpureo Just
sive stœchas citrina angustifolia C B.
orientale C B.
seu stœchas latifolia C B.
angustissimo folio Just
obtusifolium Cæsalpinæ hort. Syst Belenice
sylvestre latifolium florem ago singulari Just
sylvestre latifolium capitulis conglobatis C B.
africanum fœtidissimum amplissimo folio Just
frutescens polii folio utrinque lanuginoso Dill.
latifolium erectum floribus conglobatis Just
inodorum glabrum coronopi folio annuum C B.
seu stœchas citrina minor Barrel.
sylvestre angustifolium capitulis conglobatis
africanum folio longo subtus cano supra C B.
viridi flore luteo Dillenii
aquaticum ramosum minus capitulis foliatis Just
spicatum Just

Filago

maritima capite foliato Just
seu impia Dodonæi
altera Dodonæi
ægyptia minor foliis tenuissimis

Gnaphaloides

Lusitanica Justitia

Gnaphalium

maritimum C B.

Dix Septieme Leçon

Lactuca

Romana longa dulcis C.B.
Capitata C.B.
crispa C.B.
sylvestris italica costâ spinosa sanguineis maculis aspersa herm.
foliis Endiviæ C.B.
sylvestris costa spinosa C.B.
viscosa caule foliis obducto Just
sylvestris folio non laciniato Raii
altissima folio sonchi laciniato flore parvo cæruleo Boerhav.
sylvestris odore vinoso C.B.
Salicis folio flore cæruleo Just
hispanica maritima fruticosa spinosa Just
alpina glabra acanthi folio flore magno cæruleo D. Charles
Canadensis altissima latifolia flore Leucophæo Just.
sylvestris angusto laciniato folio Moriss

Sedymoie

cretica minor annua C.B. Just
annua fructu et flore majore
annua Just

Jacintha

sive cichorium vesicarium Mathioli

Xeranthemum

flore simplici albo hermanni

anascovadi

Portè Malabarici

Cichorium

Spinosum creticum C. B.
crispum Just
Latifolium sive Indivia vulgaris Just
Sylvestre sive officinarum flore cæruleo C. B.

Scolimus

chrisanthemos C. B.
chrisanthemos annuus act. acad.

Ragadiolus

Lampsanæ foliis C. B. Just

Catananche

floreluteo latiore folio Just
quorundam Lugd. histor.

Scorzonera

palustris pulveriflora D. Vallot.
latifolia sinuata C. B.
foliis nervosis C. B.
Laciniatis foliis Just

Tragopogon

pratense luteum majus C. B.
montanum angustifolium flore ferrugineo italicum Bor.
porri folio flore cæruleo
purpureo cæruleum porri folio quod artefi vulgo C. B.

Dens Leonis

tuberosâ radice Just
grœcum foliis erisimi crassis et lucentibus C. B.
foliis Erisimi vulgaris C. B.
minor foliis variatis C. B.

Dens Leonis

glaber angustiore et longiore folio flore minore Scheuchz
latiore folio C. B.
foliis hirsutis et asperis saxatilis Just
foliis hirsutis et asperis Magnol.
foliis minimis hirsutis et asperis Just
qui pilosella officinarum Just
amplissimo folio Just

Hieracium

sive pilosella major repens minus hirsuta C. B.
hortense floribus atro purpureis centibus C. B.
dentis leonis folio flore suave rubente C. B.
medio nigro Boeticum majus Parkins.
proliferum falcatum C. B.
foliis cichorii sylvestris odore castorei Magnol.
foliis Sedicis capite magno striato Boerhav.
foliis lanceolatis caule brachiato multiflora hallerii
montanum latifolium glabrum majus C. B.
montanum latifolium glabrum minus C. B.
fruticosum angustifolium majus C. B.
murorum folio pilosissimo C. B.
pulchrum ramosum Gregorianum J. B.
murorum folio minus pilosorum maculato C. B.
pyrenaicum longifolium amplexi caule Just
pyrenaicum folio cerinthes latifolium Just
angustifolium folio cerinthes pyrenaicum Just
fruticosum latifolium hirsutum C. B.
fruticosum angustissimo incano folio herman.
caule erecto multiflora foliis lanceolatis dentatis
pedunculis tomentosis Linnaei

Hieracium

aegyptium gigas Lippi
luteum hirsutum g. B.
alpinum latifolium hirsutie incanum flore magno &c.
villorum sonchus lanatus Dalecampii dictum Raii
muricatum tomentosum asperius
fruticosum latifolium folius dentatis glabrum &c.
minus dentis leonis folio oblongo glabro &c.
intibaceum latifolium ramosum capitulis rotundis
hispidis Raii
intibaceum fructu rotundo striato Lippi
dentis leonis folio obtuse magus &c.
chondrilla folio glabro radice succisa magus &c.
arborum majoris flore imagrorum limitibus g. B.
magnum Dalecampii Lugd. hist
Echioides capitulis cardui benedicti &c.
Echioides capitulis cardui benedicti majus arabicum
folio sinuato hort. Edinburg.
muricatum rapifolium &c.
folio staticis caule nudo Just.

Sonchus

levis laciniatus latifolius &c.
asper laciniatus cretticus &c.
asper laciniatus &c.
levis in pluras tenuissimas angustissimas que laciniis
divisus &c.
tingitanus papaveris folio Just
asper non laciniatus dipsaci auriculae folius &c.
levis angustifolius &c.
asper arborescens &c.
niliacus gigas Lippi
repens multis hieracium majus &c.
angustifolius maritimus &c

Lampsana

Dodonæi
foliis crispis petiveriì

Chondrilla

Sonchi folio luteo pallescente flore Just
canadensis altissima foliis angulatis dentatis
juncea vis cosa arvensis quæprima dies covidire C.B.
hieracii folio annua Just

Jacea

Barbarica flore luteo capite oblongo C.B.
Babilonica C.B.
orientalis patula Carthami facie flore luteo magno Cor. Just
cretica frutescens cum chichorii folio flore magno purpurascente Cor Just
annua foliis laciniatis serratis purpurascente flore
foliis laciniatis serratis maculatis flore purpurascente
foliis cichoraceis villosis altissima flore purpureo J.
nemorensis altissima cum auriculis Just
nemorensis quæ serratula vulgo Just
quæ serratula nova Dodonæi nascentis maxima foliis longis serratis Dillenii
minor pratensis latifolia C.B.
flore magno luteo laciniata squamis calicis ciliaribus splendentibus
cum squamis ciliis instar pilosis C.B.
folio centaureæ rupeæ victoriæ Just
cretica aculeata annua Just
quarta austriaca capite villoso Clusii
vulgaris laciniata flore purpureo Just
tartarica subincana laciniata flore purpureo
italica latifolia laciniata flore obsolete purpureo

jacea

montana candidissima staberc folio C.B.
Lusitanica semper virens D. Haller
Epidaurica candidissima et tomentosa Just
cinerea laciniata flore purpureo Trinnyth
rubra foliis intibaceis

Cyanus

floridus odoratus turcicus sive orientalis major. Park.
orientalis flore luteo fistuloso act. acad.
floridus odoratus turcicus sive orientalis major flore
albo ~~Dalecamp~~ D. Haller
montanus caule folioso capitulo oblongo Boccone
segetum flore caeruleo C.B.
aegyptius minimus ramosus caule alato flore
purpureo parvo Lippi
humilis hieracii folio flore purpureo Just

Centaurium majus

in communi humile simplici capite Just
alterum laciniatum purpurascente flore D. Haller
laciniatum flore obsolete purpurascente
orientale erectum glastifolio flore luteo C.B. Just
Laciniatum africanum hort. R. Paris
foliis cynara cornuti

Gundelia

orientalis acanthi aculeati folio capite glabro C.B. Just

Lappa

major minor capitulis tomentosis sive hirsutum arctium
major arctium Dioscoridis C. B.

Xanthium

Dodonaei
Canadense majus fructu acaulis aculeis adunci munito just
Lusitanicum laciniatum validissimis aculeis
munitum just

Cinara

hortensis non aculeata capite subrubente D. Haller
hortensis foliis non aculeatis C. B.
spinosa cujus pediculi esui tantum C. B.
sylvestris latifolia C. B.

Dix huitieme Leçon

Carduus

Stellatus lutetus foliis cyani C.B.
Stellatus foliis integris serratis Magnolii
sive Calcitrapa J.B.
Stellatus lutetus spinis longioribus
lusitanicus canescens alato caule capite lanuginoso Just
Eryngioides capite spinoso Prosp. alpin.
Stellatus lutetus capitulo minus spinoso D. Gallois
Serpolifolius acanthus vulgaris Just
melitensis capitulis conglobatis Just
foliis pinnatis glabris capite cum squamis aprico
melitensis eruca folio flore luteo spinosis Just
minor pulchrior galactites J.B.
creticus rapifolius Just
caule crispo J.B.
albis maculis notatus vulgaris C.B.
mariae non maculatus Moriss
galactites J.B.
lanceolatus latifolius C.B.
montanus capitulis tomentosis parvis pyriformibus
Lanceolatus ferocior J.B.
bis paniculatus acaulos polycephalos Carlina facie
tomentosus acanthifolius alepicus magno flore Just
tomentosus acanthifolius vulgaris Just
parvus graecus acanthifolius tomentoso flore minori
creticus acanthifolius viridi C.B. et glutinoso flore Just
orientalis tomentosus acanthifolius purpurascente C.B. Just latiori profunde
acanthifolius angustiori flore majore limbato
tomentosus acanthifolius floreminore
tomentosus acanthifolius angustiori Just
tomentosus acanthifolius altissimus lusitanicus
capite rotundo tomentoso C.B. Justit
nutans C.B.

Carduus

Stellatus foliis integris flore purpureo h. R. Paris.
Jacea foliis capitulis minoribus cum squamis tricuspi-
acanthoides =ibus just
acanthoides g. 8.

Cirsium

angustifolium non laciniatum C.B.
arvense subtus foliis radice repente flore purpurascente
aegyptiacum minus foliis ad limbum argenteis B.P.
anglicum Lobelii
pratense alpinum polycephalon asphodeli radice just
acanthoides montanum flore flavescente just
maculis argenteis notatum just
pratense asphodeli radice latifolium just
acaulos flore purpureo just
asphodeli radice maximum C.B.
foliis non hirsutis floribus compactis C.B.
pyrenaicum altissimum just
orientale cardui lanceolati foliis flore purpureas centr
tricephalos alpinum just cor. justit
pratense polycephalos vulgare just
anglicum radice hellebori nigri modo fibrosa radic
foliis longo g. 8.

Cnicus

foliis cordatis petiolatis crispis spinosis amplexic-
=antibus floribus terminis Linnaei
pratensis acanthifolius flore flavescente just
atractylis lutea dictus herman.
creticus atractylidis foliis ex facie flore candidissimo
cor. just
albis maculis notatus flore albo just
albis maculis notatus flore purpureo just
hispanicus arborescens fetidissimus just
atractylidis foliis ex facie flore leucophaeo Cor. just
perennis caeruleus tingitanus herm
caeruleus humilis ex. mitior just
caeruleus humilis montanus Lapi herm.
sylvestris hirsutior sive carduus benedictus C.B.

Gorteria

foliis lanceolatis integris dentato spinosis subtus
tomentosis caule fruticoso Linnæi

Carthamus

officinarum flore croceo Just
aculeatus carlinæ folio flore multiplici veluti
umbellato Cor. Just

Carlina

sylvestris vulgaris Clusii
sylvestris flore aureo perennis herm.
acaulos magno flore C. B.
nigra

Dipsacus

sativus C. B.
folio laciniato C. B.

Morina

orientalis carlinæ folio Cor. Just

Eryngium

vulgare caulibus subsimplicibus
vulgare C. B.
creticum erectum folio multifido caule et ramis
pallide virentibus Cor. Just
maritimum C. B.
montanum amethystinum C. B.
capitulis phillii ex Sicilia Boccone
latifolium planum caule ex viridi pallescente flore albo
C. P.
latifolium planum C. B.

Eclephium

Dioscoridis

Eclephioides

graeca humifusa flore albo Cor. Just

Sphæranthos

folio oblongo major D. Vaillant.

Echinopus

minor annuus magno capite Just
minor J. B.
major J. B.
graecus tenuissimè divisus et lanuginosus capite minor
caeruleo C. Just

Scabiosa

peregrina capitulo oblongo nigricante odore Zibethi C.B.
peregrina rubra capitulo oblongo C.B.
montana glabra foliis scabiosae vulgaris C.B.
pratensis hirsuta quae officinarum C.B.
folio integro hirsuto Just
alpina vulgaris similis folio viridiori majore Lacinia
flore purpureo Boerhaav.
quae dipsacus sylvestris capitulo minore vel virga
pastoris minor D. Vaill.
arborea Prosp. alpin.
argentea angustifolia C.B.
stellata annua prolifera act. accad. R. Paris
stellata hispanica amplissimo folio Just
stellata folio laciniato minor sive maritima C.B.
maritima rutae caninae folio Boccon.
lusitanica indicae similis Just
stellata minima C.B.
selvo leucoflore Clusii
angustifolia alba altera C.B.
fruticans angustifolia alba C.B.
orientalis argentea foliis inferioribus incisis Cor. Just
Centaurioides fistulosa Francisci cupani
cretica capitulo pappos mentiente Cor. Just
orientalis flore Cariophylli quorumdam Boerhav.
altissima annua foliis agrimoniae non nihil similibus
hermanni

Scabiosa

frutescens africana maxima herm
alpina folijs centaurij majoris &c.
glabra folijs rigidis viridibus J. B.
capitulo globoso major &c.
ex alepo flosculis marginalibus amplioribus
profunde dentatis et fimbriatis

Agrimonia

minor flore albo Cupani
officinarum Just
orientalis humilis radice crassissima repente fructu
in spicam brevem mendosam congesto Cor. Just
odorata Camerarii

Agrimonoides

Columnæ

Cariophillata

alpina lutea &c.
Canadensis agrimonijs foliis florem majore luteo
montana flore luteo mutante D. Haller
aquatica mutante flora &c.
vulgaris &c.

Tormentilla

sylvestris C. B.

Pentaphilloidea

foliis pinnatis utrinque viridibus floribus corymbosis
argentea mala tam seu potentilla Just
hyrcina J. B.
erecta J. B.
erecta fruticosa non arborescens Morison
foliis multifidis pinnatis flore luteo
palustris rubra Just

Quinquefolium

maius repens C.B.
folio argenteo C.B.
montanum erectum hirsutum luteum C.B.
erectum album C.B.
pyrenaicum folio subtus argenteo Just
minus repens luteum C.B.

Fragaria

sterilis incana D. Vallon
chilensis fructu maximo foliis carnosis hirsutis D. Frais ier
vulgaris C.B.
virginiana fructu coccineo Morisson
sterilis alpina caulescens D. Vallon
vulgaris flagellis arcuatis
sterilis C.B.
fructu parvi pruni magnitudine C.B.
folio singulari D. Jussieu

Dixneuvieme Leçon

Geranium

batrachioides montanum nostrum Raii
argenteum alpinum &c
batrachioides folio aconiti flore caeruleo &c
Robertianum primum rubens &c
sicutae folio minus et sepium &c
memphiticum althaeae folio glauco Lippi
commune versicolor sive striatum Park
columbinum carolinianum capsulis nigris hirsutis Dill
nodosum &c
batrachioides odoratum &c
folio altheae &c
Columbinum perenne pyrenaicum maximum Just
Lucidum sacculatum &c
pusillum supinum maritimum altheae aut Betonicae
folio nostras 20 Raii
folio malvae rotundo majus &c
phaeum seu fuscum petalis reflexis Mo
annuum a
annuum minus batrachioides bohemicum purpureo
violaceum mo
pedunculis plerumque uni floris foliis quinque partitis
acutis foliolis pinnatifidis
sanguineum maximo flore &c
hematoides flore variegato, Hort. Elmb.
tuberosum majus &c
minimum chamaedryoides, Boerh. Boccone
africanum urnae crispae foliis caulibus procumbentibus
floribus exiguis rubellis h.v.
cicutae folio acu longissimo &c
pedunculis simplicibus uni foliis floris tripartito
multifidis linearibus Tournefortio Burm
africanum noctu olens tuberosum vitis foliis
hirsutis Commel
africanum nostre elatius malvae folio laciniato
odorato Justus moliose flore majore

Geranium

africanum arborescens flore velut dipetalo elegantur varicgato Dillenii

africanum arborescens alchimillæ hirsuto folio floribus rubicundis . C B

africanum arborescens alchimillæ folio hirsuto elegantissime varicgato floribus rubicundis Boerh

africanum alchimillæ hirsuto folio floribus albidis Herm

africanum alchimiliæ minus hirsuto folio flore albo

africanum arborescens ibisci folio rotundo carlinæ vel oré, hum

africanum arborescens foliis cucu~~cu~~llatis angulosis Dillenii

africanum frutescens malvæ folio foliis ~~ovato~~ laciniato Herm

africanum humile folio fragrantissimo molli . Dillenii

africanum arborescens malvæ folio plano Kermesino Boer lucido flore elegantissimè

africanum malvæ folio plano lucido flore pallidè rubente

africanum foliis inferioribus asari superioribus staphidis agriæ maculatis splendentibus et acetosa sapore Commel

africanum noctu olens tuberosum et nodosum aquilegiæ foliis Herm

africanum carnosum petalis angustis albicantibus Dillen

africanum frutescens folio crasso, et glauco acetosa sapore Commel

africanum folio alceæ flore cocineo fulgidissimo Boerh triste. Com

africanum noctu olens radice tuberosa foliis apii nacæ incanis lanuginosis angustioribus Herm

africanum coryandri folio flore incarnatis minus Herm

myrrhinum tenui folium amplo flore purpureo D. Jussieu

Malva

ulmi folia floribus conglobatis ad foliorum alas Plum

ulmi folia femine rostrato Jus

ulmi folia femine cum gemino rostro Jus

americana abutili folio flore luteo spicato foliis hirsutioribus et crassioribus Herm

indica foliis subrotundis Jus

Malva

americana frutiosa folio subrotundo flore luteo fructu et aculeato majori
quae abutilon fruticosum folio oblongo flore luteo fructu aculeato minor. Plum
americana foliis cordatis capsulo seminia bidentato
frutescens hirsuta floribus luteis in capitulum congestis. plum
rosea folio subrotundo chalepensis acaulos flore pallidente luteo Morin
Syriaca pumila flosculis albidis caulibus adhaerentibus
Sylvestris folio rotundo. c&s
Sylvestris folio pinnato flore purpureo rubro francisci cupani
Senensis erecta flosculis albis minimis Doerst
Sylvestris folio pinnato flore albo. h. Edinb
folius crispis c&s
rosea folio subrotundo flore candido c&s

Urena

Sinica Xanthii facie. Pilleni
Triumphetta fructu aculeato racemoso Plum

Heliocarpos

Sinnai Doer. cliff

Malacoidea

Betonicae folio J.R.

Xylon

Arboreum. J.B.
Sive gossipium herbaceum J.B.

Alcea

folijs profundè dissectis pedunculis multi floris
virginiana aceris folio floré parvo albo
hirsuta c.d.
Capensis frutescens grossulariæ folio majori hirsuto
africana frutescens ribesij folio minori floré rubro
americana floré parvo cæruleo ex purpureo
vulgaris major floré ex rubro roseo. c.d.
Cannabina c.d.
folio rotundo laciniato c.d.
ægyptia geranij folio, Rippi
ægyptia minor floribus parvis adalæ foliorum

Althæa

maritima arborea veneta Just
hispanica folijs undulatis Just
frutescens folio acuto parva floré c.d.
maritima arborea gallica Just
Dioscoridis et plinij c.d.
floré majore c.d.

Malvaviscus

arborescens floré miniato clauso. Dillenij

Ketmia

arborescens floré pleno rubicundo
Zeylanica ficij folijs perianthio oblongo integro. Dillenij
folio manihot serrato flore amplo sulphureo Dillenij
americana hirsuta floré flavo et semine moschato Just
indica spinulosa profundè laciniata acetosæ sapore
indica gossipij folio acetosæ sapore Just
Brasiliensis folio ficus fructu pyramidato sulcato Just
Sinensis fructu subrotundo floré simplici Just
africana populi folio Just
africana populi folio subtus incano et caule
vinescente Just
vesicaria africana folijs latioribus hirsutis
vesicaria vulgaris Just
vesicaria africana Just
Syrorum quibusdam c.d.

Abutilon

Dodonei
Indicum J. B.
vesicarium flore et fructu majore non crispo Dillenii
flore magno carneo longo pediculo insidente
majus arborescens flore magno albo
Indicum flore carneo
africanum caule angulato flore parvo luteo
americanum flore reflexo purpurascente
vesicarium crispum floribus melinis parvis Dillenii
periploca acutioris folio fructu stellato Dill
Indicum floribus umbellatis
repens alcea folio flore elvolo Dille
Lavatera flore albo fructu constato
Lavatera flore fructu constato Dillenii
americanum folio vario hastato flore parvo caeruleo D. Houst

Lavatera

africana flore pulcherrimo Boerh

Germannia

frutescens folio ibisci hirsuto molli caule piloso Boerh
frutescens folio oblongo serrato Just
frutescens folio grossulariae parvo hirsuto Boerh
folio lavandulae latiore et obtuso flore parvo aureo, Boerh

Tribulus terrestria

J. B.

Sagonia

Erotica Spinosa Just

Oxia

Bulbosa africana floribus majoribus luteis et umbellatis
bulbosa aethiopica minor folio cordato flore exalbido purpurascente Com.
bulbosa africana Lotus folia caulibus et floribus
purpureis amplis Commel
lutea J. B.
flore albo Just
lutea americana erectior Just

Lotus

Ruber siliqua angulosa ♃
angustifolia flore luteo purpurascente insula Sancti Jacobi communis
æthiopicus argenteus flore singulari rubro Plukenetii
Polyceratos fruticosa cretica argentea siliquis longissimis
propendentibus moriers
siliquis ornithopodii ♃
ubrgo ceratos cretica lutea siliquis longis erectis moriers
sive melilotus pentaphillos glabra minor ♃
pentaphillos minor glabra foliis longioribus et
angustioribus h. Dimb
peytaphillos siliquosus villosus ♄
Libica Balecampii
pratensis siliquosus luteus major et minor ♃

Genista

Juncea J. ♄
sive Spartium purgans J. ♄
Tinctoria germanica ♃

Genistella

herbacea sive chamespartium J. ♄

Siliquastrum

Castoris Durantes Just
Canadense Just

Dorycnium

monspeliensium Lob
majus Just

Alhagi

Maurorum Tournefortii

Vulneraria

flore purpurascente Just
hispanica foliis pinnatis inæqualibus capitulis solitariis
Rustica J. ♃

Psoralea

Folüs pinnatis bellys
Trifolia odora latifolia
trifolia odora anguſti folia
folüs omnibus ternatis foliolis ovato lanceolatis ſpicis
pedunculatis Dimoi
folio integro ſimplici rotundo
humilis pentaphilla radice craſſa
Trifolium montanum ſpica longiſſima rubente C.B.
ſpica oblonga rubra C.B.
ſphæum faſcum Luxurians quaternis quinis externis folüs
moris
pratenſe folliculatum C.B.
Stellatum C.B.
capitulis dipſaci quorumdam Raii
arvenſe humile ſpicatum ſive lagopus C.B.
conglomerulis ad caulium nodos rotundis Raii
clypeatum argenteum Prosp alp
fragiferum tomentoſum magnol
pratenſe latteum capitulo lupuli vel agrarium C.B.
fragiferum ſiſicum cluſii
fragiferum roſtra purpureum folio oblongo. moris
pratenſe purpureum C.B.
glabrum repens C.B.
capitulo oblongo aſpero C.B.
capitis glumerati rigido J.B.
Lagopoides flore ſubluteo. D Vaillant
pratenſe flore albo minus et ſamina glabrum J.B.

Trifolium

Vingtieme Leçon

Melilotus

Capitalis reni Similibus in capitulum congestis Just
officinarum germanice c.s.
major odorata violacea Morin
Vulgaris altissima fruticescens flore albo Just
Cretica fructu maximo Just
messanensis procumbens folliculis rugosis sublongis
Spicis foliorum brevioribus Raii
nova Gerardi Sue erecta folliculis rotundis minoribus Raii
Lutea minor floribus et siliculis minoribus
Spicatim et densè dispositis Morin
italica folliculis rotundis c.s.

Medica

Polycarpos folio obtuso crenato Just
fructu ovato hirsuto aculeis rigidioribus
Tornata minor Lenis Park
arabica Camerarii
Catalonica elegans Morgani
Sylvestris J.s.
Cochleata minor polycarpos annua nigra capsulâ
hispidiore Morin
Tornata major Lenis Park
Spinosa Dicarpos fructu ovali Spinulis brevioribus et rigidioribus Raii
hispanica fructu tribuloide. Beringer
Scutellata J.s.
magno fructu aculeis sursum et deorsum tendentibus Just
orbiculata J.s.
orbiculata elegans orbiculis circum ovas rugosis Raii
Tornata Minima Beringer
Cochleata Dicarpos capsulâ rotunda hispida foliis
elegantes dissectis Herm
marina Lobelii

Crotalaria

asiatica fruticescens trifolia floribus luteis amplis Dillenii

Cytisus

Arborescens fructu edulí albo. Plum
Spinosus hermann.
monspesulanus medicæ folio siliquis deasé conjertis et villosis. Just.
canariensis semper virens et incanus. Corn
hirsutus J.
alpinus latifolius flore racemoso pendulo. J.
glaber nigricans. C.
glaber siliquis lata J.
Supinus foliis inferne siliquis molli hirsutie pubescentibus. C.
humilis argenteus angusti foliis Just
foliis incanis angustis quasi complicatis C.

Anonis

Pulchra visc. folio ciceris ornithopodii siliquis annuentibus. Inst
ficula alopecuroides Just
montana precox purpurea fontesceua Moris
spinosa flore purpureo. C.
viscosa spinis carens lutea Minor. C.
procumbens Maritima nostra foliis hirsutie pubescentibus Rai
viscosa spinis carens lutea latifolia annua Magnol
pusilla glabra angusti folia lutea Just
viscosa foliis pinnatis foliolis quinis incisis stipulis dentatis flore luteo parvo. h. L.
viscosa spinis carens lutea major. C.
americana folio latiori subrotundo. Just

Phaseolus

indicus cochleato flore
vulgaris Lob.
americanus sive Lablab semine roseo. D. Lignon
punica flore cornuto
minimus fructu viridi ovato. D. Hall
peregrinus minore fructu albo nigra macula insignito
americanus tenuissimis viticulis se propagans Just
americanus semine villoso
minimus fœtidus floribus spicatis et viridis lutei seminis maculato Roan
hirsutus vulgaris provigineus Plum

Phaseoloides

frutescens caroliniana — foliis pinnatis floribus coeruleis
glomeratis Dillenii

Hymenium

Parisiense flore coeruleo Jus
flore vario hispanicum siliqua articulata Jus
hispanicum flore vario siliqua plana Jus

Ochrus

folio integro capreolos emittente ♃

Ervum

Kerum Cameracii

Lens

Major. ♃
minor Dodonei
Monanthos. herm

Coralloedendron

Triphillum americanum spinosum flore ruberrimo Jus
humile spica florum longissima radice crassissima Caribaea

Sophora

Tomentosa foliolis subrotundis. ♄
glabra foliolis subrotundis
subhirsuta foliolis ovato oblongis ♄
foliis glabris ovato oblongis

Anagyris

foetida . ♃

Spartium

alterum monospermon Semine reni Simile. ♃
Tertium flore albo ♃
Creticum spinosum. Prosp. alpini

Lathyrus

latifolius . C♃
sativus floré fructu que albo . C♃
angusti folius siliqua hirsuta C♃
annuus floré cæruleo ochri siliqua hirsu
Dicto p latifolius hirsutus nobis magno et pyramido
floré odoro — Tupani
arvensis repens tuberosus — C♃
sativus floré sordidé rubro semine cinereo
luteus latifolius . D. Mag.
Sylvestris major folio angustiore floré rubro parvo
folio ovato acuminato cæruleis vicia floribus et siliquis
Sybirica Linnæi
Sylvestris luteus foliis vicia C♃

Pisum

Sponteneum perenne repens humilé No
humilé caulé seimo Jus
hortense major floré fructu que albo . C♃

Nissolia

vulgaris . Jus

Arachidna

Quadrifolia villosa floré luteo . Plum

Cicer

Sativum semine exfaturato subrotundo . C♃

Vicia

Sylvatica multiflora maxima
Supina latissimo folio non serrato Jus
perennis incana multiflora . D. mons
Silvestris lutea siliqua hirsuta C♃
Sativa vulgaris semine nigro C♃
Dengalensis hirsuta et incana siliqua pisi Berm

Vicia

Sativa Vulgaris semine cinerei coloris &c
angusti folia semine parvo rotundo
Segetum cum siliquis pluribus hirsutis &c
Segetum singularibus siliquis glabris &c
Vulgaris acutiore folio semine parvo nigro &c

Aphaca

Lobelii

Faba

Major recentiorum. Lob.
minor sive equina &c

Cytiso-Genista

Scoparia Vulgaris flore luteo. Just

Genista spartium

major longioribus et brevioribus aculeis. Just
montana ventosa Just
minima anglica Just

Pseudo-acacia

americana spinosa flore luteo
americana hispidula flore roseo
Vulgaris Just
~~Afrika inermis~~ flore luteo
Finica inermis.

Orobus

Silvaticus vicia folius &c
pyrenaicus foliis nervosis Just
latifolius parvo flore purpureo &c
silvaticus foliis oblongis glabris Just

Amorpha

Linnaei. Bot. Cliff

Barba jovis

pumila villoso flore purpureo globoso Breynii
pulchre Lucens J. B.
Cyrocalinaria folio argenteo amplioni flore luteo parvo Cor. Inst.
Lagopoides cretica frutescens incana flore spicato purpureo ample B.
hispanica incana flore luteo Inst.
Serrum equinum germanicum siliquis in summitate C. B.
siliqua multiplici
siliqua singulari

Onobrichis

seu caput gallinaceum fructu maximo insigniter echinato Tab.
folio vicia fructu echinato major floribus dilute rubentibus C. B.
fructu echinato minor C. B.

Securidaca

Lutea Major. C. B.

Coronilla

caule genistæ fungoso Tournef.
sive colutea minima Tab.
maritima glauco folio. Inst.
cretica herbacea flore purpurascente. Cor. Inst.
herbacea flore vario Inst.
siliquis e seminibus crassioribus Inst.

Asphalatus

frutescens Major latifolius cortice aureo Tourn.
Juniperi folius Tourn.
arborescens spinis foliorum crebrioribus oblongis

Smerus

Cæsalpini
Americanus foliis sericeis incanis

Vingtuniéme Leçon

Astragalus

Tuberosus Scandens Fraxini folio Jus
villosus erectus Spicatus floribus flavescentibus Amm
luteus perennis procumbens Vulgaris seu Silvestris Morin
Incanus Siliquis incurva Magnol
annuus angusti folius flosculis sub cæruleis conliculis adhærentibus Jus
annuus Maritimus procumbens tali folius floribus pedicelo insidentibus Jus
alpinus procerior alopecuroides Jus
pumilus Siliqua epiglottidis formâ Jus
Lupinus Siliquis villosis glomeratis Jus
luteus perennis siliqua gemella rotundâ vesicam referente Morin
glicyphillos folio minori rotundiori apice inciso. Boerh
orientalis maximis incanus erectus caule alimo ad summum florido Cor Jus
Perennis procerior non repens flore ex viridi flavescente Dillenii
orientalis altissimus galegæ folüs amplioribus flore parvo flavescente Cor Jus
ægyptiacus siliquis in curvum contortis canaliculatis D. Granger
Talcar annuus monspeliacus procumbens
monspessulanus flore albo. Jus
orientalis angusti folius caule pedali flore ex viridi flavescente odoratissimo Jus
pumilus flore albido. Boerh
erectus caulus floribus spicatis leguminibus erectis culeis medio tumidis teretibus depressis mucrone reflexo. L.
Caulescens erectus caule globoso sulcato Sim
Caulescens siliquis glaber floribus racemosis pendulis leguminibus ovatis inflatis utrinque mucronatis V.
diffusus capitatis pedunculatis umbricatis ovatis floribus erectis Simmei

Astragaloides

Sinensis galegæ foliis. ♃
Lusitanica
alpina supina glabra foliis acutioribus hort. Bis

Colutea

orientalis flore sanguinei coloris lutea macula notato Tourn.
vesicaria ☉
æthiopica flore purpureo. breynii
foliolis ovatis integerrimis flore fruticoso. mor. ℏ
africana annua foliis parvis mucronatis vesiculis compress.
☉
africana annua foliis cordatis et vesiculis minus compressis ☉

Tragacantha

Massiliensis ♃

Sesban

Prosp. alpin.

Glycirrhiza

Siliquosa vel Germanica ♃
capite echinato ♃

Medicago

trifolia frutescens incana Jus
silvestris floribus cæruleis
annua trifolii facie Jus
vulnerariæ facie hispanica Jus

Galega

vulgaris floribus, cæruleis ♃

Hedysarum

annuum minus Zeylanicum minoris folio Jus,
hispanicum annuum flore minore purpurascente
clypeatum flore suaviter rubente, b, Cistellen

Hedysarum

americanum tripbillum canescens floribus albis spicatis Boerh
tripbillum flosculis albis, annu
frutescens hirsutum floribus paniculatis amplis purpureo violaceis
tripbillum zeilanicum rotundi folium ♄
tripbillum canadense Cornuti

Scorpioides

Papilionaceo folio ☉ ♁
siliqua crassa Gerardi
Papilionaceo folio siliquis lenibus Park

Sanum graecum

Silvestre policeration majus Creticum Breynii
silvestre meliloti facie Cor Jus
Silvestre policeration minus aegyptium
silvestre alterum policeration ☉ ♁
silvestre siliquis plurimis longioribus Jus
bifolia pratensis facie procumbens flore purpureo coronato
Siberii
Sativum ☉ ♁

Ornithopodium

portulacae folio Jus
majus ☉ ♁
Scorpioides siliqua compressa Jus
Lupinus peregrinus major vel villosus caruleus major ☉ ♁
peregrinus major vel villosus incarnatus major ♄
silvestris flore luteo ☉ ♁

Indigo

vera americana sativa
vera siliquis hirsutis
sativa sive anil Indorum

Corchorus

Sive Melochia ☽ ♁
folio oblongo fructu gracili tricuspidato
americanus siliquis emarginatis

Melochia

floribus foliaceis capsulis pyramidatis pentagonis angulis acutis Linnæi

floribus capitatis sessilibus subrotundis capsulis L.

Monospermalthæa

arborescens villosa folio majore Linnæi

Circæa

Lutetiana Lobelii

Alchimilla

vulgaris C. B.

alpina quinque foliis folio subtus argenteo. Inst.

alpina pubescens minor Dom. Vallot

Montana minima Columnæ

Lysimachia graminea folio minore flore Inst.

Cuscuta

Minor Inst.

Ricinus

humilis foliis subrotundis serratis et glomeratis subtus argenteis nihil at fructu Dhoreston

africanus maximus caule geniculato rutilante. D. Vallot

americanus minor C. B.

americanus tota ruber

Vulgaris C. B.

Ricinoides

Gossypii folio Inst.

sinensis sebi seu populi nigra foliis

indica folio lucido fructu glabro, granatiglio officinalis dicto Burm.

Manihot

americana spinosissima folio virgineo. Plum.

Tragia

scandens urticæ folio. Plum.

Lupuloidea
americana scandens caprealin donata

Lupulus
femina ♃ ♂

Urens
Urtica
ureus maxima ☉ ♂
ureus minor ☉ ♂
maxima racemosa canadensis D. Valliz
ureus pillulas ferens prima Dioscoridis femine lini ☉ ♂
ureus altera pillulas ferens parietariae foliis h. H. P.
foliis profunde laciniatis semine lini, annuum
racemi fera maxima *sinuatum foliis subtus argentea
sanguine villosis Plukenetii
foliis oblongis serratis nervosis petiolatis Gronov. fl. Virgin.
Canadensis foliis lucidis

Parietaria
officinarum et Dioscoridis ☉ ♂
herniariae facie Plum

Sorskalea
tenacissima Linnei

Equisetum
arvense longioribus setis ☉ ♂
foliis nudum non ramosum sive junceum

Persicaria
orientalis nicotianae folio calice flavum purpureo
ureus seu hidropiper ☉ ♂
mitis non maculosa floribus candidis ☉ ♂
sinensis floribus laxe spicatis
mitis maculosa floribus purpura scentibus ☉ ♂
frutescens maculosa virginiana flore albo Barrel
montana latifolia major floribus racemosis Sigisbekii
salicis folio potamogeton anguste foliium Dicta Kaii

Sagopyrum

Scandens clavículis donatum
Vulgaré erectum Jnst
erectum fructu aspero Amm
Vulgaré Scandens Jnst

Bistorta

alpina minor C B
major radice major intorta C B
alpina maxima

Lacryma Job

Clusii
altissima arundinis folio et facié Blum

Mays

Gram. maurit. Jnst

Milium

arundinaceum Subrotundo Semine luteo Sorgo nominatum
arundinaceum subrotundo semine Sorgo nominatum C B
arundinaceum Scandens et maculosum Blum
indicum panicula Sparsa erecta Jnst
indicum minus panicula sparsa erecta
Semine albo C B

Panicum

maritimum Spica longiore villosa Jnst
Vulgare J B
Vulgare Spica Simplici et molliori Jnst
Vulgaré Spica Simplici et asperâ Jnst
Vulgare Spica multiplici longis aristis circumvallata Jn

Elymus

Spica flaccido pendula Linnæi
aristis spicula longioribus Linnæi

Hordeum

Maritimum quod gramen spicatum maritimum minus Jnst
minimum J ♄
polystichum hibernum ☾ ♄
distichum J. ♄

Oryza

matthioli

Secale

hibernum majus . ☾ ♄

Triticum

Trimestre porte Morin
aristis circum vallatum gravis et spica rubentibus
glumis laevibus et splendentibus Zaü
Latifolium glumis crassioribus seu spelta major
Quadhordeum distichum spica nitidaspra seu brizza
nuncupatum Jnst
spicâ multiplici ☾ ♄
hibernum aristis carens ☾ ♄

Avena

Vulgaris seu alba ☾ ♄
nuda J ♄
silvestris pilosa aristis recursis Morin
spicata flosculis sub quaternis calice longioribus Linnæi

Arundo

silvatica elatior panicula mollis candida et cerici
nudo lucens Morin
Vulgaris Sive fragmitis Dioscoridis, et Theophrasti ☾ ♄
Jndica Variegata Sive Laconica Theophrasti Cor.
Sativa quæ Donax Dioscoridis, et Theophrasti ☾ ♄
Saccharifera ☾ ♄
arbor exqua humor lacteus gigniter qui tabaxir
avicennæ et mamrabibus dicitur ☾ ♄

Vingt deuxieme = Leçon

Cyperus

vulgatior paniculâ sparsa Just
Rotundus esculentus angusti folius C B
minimus paniculâ sparsa sub flavescente Just
odoratus radice longa Sive cyperus officinarum C B
odoratus viscosus maritimus
culmo nudo umbellâ foliosa pedunculis floriferis singulis folio = = singulis prodeuntibus
culmo tereti nudo articulato L.
aegiptius glaucus humilior tereti caule cariophillæ folio D. Aegypt.
culmo capitulo glomerato tripbillo spicis teretibus Gron. Fl. Virg

Zizania

Fl. Virg

Cyperoides

Spicis parvis longe distantibus J.
silvarum tenuius spicatum Just
latifolium spica = rufa = sive caule triangulo. Just
Palustre aculeatum capitulo breviore Just
polystachion sanguinosum Just
nigro luteum vernum majus Just

Scirpoides

quod gramen cyperoides palustre majus spica compressa C B
quod gramen cyperoides spica è pluribus spicis composita Raii
brevibus mollibus

Pseudo = Cyperus

Palustris folio azarinæ serratis Seuchzeri eriî

Scirpus

Palustris altissimus
equiseti capitulo majori Just
omnium minimum capitulo longiori Just
omnium minimus capitulo breviori

Linagrostis

panicula ampliore Jus
spica singulari alopecuroides D. Valer

Typha

palustris major J. Gramen
gramen arundinaceum canadense minus
paniculatum aquaticum miliaceum Jus
typhoides maximum spica longissima C B
asperum primum C B
nodosum spica parva sive nodosum tertium C B
spicatum instar linae dentatum Vaill
spicatum spica cylindracea longioribus villis donata Jus
spicatum spica cylindracea tenuissima longiore Jus
loliaceum angustiore folio et spica C B
loliaceum radice repente sive gramen officinarum Jus
~~loliaceum radice repente sive gramen officinarum Jus~~
angusti folium spica tritici ~~vulgaris~~ simili C B
loliaceum quod spartium spicatum pangens oceanicum J B
spicatum quod spartum Plinii
spicatum aristis pinnatis Jus
authoxanthon spicatum J B
spicatum secalinum maritimum spica breviore Jus
loliaceum corniculatum spicis glabris Jus
quod festuca pratensis lanuginosa C B
avenaceum panicula densa locustis aristatis majoribus Jus
avenaceum panicula sparsa locustis majoribus et aristatis Jus
phalaroides major acetosa erecta parva panicula Barrel
spicatum glumis cuspidatis Jus
pratense paniculatum major angustiore folio C B
alpinum paniculatum narcissi folio
pratense paniculatum altissimum locustis parvis splendentibus
muricum spica longissima Gerarde
paniculatum bromoides minus panicula aristatis unam partem spectantibus Raii
alopecuroides spica aspera C B
avenaceum pratense elatius panicula Raii flavescente locustis parvis
Pratense paniculatum majus folio latiore Pr Theophrasti
~~paniculatum~~

Gramen

paniculis elegantissimis minimum
paniculis elegantissimis sive cragtorum majus C B
tremulum majus. C B
tremulum maximum C B
maderaspatanum spica interrupta totali epluribus spicis
parvis villosis elegantissime constructis Plukenetii
pratense paniculadiviso laxe unam precipuè partem
spectante
caninum supinum minus C B
paniculà miliacea sparsa Montanum C B
parvum precox spica parva canescente. Raii
miliaceum palustre serotinum panicalis ex locustis compresis
compositis
avenaceum montanum spica simplici aristis incurvis Raii
avenaceum locustis villosis crassioribus Just
aquaticum paniculatum latifolium C B
orientale spicatum aristis longissimis donatum C B Just
paniculatum latifolium locustis crassioribus semine nigro
aquilegiæ simili Just
spicatum folio aspero C B
alopecuros minus spica longiore C B
alopecuroides spica Rotundiore C B
Barcinonense paniculadensa annua Just
spicatum semine miliaceo albo Just
nudosum avenaceæ paniculæ C B
avenaceum elatius jubalonga splendente Raii
minus vulgare panicula rigida Just
arundinaceum acetosa glumarnostras Parkinsonii
paniculatam folio folio variegato C B
pratense paniculatum minus album C B
Junceum Palecampii
avenaceum locustis ranioribus C B
avenaceum lanuginosum glumisranioribus C B
avenaceum montanum lanuginosum C B
capillaceum locustellis pinnatis non aristatis Raii
spicatum locustis echinatis Just
loliaceum minimum foliis junci & paniculæ unam
partem spectante Just
loliaceum spicis articulosis erectis Just

Gramen

americanum Spica echinata majoribus locustis
Spicatum Dariorubus et crassioribus locustis Spicâ longissima Jus
Spicatum Dariorubus et crassioribus locustis Spicâ brevi. Jus
pratense paniculatum molle C B
Panicula molli rubente J C
Arvense polipodii paniculâ crassiore Barrel
Indicum aromaticum paniculatum a baculis villosis sive
Schenantos indica orientalis
Dactylon maximum americanum Pluk
Spicatum Spica subrotunda echinata Jus
Dactylon aegyptiacum C B
orientale frumentaceum semine rapi Raii
Ischemon Bermudense speciosum foliis brevibus obtusis Pl
Dactylon auguste folium Spicis villosis. Jus
Dactylon villosum ramosum altissimum gallo provincium
Dactylon folio latiore. C B
Dactylon indicum Spicis longioribus Jus
Dactylon radice repente sive officinarum J

Damasonium

Stellatum

Pillularia

Palustris junci folia. D. V.
Folio Bermudinensis non ramosa petiolis pinnulis
acutioribus pinnis binatis pubescentibus Pluk
non ramosa dentata. C B
montana ramosa minor argentea argute denticulata Pl
minor non ramosa J C
Baccifera Comuti
ramosa minor pinnulis dentatis
ramosa majos pinnulis obtusis non dentatis C B

Lonchitis

aculeata major. Jus

Osmunda

Vulgaris et palustris Jus
mariana Dryopteris folio muscoi Pluk
Indica polipodii folio

Polipodium

Vulgare ☉♄
Cambro Bithanicum pinnulis(?) margines laciniatis Raii
majus aureum Park.

Filicula

fontana major sive adianthum album filicis folio ☉♄
quae adiantum nigrum officinarum pinnulis(?) Clusio(?) ibar Just

Lusitanica Bolypodii radice Just

Adiantum

folüs corjandri ☉♄
americanum comuti

Asplenium

Sive Ceterach ♃♄

Trichomanes

Sive polystichum officinarum ☉♄

Ruta Muraria

☉♄

Acrostichon

Parvum septentrionalium regionum musci Petiv

Lingua Cervina

angusta folia lucida folio serrato D. Vaillt
maxima undulato folio auriculato per basim D. Vaillt
officinarum ☉♄

Ophio Glossum

Vulgatum ☉♄

Bryonia

aspera sive alba baccis rubris ☉♄
africana glabra folüs in profundas laciniam divis in flore luteo
oldenlandi
zeylanica folüs in profundas laciniam divis in fructu majori Just

Sicyoidea

americana fructu echinato foliis echinatis Jus

Momordica

Vulgaris Jus
Zeylanica pampinea fronde fructu longiori Jus

Luffa

Arabum Sive Cucumis reticulatus aegyptius

Cucurbita

Lagenaria J. ♂

Pepo

Vulgaris Tab

Melopepo

Compressus ☉ ♂
clipei formis ☉ ♂
fructu formi citri
aurantii forma

Anguria

Citrullus dicta ☉ ♂
americana fructu echinato caule J.
β fructu globoso spinoso

Colocinthis

fructu rotundo major ☉ ♂

Melo

Vulgaris ☉ ♂
rotundus parvus ☉ ♂

Cucumis

Sativus vulgaris maturo fructu sub luteo ☉ ♂
flexuosus ☉ ♂
americanus minor ☉ ♂

Elaterium

Sive cucumis silvestris asininus dictus ☉ ♂

Hepatica

Secunda Tab Nova

Vingt troisieme Leçon

Abies

taxi folio fructu sursum spectante J.
taxi folio odore balsami gilea densis. Hall
minor pectinatis folius virginiana conis parvis subrotundis
albicantibus Plukenetii
picea foliis brevibus conis parvis bimestralibus taxi D. Land
teniore folio fructu deorsum inflexo. Just

Pinus

Sativa ☉
maritima minor ☉
silvestris ☉
americana quinis exuno folliculo setis longis tenuibus triquetris
ad unum angulum pertotam longitudinem minutissimis
crenis asperatis. Plukenetii

Laria

orientalis fructu rotundiore obtuso. Just
folio deciduo. Conifera. J. ♄

Cupressus

ramos extra se pargens quemas Plinii
meta in fastigium convoluta quae femina Plinii Just
Lusitanica patula fructu minori. Just
virginiana foliis acaciae deciduus Commel

Thuya

Ramis erectis
Theophrasti ♄

Alnus

Rotundi folia glutinosa viridi ☉ ♄
Canadensis folio oblongo crenato
folio incano. ☉ ♄

Betula

Julifero fructu conicide viminibus lentis Gronov. Fl. Virg
Canadensis folio oblongo crenato latiori folio hirsuto
Dodonei
Palustris pumila foliis parvis rotundis

Quercus

Cum longo pediculo &c
Latifolia magnæ brevi pediculo est &c
Carolinensis virentibus venis mucronata. Castelb.
Burgundiaca calice hispido &c

Ilex

folio ~~virgi~~grisolii Mag.
folio augusto cum Serrato &c
oblongo folio serrato &c
americana. folio non serrato in summitate quasi triangula
aculeata coxi glandi fera
Virginiana salicis longiore folio fructu minimo

Suber

Latifolium perpetuo virens &c

Nux

Americana fructu parvo olivæ simili
Juglans americana nuce lata compressa
juglans alba virginiensis. Park.
Virginiana nigra fructu oblongo profundissime
insculpto D. Land
juglans virginiana nigra Herm
fructu Serotino juglans &c
juglans seu regia vulgaris &c

Corylus

Sativa fructu rotundo maximo &c
Sativa fructu albo minore vulgaris &c
Sativa fructu oblongo rubente alba tecto pellicul &c
silvestris &c

Carpinus

orientalis folio minori fructu brevi Cor. Inst.
seu ostrya ulmo similis fructu racemoso lupulo simili
Virginiana florescens. Parkins Bluknesii
Dodonæi

Castanea

Silvestris quae pecuniariter. Castanea C B
Sativa C B

adsit J B

Taxus

J B.

Fagus

De Fago

Morus

fructu albo minori exalbo purpurascente. Jont
folijs cordatis subtus villosis amentis cylindraceis Linnaei
fructu nigro C B
fructu albo C B
fructu viridi ligno sulphureo tinctorio. Sloan

Juniperus

Vulgaris fruticosa C B
Virginiana Herm
bermudiana hort Augd. Bat
major Bacchâ rufescente C B
folijs inferioribus juniperum superioribus Sabinam aut
cupressum referentibus Bat

Cedrus

folio cupressi major fructu flavescente C B
~~Sabina folio cupressi~~ C B

Sabina

folio cupressi C B

Liquidambar

C. B
orientale
foliis oblongis Linnaei

Chamaelea

Tricoccos. C B

Ptelea

Hort. Cliff

Molle

Clusii

Buxus
foliis rotundioribus ☉
vulgaris ☉

Gale

frutex odoratus Septentrionalium regionum, elaeagnus cordo, chamaelaea
Dodonaeo ♃
africana foliis pinnatis lucerni figura
americana fructu coryandri racemosa
Capensis filicis coccifericae folio. Petiv.

Sterota

sub spinosa foliolis minoribus perpinnas marginato inermi
alata dispositis spicis geminatis axillaribus. Burm
foliis pinnatis, foliolis oblongis petiolo marginato inermi

Xanthoxylon

foliis pinnatis floribus fasciculatis per ramos sparsis singulis
brevi pedículo insidentibus

Rhamnoides

fructifera foliis salicis baccis levibus flavescentibus ☉ Cor Inst
florifera salicis folio ☉ Cor Inst

Terebinthus

seu pistacia trifolia Inst
peregrina fructu minore et caeruleo Dalé ☉
major pistachia folio Lobelii
indica Theophrasti pistachia Dioscoridis. Bob.
Cappadocia. D Vallot
folio angustiore crispo.
minor ☉
Vulgaris ☉

Lentiscus

vulgaris C B

Salix

orientalis Flagellis Deorsum pulchrè pendentibus C. Inst
vulgaris alba arborescens C B
Sativa lutea folio crenato C B
folio laureo dentato glabro odorato Raii
caprea acuto longoque folio, Raii
folio ex rotundato acuminato. C B
oblongo incano acuto folio. C B
pumila angusti folia inferne lanuginosa J B
humilior folijs angustis sub cæruleis ex adverso binis Raii
alpina pyrenaica C B
humilis angusti folia C B
pumila folijs utrinque candicantibus lanuginosis C B

Populus

alba majoribus folijs C B
nigra C B
nigra folijs oblongis

Platanus

orientalis aceris folio Cor Inst
occidentalis aut virginiensis Park
orientalis vernè Park

Tamariscus

germanica Lob
narbonensis Lob

Ebyneclea

Lauri folio deciduo sive Foemina laureola Inst
Lauri folio semper virens seu laureola mas Inst
folijs lini C B
alpina lini folia humilior flore purpureo odoratissimo Inst
alpina folio utrinque incano flore albo. Inst

Rhamnus

Catharticus. Ds
catharticus monspeliaca minor Ds
hispanica buxi folio minor. Just
hispanicus buxi folio ampliore Just
asperfolio primi longiori subrotundo flore candicante spinis longissimis, Dsesh
asperfolio primi longiore et angustiore

Alaternus

Monspeliaca folüs profunde incisis h. L. B
prima Clusii
hispanica latifolia J.
minor sive folio Just

Alaternoides

africana lauri servatō folio commel
africana ericae folüs floribus albicantibus et muscosis fom
africana floris Marini latiore et pilosiore, folio Commel
africana sive Cassinē vera Coridanorum arbuscula baccifera
= alaterni facie folüs alternatim setis tetragyrenae
americana Zizyphi folio
africana folüs longis et angustis
africana folüs oblongis margine undulatis fructu biloculari Just

Frangula

Dod.
rugosiore et ampliore folio Just
rugosiore et ampliore folio major

Volkameria

Ramis spinosis. h. exsal
ramis inermibus. Amoen
angusti folia

Nerion

floribus rubescentibus ♂♀
indicum angusti folium floribus odoratis Simplicibus herm

Phillirea

Latifolia spinosa ♂♀
folio singulari ♂♀
hispanica nerii folio Just
Latifolia laevis ♂♀
angusti folia prima

Ligustrum

J. ♂♀
Capense Semperviren. folio crasso subrotundo. Dillenii

Chionanthos

Bort Cliff

Vingtquatrieme Leçon

Olea

Sativa ☉ ♄
Silvestris folio duro subtus incano ☉ ♄
a fra folio ~~brevi~~ buxi crasso atroviridi lucido albo scabro cortice ♄ ♄

Jasminum

hispanicum flore majore extense rubente J ♄
vulgatius flore albo ☉ ♄
azoricum flore alboviridario lusitanici
Sive yelseminum ~~luteum~~ luteum J ♄
luteum vulgodictum bacciferum ☉ ♄
flavum odoratum ♄ Sallot
Sive Jambac arabum alpinum J ♄

Laurus

latifolia platanoides Dioscoridis ☉ ♄
vulgaris folio undulato mas ♄ verh
tenui folio mas ♄ verh
~~pr~~ or. sea Clusii
indica aldini
folio ~~enervibus~~ ~~ovatis~~ enervi ovatis utrinque acutis integris annuis
L. b. Cliff
camphora fera Kampferii

Styrax

folio mali Cotonei ☉ ♄

Arbutus

folio serrato ☉ ♄

Ulmus

campestris et tragi ☉ ♄
folio latissimo scabro Gerardi

Eleagnus

orientalis angusti folium fructu parvo oliva formi Jab dulci Cor J.

Aquifolium

Carolinianum angusti folium variis spinis brevissimis Miller.
Sive aquifolium vulgo J ♂
Foliis oblongis et limbis aureis hirsutum
echinata foliis superficie cornuti

Guiacana

J ♂
pistamia virginiana. Bartrams.
angustiore folio Jus

Ficus

Lauri effigie fructu minimo
Silvestris procumbens folio simplici Kempf.
americana folio citri obtuso fructu sanguineo Blum
alia foliis lauri fructu minori Plum
Bengalensis folio subrotundo fructu orbiculato. h. amstelod
malabarensis folio cupressato fructu rotundo parvo gemino. Pluk
indica foliis mali colonei similibus fructu ficubus simili C
communis C ♂
foliis variis acutis integerrimis caule arboreo fructu racemoso. Sim

Sambucus.

fructu in umbella nigro. C ♂
fructu in umbella viridi. C ♂
racemosa rubra. C ♂
Laciniato folio. C ♂
humilis sive ebulus. C ♂
Cymis quinquepartitis foliis bipinnatis frutescente caule Sim

Opulus

flore globoso. Jus
Ruellii C ♂

Viburnum

Canadense Rhimi foliis leté virentibus Sarraceni
malthioli
foliis serratis ovatis acuminatis glabris petiolis marginatisque
foliis ovatis dentato serratis plicatis Linnæ
americanum phillireæ foliis
Canadense glabrum D. Vaillant
foliis ovatis integerrimis

Linus

Prior clusii

Callicarpa

act. upsa

hidrangea

gron. fl. virg.

Oxicocus

Canadensis sive vitis idæa palustris virginiana fructu majori Raii

Vitis idæa

folis oblongis crenatis fructu nigricante C. B.

Uva ursi

clusii

Clea

Gronovii Hort. Virginicæ

clethra

Gronov. fl. virg.

Myrsine

Linnæi h. Cliff

Royena

foliis ovatis Lin. hort. cliff
foliis lanceolatis hirsutis Van Royen

Caprifolium

italicum Dodonæi
germanicum Dod.
canadense flore parvo

Periclimenum

Perfoliatum virginianum sempervirens & floreus hirsutum

Triosteospermon

Latifolium folio flore rutilo. Dill

Diervilla

Acadiensis frutticosa flore luteo act. ac Reg.

Xylosteon

Pyrenaicum Jus

Chamaecerasus

Montana fructu singulari cæruleo. C B
Dumetorum fructu gemino rubro. C B
alpina fructu rubro gemino duobus puncteis notato. C B
alpina fructu nigro gemino. C B

Symphoricarpos

folüs alatis Dillenii

Cephalanthus

folüs oppositis. Van Royen

Ostrya

Linnæi hort. Cliff

Lilac

Matthioli
Ligustri folio. Jus
Laciniatis folüs Jus

Vitex

folüs angustioribus cannabis modo dispositis ♃ ♄
Sive agnus floré albido. D'Hallor
folüs quinatis terminatis quæ serratis floribus racemoso paniculatis. Lin.
folüs ternatis quinatis quæ integerrimis paniculis dichotomis L.
Sinarum subrotundis argenteis folüs digujis caule quadrangulari. Bluk

Tulipifera

Virginiana stirpartito acero folio media lacinia velut abscissa. Bluk

Magnolia

folüs ovato lanceolatis L. h. Cliff

Halleria

L. h. Cliff

Rhus

folio ulmi ♃ ♄
Canadense folio longiori utrinque glabro Jent,
Canadense folio minore Serrato viescente
Virginianum ♃ ♄
Virginianum paniculis sparsa ramis petalis glabris. Dill
cyprianum trifolium laciniatum. D. Granger,
africanum tripliatum majus glabrum splendente utrinque
africanum tripliatum majus folüs obtusis et incisis hirsutie folio subrotundo medio quando que crenato. Boerh pubescentibus Bluk
africanum trifolium angustissimo folio subtus incano
sive agüi Cesti Cobis, Herm.

Cacoxideudron

Carolinianum folüs pinnatis floribus minimis herbaceis Mill
Triphillum folio minus pinnato
triphillum glabrum Jent
triphillum folio pinnato pubescente. Jent

Cotyna

Coriaria Pod.

Gressia

Corollis acutis A. hort. Cliff
corollis obtusis A. h. Cliff
foliis angulatis flore albo

Tilia

foemina folio majore ♀ ♂
foliis majoribus mucronatis Gron. fl. Virgin.

Celtis

fructu nigricante Just
fructu obscure purpurascente Just
orientalis minor foliis minoribus et crassioribus fructu
flavo Cr. Just

hedera

foliis variegatis
arborea ♀ ♂

Vitis

Virginiana laciniata petrosellini folio
trifolia minor uva corymbosa acinis majoribus turbinatis
quinque folia canadensis Scandens Just
vinifera ♀ ♂
abatilis folio acinis atro purpureis Plum
Virginiana Silvestris Park
Laciniatis foliis Cornuti
Canadensis acinis folio Just

Berberis

Dumetorum ♀ ♂
Latissimo folio canadensis S. Valer
alpina rotica ♀ ♂

Erica

Vulgaris glabra. ♂♀
brabantica folio coriis hirsuto quaterno ♃♀
major scoparia foliis deciduis. ♂♀
humilis cortice cinereo arbuti flore. ♂♀
foliis coriis multa flora ♃♀

Andromeda

foliis oblongis alternis serratis

Rubus

odoratus ~~ternatis~~ trifoliis
laciniatis foliis
Canadensis spinosus fructu nigro rubi idei facie
montanus repens ~~laciniatus~~ sarmentis rotundis spinis minutissime mut
mamillatis foliis rotundis utrinque lenatis superne cinereis
inferne candicantibus flore albo nigro fructu parvo Michel
Vulgaris sive rubus fructu nigro. ♂♀
flore albo pleno Magnol
Canadensis trifolius non spinosus scandens
repens fructu luteo
flore albo Magnol
Vulgaris spinis carens D. Vallot
idæus spinosus. ♂♀
alpinus humilis ♃♀

Acer

Canadense platanoides sacchariferum
montanum candidum ♂♀
platanoides montingii
Campestre et minus. ♂♀
virginianum folio subtus argenteo supra viridi splendente
Clarkii
Canadense folio tridentato amplissimo serrato
trifolia ♂♀
cretica pur. alp.
maximum foliis trifidis vel quinquefidis virginianum Clark
major folio rotundiore minus laciniato ~~ac~~ asperatus italorum Zaïi
foliis trilobis acuminatis serrulatis floribus racemosis L.

Staphisodendron

Malthioli
virginianum trifolieum Jnst

Fraxinus

excelsior ♂♀
Caroliniana latiori fructu Mitchell
exnova anglia pinnis foliorum immutatarum productioribus vidit
humilior sive altera theophrasti minore et tenuiore folio ♂♀
floratena Tobreyder

Cassine

foliis oblongis ovatis Linnei
foliis subovatis integerrimis Linnei
foliis subrotundis parvo flore

Ivonimus

virginianus pyracanthæ foliis capsulis verucarum instar
asperatis rubentes Bluk
ethiopicus pyracanthæ folio fructu majore
vulgaris granis rubentibus ♂♀
latifolius ♂♀

Ivonimoidea

Canadensis scandens folio acutiore non serrato
Canadensis scandens foliis serratis act accad Reg. Paris

Syringa

alba sive philadelphus atheniis ♂♀

Spirea

ovali folio Just
hyperici folio non crenato Just
hispanica hyperici folio non crenato Just
salicifolia Just

Azedarach

Bodonei
Semper virens asphodeli Just

Aurantium

oliffi ponense Ferrarii
acri medulla . valgare Ferrarii
Silvestre medulla acri Just
fructu violaceo
fructu multiplici . Just
virgatum angustofolium . Just
foliis latissimis fructu rotundo maximo latescente
maximum Ferrarii
folio et fructu maximis Sinense
fructu suavissimo Bergamium dicto

Citreum

vulgare . Just
fructu turbinato odoratissimo
magno fructu . Just
fructu rotundo

Limon

Dulci medullo vulgaris Ferrarii
fructu odoratissimo

Prunus

flore pleno . D. Vallot
virginiana fructu parvo cerasi
Silvestris C B
fructu ovato maximo flavo . Just
myrobalanus dicta . J B
fructu magno dulci atro caeruleo . Just
fructu majori virescente suavissimo
sine nucleo

Armeniaca

fructu majori nucleo amaro . Just
fructu minori glabro aureo nucleo dulci

Persica

Molli carne et vulgaris viridis et alba . C B
africana nana flore incarnato simplici . Just

Cerasus

Silvestris amara mahalebpotato J.B.
racemosa Silvestris fructu nigro non eduli
pumila canadensis oblongo angusto folio fructu parvo
Sativa fructu rotundo rubro et acido. Jus
racemosa Silvestris fructu non eduli C.B.
silvestris fructu nigricante in racemis longis pendulis pistolacea
fructu acido Serotino succi Sanguinei Jus
Silvestris fructu nigro J.B.
major Silvestris multiplici flore Raii
major fructu magno cordato Raii
Prunifera C.B.

Amigdalus

Dulcis J.B.
amara J.B.
indica nana D. Vallon
flore pleno minor
orientalis foliis incanis

Zizyphus

americanus inermis folio subrotundo trudentato
inermis folio latiore hirsuto
inermis scandens foliis venosis fructu parvo orbiculo oblongo
bilocularis
Sinensis longiore folio et angustiore
americanus ampliore folio et spinis validioribus
Dodonei
Sylvestris Jus

Paliurus

Dodonei
americana inermis

Lauro-Cerasus

Clusii
americana
Lusitanica Minor Jus

Malus

Silvestris acido fructu albo Just
fructifera Sugaeflore h. K. P.
Sativa fructu magno Silvestre rubente et inodoro Just
Sativa fructu subrotundo virido pallescente acido dulci Just

Pyrus

Sativa fructu autumnali subrotundo ferrugineo rubente non nunquam maculato Just
Silvestris C. B.
Sativa fructu Bruxiali magno pyramidato e flavo non nihil rubente Just
Sativa fructu autumnali suavissimo more liquescente Just
Sativa fructu autumnali tuberoso sessili succharato cunnis dicto Just

Sorbus

aucuparia J. B.
folijs semi pinnatis subtus tomentosis Linn
Sativa C. B.

Cidonia

augusti folia Vulgaris Just

Crataegus

folio subrotundo serrato subtus incano Just
Virginiana folijs arbuti Just
fructu nigro D. Vaill
Cornu Cervi folio oblongo serrato fructu nigro
folio laciniato Just
folijs amplioribus subtus incanis

Mespilus

folio subrotundo fructu rubro Just
folijs cordatis ovatis acuminatis marginibus acute serratis raris Spinosis Mill.
vulgaris J. B.
sine nucleo
aculeata pyri folia denticulata splendens fructu insigni rutilo Virginiensis
aculeata amygdali folio Just

Mespilus

apii folio silvestris spinosa sive oxiacantha . C B
inermis folijs ovato oblongis serratis subtus tomentosis J. H. R.
Canadensis sorbi terminalis facie . Jus
apii folio laciniato . C B
Pomi folio dentato

Siliqua Edulis

C. B

Sapindus

folijs conjugatis non alatis innascentibus
folijs conjugatis alatis innascentibus Jus

Coriaria

vulgaris act. acad. Reg. Paris

Bonduc

Caroliniense polyphillum non spinosum
vulgare majus polyphillum . Plum

Bavia

Boerh. Inst

Hippocastanum

vulgare Jus

Rosa

arvensis candida . C B
canina Duplicato flore Burdigalensis quorundam D. Vallo
in aperto floribus alabastro crassiore Franco Fortunis D. Vallot
pumila spinosissima foliis pimpinellae glabris flore albo J. B
spinis Careus flore majore . C B
Sylvestris fructu majore hispido Lobel
Creuca Montana foliis subrotundis Anglicanis et villosis C B
alba vulgaris major C B
flore albopleno hort Eystett
multiplex media C B
maxima multiplex C B
moschata simplici flore alba C B
moschata flore pleno . C B.

Rosa

omnium calendarum D. Miller
omnium calendarum flore pleno coerulea
odore Cinamomi Simplex. ♂♀
rubra ~~simplex~~ Simplex. ♂♀
versi color. ♂♀
rubra multiplex. ♂♀
Silvestris virginiensis Bank.
Lutea Simplex. ♂♀
pumila Cornuta

Myrtus

Latifolia romana ♂♀
Baetica latifolia Domestica Clusii
media Clusii
folijs minimis macrostier ♂♀
folijs laurinis baccis coeruleo nigris Plumerius
arborescens citri folijs glabris fructu racemosa
caryophillato Sapore Plum

Eugenia

folijs integerrimis pedunculis unifloris lateralibus
flore Zeylanico
folijs integerrimis pedunculis ramosis terminalibus

Guaiava

Clusii

Punica

quae malum granatum fert Casalpinii
americana nana seu humillima Jrst.

Grossularia

Simplici acino spinosa fructu majore rubente
Spinosa Sativa ♂♀
Simplici acino vel spinosa silvestris. ♂♀
multiplici acino sive nova Spinosa hortensis rubra
Sive riber officinarum ♂♀
hortensis majore fructu rubro. ♂♀
non Spinosa fructu nigro majore. ♂♀

Grossularia

Virginiana fructu oblongo rubente per maturitatem nigricante
Dalcis et Acidis
Vulgaris fructu dulci ☉ ♄

Hamamelis

Linnæi

Cornus.

Foliis ultra angustioribus. Linn.
Virginiana latifolia humilior
Sanguinea ☉ ♄
Sylvestris fructu albo. Linn.
Hortensis maior ☉ ♄
Hortensis maior fructu cereo colore ☉ ♄
Mas Virginiana floralis pluribus albidis ex involucro tetrapetalo rubro dirumpentibus Clusii

Prinos

Foliis longitudinalis Serratis Linnæi

Xyderoxylum

inermis Linnæi
Spinosum Foliis deciduis Duhamel
Spinosum foliis perennantibus. Linnæi

Vingt Sixieme Secon

Draco

arbor clusii
humilis foliis longissimis
humilis guineensis foliis latiore variegato
humillima Zeylanica angusti folia variegata
Caulescens cannicoi folio

Sebestena

Domestica ♂♀

Palma

major ♂♀
minor
Cantiniana humilis radiata latifolia

Zamia

Pumila Linnaei

Rauwolfia

tetraphilla latifolia Blumenii
tetraphilla angusti folia Blum

Taberna montana

Lactescens ♂ cibii folia undulatis Blum

Plumeria

flore roseo odoratissimo Jus
flore nivea folia longis angustis et acuminatis Jus

Camara

melissa folio flore flavo. Dillenii
Spinosa flore variegato Blum
spinosa floribus coccineis
arborescens Salviae folio Blum
arborescens Salviae folio Sabinicans
folio parvo orbiculato floribus et baccis foliolis interceptis
folia alterna floribus albis solitariis

Cornutia
flore pyramidato caeruleo foliis incarnis Blum
foliis oblongis ad basim auriculatis flore albo

Bontia
arborescens thymelaeae facie Blum

Berrettia
aculeata flore albo fructu flavescente Blum

Guazuma
arbor ulmi folia fructu ex purpureo nigro Blum

Guayabanus
fructu e viride lutescente mollior aculeato Blum
fructu purpureo prunum
fructu lutescente levi scrotum arietis referente

Malphigia
Sidoniae foliis minoribus
Laurifolia foliis subtus fimoso
angustis et acuminatis aqui folii foliis Blum

Castorea
repens fruticosa Blum
racemosa flore caeruleo fructu cacao. Blum

Papaya
fructu melo peponis effigie Blum

Guiabara
alia racemosa foliis oblongis Blum
oviedo

Adansonia
Digitata Linnaei

Randia

minor foliis oblongis ex opposito binis

Cytharexylon

americanum alterum foliis ad margines
dentatis Plukn. sec.
arbor laurifolia americana foliorum venis
late candicantibus exacuis ligno albaro
et pandura ~~sunt~~ fiunt Pluk.

Dodonaea

A. host. cliff
foliis longissimis et angustissimis
genere Clusia Boerh. Ind.
Telephii legitimi foliis frutescens

Xiuri

frutescens foliis ovatis integerrimis
arborescens foliis subrotundis alternis foliis ad axillas
floriferis

Bscudo = Brasilium

Blum

Colletia

Vahetta host. Malab.

Sabago

Belgarum Rve pepbus parisiensium D.
Capensis frutescens major Dill
capensis frutescens minor Dille

Xyuenia

egiptiaca Rve agi habid

Glaux

unguentoria C D
Rvæ moringo rostro

Guaïacum

flore limbriato fructu tetragono Plum

Bauhinia

non aculeata folio amplioni et bicorni. Plum
inermis foliis cordatis bifidis lacinijs et acuminato ovatis erectis dehiscentibus A.

Cassia - exaphilla

Siliqua bicapsulari. Plum
foetida foliis Senna Plum
marilandica pinnis foliorum obtusis ovatis acie repente pilosis
minima arborescens siliquis longis et angustis. Plum
humilis siliquis fœni graeci. Plum
fistula alexandrina

Senna

americana amplissimis olatis siliquis

Poinciana

flore pulcherrimo Jus
coriaria caule inermi racemis spicatis pacquini

Coesalpina

Polyphilla aculeis horrida. Plum

Tamarindus

Indii

Chamæ, Cista

= Baxonis, americana siliqua membranacea Breynii

Senatoxylum

S. b. Cliff

Acacia

indica pharnesiana aldini
indica Similis foliis minimis
cornuta indiae occidentalis
foliis latisci semper virens spinis vidua . b. amer.
americana abruae foliis tricanthos sive ad axillas
foliorum Spina triplici armata Blum
non Spinosa abruae foliis
non Spinosa siliquis latis compressis flore albo Blum
validissimis et longissimis aculeis albicantibus munita
flore luteo. Jus
americana non Spinosa frutescens mimosae foliis majoris
inermis foliorum pinnis angustissimis
malabarica altera spinis carens longae
peruana spinosa fructu medicae tornata longiori
aegipiaca spinosa fructu brevione
americana spinis singularibus ad axillas foliorum
foliis ampliorubus siliquis circinnatis Blum
non spinosa indica orientalis foliis per exiguis in
virgulis tamisime ferrugineis villosis Blum

Mimosa

humilis frutescens et spinosa siliquis conglobatis Blum
altera spinis horridiusculis et sensitiva major h. L. B.
spuria per nambucana

Cordia

mucis jaglandis folio flore purpureo. Blum
foliis subovatis longius petiolatis
foliis lanceolato ovatis scabris paniculis terminali
calicibus decem striatis Linnaei

Ehretia

foliis ovatis integerrimis levibus floribus sub corymbosis calicibus glabris Linnaei

Cujete

foliis oblongis et angustis magno fructu ovato Blum.

Doyena

inermis

spinosa

Leucoxylum

foliis lanceolatis alternis acuminatis fructu minore Burmanni

Cedrela

foliis imparibus pinnatis floribus laxe racemosis ligno laevi odorato

Swietenia

Mahagoni Linnaei

Bezoicum

India orientalis

Xanthoxylum

aculeatum carpini foliis americanum cinereo corticeo Clark

Glinus

Linnaei

Kiggellaria

L. hort. Cliff.

Hunlingia
foliis alterni asperis fructu minimo glomerato Blum

Hamelia
racemis patentibus. Jacquini

Pisonia
aculeata fructu glutinoso et racemoso Plumerii

Vingt Septieme Leçon

Maranta

arundinacea cannacori folio Plumerii

Cannacorus

Latifolius vulgaris Just
flore luteo punctato Just
amplissimo folio flore luteo Just
glaucophillos ampliore flore viridi pulcherr facie Dille

Curcuma

Linnaei

Zingiber

Latifolium silvestre serum

Musa

fructu cucumerino longiori Plum

Ananas

acorte J.S.

Karatas

folius altissimis angustissimis et aculeatis Plum

Kaida

h. Malab

Aloë

purpurea Laevis mantingii
vera major mantingii
Vulgaris C.B.
Succotrina angusti folia spinosa flore purpureo Dillenii
africana caulescens folius spinosis maculis ab
utraque parte notatis albicantibus Commel

Aloë

africana maculata Spinosa
folüs minus crasso maculatis Dod. Jus
africana folüs oblongis latioribus foliorum parte interna
et externa non nihil Spinosa
africana caulescens folüs glaucis brevioribus
Caulem amplexantibus foliorum parte interna et externa
non nihil Spinosa Com.
africana caulescens folüs glaucis brevissimis foliorum
summitate interna et externa non nihil spinosa Com
africana caulescens folüs minus glaucis caulem
amplexantibus dorsi parte suprema spinosa D
africana mitræ formis spinosa Dill.
africana mitræ formis folüs admodum angustioribus D Jus
africana caulescens folüs glaucis caulem amplexantibus
latioribus et undiquaque spinosis Com
africana caulescens folüs glaucis caulem amplexantibus Comm
africana humilis spinis inermibus et verrucis obsita Com
africana brevissimis crassissimoque folio flore fusco
viridi Commel
africana folüs in summitate triangulari margarita
fera flore subviridi Com
africana margaritæ fera minor Commel
africana minima atroviridis spinis herbaceis
numerosis ornata Boerh
africana humilis acaulescida Commel
africana erecta triangulari folio folio
viscoso Commelin
africana Rotunda erecta folüs paucis et in acumen
rigidissimum excurrentibus Commelo
africana folüs glabro et rigidissimo flore subviridi Commelo
africana humilis folüs et albis et viridi varicatis
Commell
africana arborescens mauritanica nana spinosa folio
longissimo pliatili folio rubro Commell

Aloë

africana flore rubro folio maculis albicantibus notato Commell
africana foliis planis conjugatis carinatis verrucosis caule et flore coralli colore Boerh
africana foliis longis conjugatis supra cavis margaritis ferè flore rubro elegantissimo Boerh
africana flore rubro triangulari et verruccis abutraque parte albicantibus notato Commelin
africana folio triangulari longissimis angustissimo floribus & luteis fœtidissimis

Aloides

Sive aloe folio in oblongum aculeum rubente &c
Sive aloe americana ex vera cruce foliis latioribus glaucis Riggle
sive aloe americana ex vera cruce foliis angustioribus minus glaucis Riggele
americana polygonos Commelin
americana Soyllew foliis amplioribus

Euphorbium

tetragonum et pentagonum omnium spinis geminis aduncis mucronatum Jussieu
cerei effigie Commel
angulosum foliis nervis latioribus Boerh
heptagonum spinis longissimis in apice fragiferis Boerh
afrum Polygonum spinosum caule tuberibus
afrum caule squamoso tuberoso minus
afrum facie ruscus spinis Boerh
afrum caule crassis squamoso ramis in capitis modum speciem cincto R.
antiquorum verum Commelin

Cilindraloides

Lauro cerasi folio non serrato. Dillenii

Cereus

Peruvianus tabernæmontani,
erectus quadrangulus costis alcearum instar a se invicem assurgentibus &c.
erectus gracilior spinosissimus spinis albis polygonus
Boerh
Caracassaicus erectus maximus fructu rubro non
spinoso lanuginosus alba lanugine
pallescente P. Browne.
Polygonus spinosus per intervalla compressus quasi
in articulos &c.
Cereus peruvianus erectus maximus spinis fuscis
obsitus flore purpureo
Caracassaicus erectus maximus fructu rubro non spinoso
horn
Scandens minor polygonus articulatus horn
minimus articulatus polygonus spinosus Boerh
quinquangularis longus erectus articulatus
triangularis radicosus Brudoz
Scandens minor polygonus articulatus fructu
suavissimo &c.

Opuntia

Peruviana cerei facie flore carneo J. B.
minima flagelli formis Plukenet
Vulgo barbariorum J. B.
major validissimis spinis munita J.
major validissimis aculeis albicantibus munita
folio oblongo medio Inst
minima folio subrotundo Inst
folio oblongo media spinis rebevrimis munita D. Jussieu
caracassaica minima Boerh Ind.
folio oblongo erecta spinis crebevrimis longis
flavescentibus munita

Epiphillum
americanum = B. D

Melocactus
Purpureus striis in spicam contortis Plum

Echinomelocactus
Minor lacteoceus tuberculis seu mamillis majoribus hex.
minor lacteoceus tuberculis minoribus Parad Batav

Sicoides
Seu ficus aizoides = af.
= africana major procumbens triangulari folio fructu
maximo edali flore
seu ficus aizoides africana major procumbens
folio triangulari ensiformi flore
seu ficus aizoides africana major procumbens,
triangulari folio fructu maximo edali flore
purpureo flore
africana frutescens perfoliata folio triangulari
punctata cortice & ligno tenui candido act ac Hedar
afra folio triangulari glauco perfoliato brevissimo apice
spinoso D. J.
africana folio triangulari lanceolato et aculeato
act hecad. Dey. D
africana folio ensiformi varie inciso aureo flore
pedicelo insidente act
africana acaulos latissimis crassissimis lucidis
foliis conjugatis
africana folio ensiformi dilute virente flore
aureo brevi pediculo insidente act accad.
africana erecta folio triangulari brevisculo
fimbriato glauco Volkameri
afra folio triangulari glauco brevissimo crassissimo
majore margine non spinoso D. J.
africana folio triangulari apice rubro caule
purpurascente act.
Caryensis frutescens folio teretti punctato petalis
Latein Bradley

Sicoides

africana folio triangulari recurvo floribus umbellatis
obsoleti coloris extimè purpureis act. aec.

seu ficus aizoides africana minor erecta folio tereti
floribus albis hemi

afra arborescens folio tereti flore candido noctu aperto
interdiu clauso Boerh

seu ficus aizoides africana erecta arborescens liguosa
flore radiato primo purpureo densè argenteo
interdiu clauso noctu aperto Boerh

africana folio triangulari incurvo et dentato act accad. R. S.

africana aculeis longissimis et foliatis nascentibus ex
foliorum alis act accad.

seu ficus aizoides africana minor erecta folio triangulari
glauco flore fulvo hemi

arborescens flore purpureo. ♄ Vitemb

afra folio triangulari viridi longo aspero flore violaceo Boerh

afra folio triangulari ensiformi brevissimo flore dilute
purpuraceme filamentoso hemi

Capensis folio tereti flore albido. Petiveri

afra fruticosa caule lanugine argentea donato folio tereti
parvo longo gutter argenteis quasi fabro flore violaceo ♃ ind

nostras kali folio flore albo act

africana folio tereti in villos radiatos abeunte act

seu ficus aizoides africana folio variegato argenteo ad apicem
spinosa ornato flore violaceo ♄

africana repens et late virens flore purpureo. act

afra folio triangulari longissimo marginibus obtusioribus
flore amplo in tubo pallide aureo extus linea rubra
longa picto. ♄.

Bradeley

Capensis humilis capite folio flore gramineo ♄.

africana procumbens foliis planis conjugatis lucidis floribus
amplioribus filamentosis ex albo flavescentibus
Bradley

africana folio ensiformi obscure virenti flore longo
pediculo insidente. act Zeyl. ♄

africana sedi majoris folio cavo aliquantulum punctato
majis acuminato floribus parvis candidissimis

Plukenetii

Sicoidea

folio plantaginis undulato micis argenteis et aspero act accad. Lugd.
Capensis teretifolia flore croceo. Belin
Capensis Cariophillei folio flore aureo speciosa Bradley
africana procumbens bupolii fruticulento folio flore candido Bradley
africana minor procumbens folio bicingulari glauco Volkameri

Sicoidea

Procumbens portulacae folium act ac Lugd.
hispanica folio longiori D'alech
americana procumbens longo leviqui folio glauco flore purpureo

Tetragono corpos

africana fruticans folium longis et angustis Amm
africana radice magna crassa et cornora Commel

Caranda

Rumphii hortis amboinensis

Casuarina

Bithonea Rumphii

Kniphia

scandens folium cordato ovatis pedunculis multis partitis alaribus

Sibtorpia

folium orbiculatis integris crenatis pedunculis solitariis Linn

Hermannia

amplo hederaceo folio umbilicato Blanc

Selago
Corymbo multiplici Linnæi

Hydrastis
Canadensis Linnæi

Oldenlandia
minor caule erecto folüs lineari-bus oppositis
ramulis minimis floriferis et pedunculis
ramosis vel simplicibus adalas

Calceolaria
folüs scabiosæ vulgaris fenillée

Courbaril
bifolia flore pyramidato Plum

Acajou
Theveti

Lausonia
Ramis inermibus Linnæi

Ammannia
Linnæi

Genipa
fructu ovato Plum

Mancanilla
Lauri folüs oblongis Plum

Vissa
folüs integerrimis Juss. Cl.

110

K. K. HOFBIBLIOTHEK
AUGSBURG

1095

BLB BADISCHE LANDESBIBLIOTHEK
Baden-Württemberg

1095

BLB BADISCHE LANDESBIBLIOTHEK
Baden-Württemberg