

# **Badische Landesbibliothek Karlsruhe**

**Digitale Sammlung der Badischen Landesbibliothek Karlsruhe**

## **Carlsruher meteorologische Beobachtungen vom Jahr ...**

Carlsruher meteorologische Beobachtungen von den Jahren 1864, 1865  
und 1866

**Boeckmann, Carl Wilhelm**

**Carlsruhe, 1864/66**

April

[urn:nbn:de:bsz:31-276656](https://nbn-resolving.org/urn:nbn:de:bsz:31-276656)



Datum ni	Wochentag	Fruhmutter			Maid R St	Krankheit Krankheit	Krankheit Krankheit	Mittwoch
		in Tag	Prosa Lug	Maid				
1	7	12	5 0 +15 -20 -15		SW 1	9		Fruhmutter frisch
	8	11	2 +50 -75 +50		SW 1	5		Fruhmutter Fruhmutter
	9	11	6 3 +30 -30 -30		SW 1	10		Fruhmutter Fruhmutter
2	7	11	5 0 +05 +05 +05		SW 1	5		Fruhmutter frisch
	8	11	0 2 +50 -55 -55		SW 1	9		Fruhmutter Fruhmutter
	9	10	9 0 +40 +40 +40		SW 1	9		Fruhmutter frisch
3	7	10	0 0 +20 +25 +20		NO 1	7		Fruhmutter frisch
	8	9	6 0 +90 -10 0 +90		NO 1	2		Fruhmutter nicht
	9	10	3 0 +40 +40 +40		NO 1	1		Fruhmutter frisch
4	7	12	3 6 +30 +30 -30		NO 1	2		Fruhmutter frisch
	8	12	4 6 +115 +115 -115		NO 1	1		Fruhmutter mild
	9	13	0 7 +55 +55 +55		NO 1	1		Fruhmutter frisch
5	7	14	2 6 +50 -50 +50		SW 1	7		Fruhmutter frisch
	8	14	3 6 +125 -135 +125		SW 1	10		Fruhmutter mild
	9	14	5 0 +90 +90 +90		SW 1	10		Fruhmutter mild
6	7	14	8 6 +80 +85 +80		SW 1	10	R 16,5	Fruhmutter Kagen
	8	14	14 9 +115 +125 +120		SW 1	10		Fruhmutter mild
	9	14	0 3 +100 -100 -100		SW 1	7		Fruhmutter mild
7	7	13	6 2 +60 +60 +60		SW 1	1		Fruhmutter frisch
	8	12	8 6 +145 +155 -145		NO 1	1		Fruhmutter warm
	9	12	3 0 +115 +115 -115		NO 1	1		Fruhmutter mild
8	7	12	3 3 +90 +75		NO 1	0		Fruhmutter frisch
	8	12	4 3 +145 +155 +145		NO 0	0		Fruhmutter warm
	9	12	4 3 +110 +110 -110		NO 1	0		Fruhmutter kühl
9	7	12	6 4 +75 +75 +75		NO 1	0		Fruhmutter kühl
	8	12	6 5 +150		NO 0	0		Fruhmutter warm
	9	13	4 4 +90		NO 1	0		Fruhmutter frisch
10	7	12	8 1 +160		NO 0	0		Fruhmutter warm
	8	12	9 3 +110		NO 1	0		Fruhmutter mild
	9	13	1 1 +95		NO 1	0		Fruhmutter frisch
11	7	12	2 6 +165		NO 0	0		Fruhmutter warm
	8	12	0 1 +109		NO 1	0		Fruhmutter mild

Item	Quantity	Price	Total
Handwritten entry	1	100	100
Handwritten entry	2	200	200
Handwritten entry	3	300	300
Handwritten entry	4	400	400
Handwritten entry	5	500	500
Handwritten entry	6	600	600
Handwritten entry	7	700	700
Handwritten entry	8	800	800
Handwritten entry	9	900	900
Handwritten entry	10	1000	1000
Handwritten entry	11	1100	1100
Handwritten entry	12	1200	1200
Handwritten entry	13	1300	1300
Handwritten entry	14	1400	1400
Handwritten entry	15	1500	1500
Handwritten entry	16	1600	1600
Handwritten entry	17	1700	1700
Handwritten entry	18	1800	1800
Handwritten entry	19	1900	1900
Handwritten entry	20	2000	2000

Datum	Lager	Yonmuntam				Alind		Lund		Thinduff		Miltong
		Alind	Lund	Thinduff	Alind	R.	H.	R.	H.	R.	H.	
7	11 7 5	+7.5										frisker friff.
12	2 10 9 3	+17.3										frisker voren
	9 10 5 2	+11.8										frisker voren
	7 11 1 4	+9.3										Vannuht. friff.
13	2 10 8 4	+16.8										Vannuht. voren
	9 10 8 6	+10.7										Vannuht. voren
	7 11 1 2	+9.2										Vannuht. friff.
14	2 10 3 1	+16.9							R.			frisker mild Rayner
	9 11 0 1	+10.9							R.			frisker mild Rayner
	7 11 6 2	+10.3							R.	10.5		frisker mild Rayner
15	2 11 6 2	+12.9										frisker mild
	9 11 6 5	+12.0										Vannuht. mild
	7 12 5 8	+10.5										frisker. friff
16	2	+16.0										frisker. voren
	9	+12.5										frisker. voren
	7	+11.5										frisker friff
17	2	+18.5										frisker voren
	9	+14.0										frisker. voren
	7 9 8 0	+11.0										frisker mild.
18	2 9 2 1	+18.5										Vannuht. voren
	9 9 5 3	+14.0										Vannuht. voren
	7 10 4 1	+12.0										frisker mild.
19	2 10 0 7	+20.5										frisker voren.
	9 10 2 4	+14.2										frisker voren
	7 11 4 2	+12.8										frisker mild.
20	2 10 9 7	+20.8										Vannuht. friff.
	9 10 9 9	+15.0										frisker. voren
	7 11 7 4	+13.1										frisker friff
21	2 10 9 7	+20.5										Vannuht. friff.
	9 11 0 1	+14.9										frisker. voren
	7 11 8 9	+10.8										frisker. friff.
	2 11 3 0	+20.0										frisker friff
22	9 11 7 2	+14.5										frisker voren



Anzahl Zug.	Lager		Zusammenhang		Blind R. N.	Lager Kübel	Blind O. N.	Abklärung
	Platz	Gr.	Stoff	Lager				
7	12	2	1	+11.5	NO	2	0	frischer frisch
23	2	12	0	+20.2	NO	3	0	frischer frisch
9	12	3	2	+14.0	NO	2	0	frischer warm
7	12	5	8	+10.0	NO	2	0	frischer frisch
24	2	11	5	+20.0	NO	2	0	frischer frisch
9	11	5	3	+13.9	NO	1	0	frischer warm
7	11	4	6	+10.4	NO	1	0	frischer frisch
25	2	10	7	+20.8	NO	1	0	frischer warm
9	10	8	9	+13.8	NO	1	0	frischer warm
7	11	5	1	+10.5	NO	1	0	frischer frisch
26	2	10	8	+14.5	NO	1	3	Tauschfrisch warm
9	11	0	1	+13.7	NO	1	5	Tauschfrisch warm
7	12	4	8	+10.8	NO	1	0	frischer frisch
27	2	11	5	+17.9	NO	1	1	Tauschfrisch warm
9	10	7	6	+14.0	NO	1	1	frischer warm
7	9	9	6	+11.5	NO	1	7	Tauschfrisch frisch
28	2	8	9	+19.3	NO	1	4	Tauschfrisch warm
9	9	1	0	+13.7	NO	1	3	Tauschfrisch warm
7	10	3	4	+8.7	NO	1	3	Tauschfrisch frisch
29	2	9	3	+14.2	NO	1	1	Tauschfrisch kübel NO
9	9	2	3	+8.0	NO	1	1	frischer kübel
7	9	0	7	+5.5	NO	1	3	Tauschfrisch frisch
30	2	9	3	+13.0	NO	2	1	Tauschfrisch kübel NO
9	9	7	3	+8.0	NO	1	1	frischer kübel