

Badische Landesbibliothek Karlsruhe

Digitale Sammlung der Badischen Landesbibliothek Karlsruhe

The Natural History of Carolina, Florida, and the Bahama islands - Cod. Durlach 264

Catesby, Mark

[S.l.], [um 1770]

Index

[urn:nbn:de:bsz:31-282196](https://nbn-resolving.org/urn:nbn:de:bsz:31-282196)

The Index.

N. B. The Numbers in Roman letters refer to the Pages in The Account of Carolina and the Bahama Islands.

The Numbers in Figures refer to the Pages and Plates of each Volume, having I. or II. prefixed to them to denote the first or second Volume.

A.

Aborigines of America	VII
Agriculture of Carolina	XVI.
Atlas of the Bahama Islands	XXXVIII
Atlas of Carolina	I.
— thickened by the smoke of fat Kilns and fire hunting	II.
Alligator	II. 63.
America colder than the old world in parallel latitudes	II.
Angel fish	II. 31.
Animals, few in the Bahama Islands	XLII.
— abound most between the Tropics ib.	
Appalathian Mountains	V.
Apple trees	XIX.
Arts and Manufactures of the Indians	XI.
Atlas of Carolina	I. 80.

B.

Bahama Islands	XXXVIII.
Bahama honey	II. 79.
Balsam tree	II. 99.
— produced from a poplar	I. 34.

B.

Baltimore bird	I. 48.
Baltimore bastard	I. 49.
Barley	XVIII.
Baracula fish	II. i.
Barx, Stathera, or Eleutheria	II. 46.
— Wintet	II. 50.
Beas	XXXIII.
Bay sweet flower	I. 39.
Bay red	I. 63.
Bay, purple berry	I. 61.
Bay, loblolly	I. 44.
Beasts	XXIV.
Beast	XXV.
— white	XXVI.
Beaver	XXIX.
Bemines abounding in seals	XXXVIII.
Bind weed, purple	I. 35.
Bird, red	I. 38.
Birds most destructive to corn	I. 13.
Birds of America excel in beauty	XXXV.
Birds which breed and abide the Summer in Carolina	XXXVI.

B.	The	Index.	C.
Birds which abide the Winter in Carolina and retire North in the Spring.	XXXVI.	Cat fish	II. 2.
Bittern Small	I. 80.	Caterpillar	II. 9.
— crested	I. 79.	Catalpah	I. 4.
— brown	I. 78.	Caphives toes cut off	XII.
Bill of the Flamingo	I. 74.	Caverns of salt water	XXX.
Black berries	XXI.	Caviait to make	XXX.
Black tail	II. 7.	Chat, yellow breasted	I. 5.
Blue fish	II. 18.	Chatterer	I. 4.
Blue bird	I. 4.	Cherry black cluster	I. 2.
Bone fish	II. 13.	Chinkapin	I. 1.
Booby	I. 8.	Coals in Virginia	V.
— great	I. 86.	Cow	XXX.
Brasiletto	II. 51.	Cocoa plumb	I. 2.
Brim, a crafty Indian, his stratagem.	XIV.	Cochineal produced in Carolina	XL.
Broom rape	I. 36.	Colour of a bird changes while breeding	I. 8.
Bunched Guinea corn	XV.	Colour of a bird not perfect till 3 years	I. 44.
Bullet bush	I. 75.	Coney Bahama	II. 7.
Bullfinch black	I. 68.	Conserve of cocoa plumbs	I. 2.
Button wood	II. 33.	Cookery of the Indians	I.
C.		Corks made of the roots of a tree	I. 6.
Candles made of myrtle berries	I. 69.	Coronets of the bills of woodpeckers	I.
Canes good fodder for cattle	IV.	Courage in a small bird singular	I. 5.
Carolina when discovered	I.	Cowpen bird	I. 3.
Cataracts obstruct navigation	V.	Crab land	II. 32.
Cat Island the first land discovered	XXXVIII.	Crab red claw	II. 37.
Cat bird	I. 60.		

The Index.

<p>II. Crab sand II. 35. II. red mottled rock II. 36. I. hermit II. 33. III. Sea hermit II. 34. III. rough shelled II. 36. III. riddles of the Indians XV. I. same hooping I. 75. I. creatures in torrid zone most num- erous XLII. I. Creeper finch I. 64. I. spine I. 61. III. yellow throat I. 62. I. Croker II. 3. III. Curlew white I. 82. I. brown I. 83. I. Cuckoo of Carolina I. 9. I. Culinary plants XIX. I. Curlew red I. 84. II. Cut water I. 90. I. Cypress I. 11. I. Cypress seeds, food of parrots 16. I. Deluge, signs of it in Carolina and Virginia VII. I. Devil fish XXXII. I. Diet drink made of the roots of a Smilax I. 52. II. Dogs bane I. 58.</p>	<p>Dogwood tree I. 27. Dopschick pied bill I. 91. Drum fish, black and red XXXIII. Duck, buffels head I. 95. Dove, ground I. 26. Duck, Summet I. 97. — little brown I. 98. — Shovelet I. 96. — Nathera I. 93. — round crested I. 94. Ducks breed in woodpeckers holes I. 97. <h3 style="text-align: center;">E.</h3> Eagle, bald I. 1. Earth impregnated with salt VI. Eddoes XIX. Employments of the Bahamians XXXVIII. European birds in America XXXV. <h3 style="text-align: center;">F.</h3> Fallow Deer XXVIII. Fort of Guard's, its properties II. 64. Fatback, a fish XXXIII. Fig tree XXI. Fieldfare I. 29. Finch, Bahama I. 42. — Creeper I. 64. — Gold I. 43. — painted I. 44. — purple I. 41.</p>
---	---

F.

The

Index.

G.

Fine fishing	xxxiii.	Goat-fish green	II.
— hunting of the Indians	xii.	Globe-fish	II.
Fish poison	xlii.	Glossopetæ, 100 miles from the Sea in Virginia	VI.
Flamingo	I. 73.	Goat-sucker	I.
Phycathes black cap	I. 53.	Goose, Canada	I. 9.
— red eyed	I. 54.	Grapes	xx.
— little brown crested	ib.	— fatten fish	xxx.
Flying fish	II. 8.	Grass, a kind of which turtle feed. II.	White.
— secure in neither element	vii.	Grain of Europe	xvi.
Flesh of ground doves aromatic	I. 26.	— pulse, roots, fruit and herbage, with their cultivation	xvi.
Fossil bones	vii.	Gray squirrel	xxi.
Fox, gray	II. 78.	Greenland Deer	xxvi.
Fringe tree	I. 68.	Grosbeak red	I. 38.
Frog, bull	II. 72.	— blue	I. 39.
— Land	II. 69.	— purple	I. 40.
— water	II. 70.	Grunt	II. 6.
— green tree	II. 71.	Guana	II. 64.
Frogs devour young ducks and geese	II. 72.	Guaiacum, broad leav'd	I. 42.
— Swallow wals of fire	II. 69.	Gull laughing	I. 89.
Frosts in Virginia as intense as in the Northern most part of Britain	II.	Gum Echini tree	I. 30.
Fruits of Europe	xx.	— Aromatick, from sweet gu tree	II. 63.
		— a good vulnerary	I. 30.

H.

The Index.

I.

habitations of the Indians X.	Jackdaws purple I. 12.
Hawk, fishing I. 2.	Jay blue I. 15.
Hawk Swallow tail I. 4.	Jessamy yellow I. 53.
Pigeon I. 3.	Indians of Carolina and Florida . . . VIII.
Little I. 5.	— shape, features ib.
Healthiness of the Bahama Islands. XXXVIII.	— women carry great burthens ib.
Hellebore, Lilly leav'd I. 58.	— their habits ib.
Heron blue I. 76.	— a sweet people ib.
— white I. 77.	— habits of the women IX.
Herrings XXXIII.	— habits of the men in war ib.
Hieroglyphicks used by the Indians. XIII.	— arms and weapons ib.
Hickory I. 38.	— are temperate ib.
Hind fish II. 14.	— food and cookery X.
Holly dahoon I. 31.	— habitations and buildings ib.
Hogs XXXI.	— arts and manufactures XI.
Hog fish II. 11.	— hunting XII.
Hog-fish, the great II. 15.	— sagacity ib.
Homony, a preparation of Maiz; XVII.	— Sennegars, a nation of XIII.
Honeysuckle upright I. 57.	— cut off the toes of their captives ib.
Hoops made of Hickory wood	— drunkennes ib.
the best I. 38.	— wars ib.
Horse XXXI.	— Scalping, a barbarous custom ib.
Humming Bird I. 65.	— caution and temerity ib.
Hurricanes in Carolina, their fatal effects II.	— principles of honour XIV.
	— savage nature and cruelty ib.
	— healthy constitutions ib.
	— little knowledge of Physick ib.
	— sweating and scarrifying XV.
	— salubrious drink of ib.

I. The Index. I.

Indians women peaceable and patient. . . xv.
 Indian pink II. 78
 Insects xxxviii.
 Inundations annual in Carolina . . . II.
 Inundation of fish xxxiii.
 Ivy of Virginia destructive of
 Sheep II. 98.

K.

Kidney beans xv.
 King Fisher I. 69.

L.

Lady's slipper yellow . . . II. 73.
 — of Pennsylvania . . . II. 72.
 Lane-snapper II. 17.
 Land the best liable to inundations . . . IV.
 — impoverished by inundations . . . VII.
 Lark I. 32.
 — large I. 33.
 Laurel-tree of Carolina . . . I. 61.
 Lemon tree xxi.
 Lilly thorn II. 100.
 Limbs of oak broke by pigeons . . . I. 23.
 Linnet blue I. 45.
 Lizard Lyon II. 68.
 — blue tail II. 67.
 — green of Namaiica . . . II. 66.
 — — of Carolina . . . II. 65.

Loblolly bay I. 44.
 Logwood II. 61.

M.

Maisy, or Indian corn, different kind
 and culture xvi.
 Manacnel tree II. 95.
 Maho bark, its uses II. 90.
 Mahogany tree II. 66.
 Mangrove, grape tree II. 96.
 — snapper II. 97.
 Margate fish II. 20.
 Mastick tree II. 73.
 Maple, red flowering I. 61.
 Martagon xix. II. 52.
 Martin purple I. 51.
 May apple I. 21.
 Minerals, signs of them
 Migratory fish of use to mariners . . . xli.
 Mistleoe, with red berries . . . II. 81.
 — with purple berries . . . II. 91.
 Moccasins, or Indian shoes vi.
 Mock Bird I. 22.
 Monax xxvi.
 Moose, Deer xxv.
 Moth, large, Carolina II. 86, 87.
 Mulberries xxvii.

M.

The Index.

O.

Mullet	II.	6.
Murray green	II.	20.
— black	II.	21.
Mush, a preparation of maize	xvii.	
Mutton fish	II.	25.
Myrtle narrow leaved candleberry	I.	69.
— broad leaved	I.	13.

N.

Negro fish	II.	7.
Necromancy of the Indians	xiv.	
Nightingale Virginian	I.	38.
Noddy	I.	88.
Nut hatch	I.	22.
— small	ib.	

O.

Oak white	I.	21.
— with pointed leaves	ib.	
— black	I.	19.
— red	I.	23.
— water	I.	20.
Ochre nut	I.	18.
— willow	I.	16.
— live	I.	17.
— highland	I.	22.
Oats	xv.	
Oat sea side	I.	22.
Observations on fish of Carolina	xxxii.	
Oil made from hickory nuts	x.	

Oil of live oak acorns good	I.	17.
— drawn from black walnuts	I.	67.
Old wife	II.	22.
Opossum	xxix.	
Oranges only in the maritime parts	ii	
Orange tree	xxi.	
Owl little	I.	7.
— seen midway between Africa and America	preface	vii.
Oysters, great quantities	v.	
Oyster catcher	I.	85.

P.

Palm trees	xl.	
Palmeto, the trunk, food for hogs	xli.	
Panther	xxv.	
Parrot of Carolina	I.	ii.
— of Paradise	I.	10.
— fish	II.	29.
Partridge of America	xliv.	
Pearch, fresh water	II.	8.
Pellitory, or tooth-ach tree	I.	26.
Pelican of the wood	I.	81.
Pilchard	II.	24.
Pigeon white crown	I.	25.
— of passage	I.	23.
— plum	II.	94.
Pigeons impoverish hogs	I.	23.

P. *The Index.* R. 11

Pignut	I. 38.	Rabbit	XXXV.
Pine trees	XXII.	Raccoon	XXI.
Pink Indian	II. 78.	Rattle snake	II. 4.
Pitch and tar	XXIII.	Small	II. 4.
Plane tree	I. 56.	Remarks on American Birds	XXV.
Plover chattering	I. 71.	Rocahomony, a preparation of Indian Corn	
Poke berries, poison	I. 24.	Rock fish	II.
Polcat	II. 62.	Rice, first introduced to Carolina, its different kinds and culture	XVI.
Pomegranate tree	XXII.	Rivers and Springs in the Bahama Isles	XL.
Pone, bread made of maiz	XVII.	Rosin of the balsam tree, its uses	II. 9.
Poplar or tulipe tree	I. 48.	Rudder fish	II.
Porresse	XXXIII.	S.	
Poplar black	I. 34.	Sappadillo	II. 6.
Porgy	II. 16.	Sassafras	I. 3.
Pork fish	II. 4.	Sea Sparrow-hawk	II.
Porcupine	XXX.	Feather	II.
Potato of America	XIX.	Sennagars, a Nation of Indians	X.
of Virginia	II. 60.	Serpents of Carolina	II. 4.
Productions of the Bahama Islands	XXXVIII.	Seven years apple	I.
Pudding wife	II. 12.	Scates of the angel fish singular	II.
Poison wood	I. 40.	Siddpin, a barbarous custom of Indians	XI.
Q.		Scent of the Turkey buzzard excellent	I.
Quadrupeds &c. drowned by sudden inundations	VII.	Schoolmaster	II.
Quix hatch	XXX.	Scunk weed	II.
Quince	XXI.	Shad	II.

S. The Index. S.

<p>Shark xxxiii.</p> <p>Sheep xxxi.</p> <p>Shell of a river turtle eatable xxxv.</p> <p>Shells xl.iii.</p> <p> their different abode xliv.</p> <p>Ship drove three miles into the woods ii.</p> <p>Shippack ii. 14.</p> <p>Small pox fatal to Indians xv.</p> <p>Snake Rattle ii. 41.</p> <p> — Small ii. 42.</p> <p> water ii. 43.</p> <p> black ii. 44.</p> <p> brown ii. 45.</p> <p> copper belly ii. 46.</p> <p> blueish green ii. 47.</p> <p> black ii. 48.</p> <p> bead, little brown ii. 49.</p> <p> ribbon ii. 50.</p> <p> — Spotted ii. 51.</p> <p> chain ii. 52.</p> <p> green spotted ii. 53.</p> <p> coach whip ii. 54.</p> <p> corn ii. 55.</p> <p> hognose ii. 56.</p> <p> green ii. 57.</p> <p> wampum ii. 58.</p> <p> glafs ii. 59.</p>	<p>Snake bead ii. 60.</p> <p> — Root i. 29.</p> <p>Snow Bird i. 36.</p> <p>Soap wood i. 98.</p> <p>Soap made of the berries of a tree i. 98.</p> <p>Soil of Carolina vi.</p> <p> — of the Bahama Islands xxxix.</p> <p>Sole ii. 29.</p> <p>Song birds, few in America xxxv.</p> <p>Soree ii. 70.</p> <p>Correl tree ii. 70.</p> <p>Sparrow little i. 35.</p> <p> — Bahama i. 37.</p> <p>Spiked Guinea corn xv.</p> <p>Squirrel black ii. 73.</p> <p> — gray fox ii. 74.</p> <p> — ground ii. 75.</p> <p> — flying ii. 76.</p> <p>Stag xxviii.</p> <p>Starling, red wing i. 19.</p> <p>Star flower, little yellow i. 23.</p> <p>Stones near the surface for 200 miles v.</p> <p> — none within the settlements iv.</p> <p>Strongback, a decoction of it much used ii. 79.</p> <p>Sturgeon, the manner of taking them xxxiii.</p> <p> — to pickle xxxiv.</p>
--	--

S. The Index. T.

<p>Sweating houses of the Indians . . . xv.</p> <p>Subterraneous fluxes of the Sea . . . xxxix.</p> <p>Sucking fish II. 26.</p> <p style="text-align: center;">T</p> <p>Tang II. 10</p> <p>Teal blue wing I. 99.</p> <p> — white face I. 100.</p> <p>Thrush fox colour'd I. 28.</p> <p> — red leg'd I. 30.</p> <p> — tittle I. 31.</p> <p>Tillage tittle, used in America . . . xvi.</p> <p>Timber of the tulip-tree of great use . I. 48.</p> <p>Titmouse, Bahama I. 59.</p> <p> — Crested I. 57.</p> <p> — hooded I. 60.</p> <p> — yellow I. 63.</p> <p>Tobacopipe fish II. 17.</p> <p>Tommahawk an instrument of war xi.</p> <p>Tooth-ach tree I. 26.</p> <p>Tortoises— sea, their properties in general II. 36.</p> <p>Towhee bird I. 34.</p> <p>Toad-stool I. 36.</p>	<p>Tree, 30 feet in circumference . . I. 11.</p> <p>Trumpet flower I. 63.</p> <p>Tuccaho, Indian food x.</p> <p>Tulip tree I. 41.</p> <p>Tupelo tree I. 41.</p> <p> — water I. 61.</p> <p>Turn Stone I. 76.</p> <p>Turtle green II. 31.</p> <p> — Hawk's bill I. 30.</p> <p> — loggerhead II. 41.</p> <p> — trunk II. 42.</p> <p> — the manner of taking them . II. 42.</p> <p>Turtle dove of Carolina I. 21.</p> <p>Turkey buzzard I. 61.</p> <p>Turkey, wild xli.</p> <p>Tyrant I. 51.</p> <p style="text-align: center;">W</p> <p>Walnut black I. 61.</p> <p>Water of Carolina 1.</p> <p>Water exceeding clear xli.</p> <p>Whales xxx.</p> <p>Wheat x.</p> <p>Whippoorwill xli.</p> <p>Whiting II. 1.</p>
---	--

W.

The

Index

W.

Wild cat XXV.
 pine II. 89.
 Winds, North west the coldest in
 America I.
 Wolf XXVI.
 Wood brasilette II. 51.
 of the hickory, excellent
 fixing I. 38.
 of hickory used in agricul-
 ture I. 38.
 of the tuppelo its use I. 41.
 of the black walnut tree I. 67.
 resembling water'd sattin I. 63.
 Wood pecker large white bill I. 16.
 large red crested I. 17.
 gold wing I. 18.
 hairy I. 19.
 red belly I. 19.


Wood pecker red head I. 20.
 yellow belly I. 21.
 Smallest spotted I. 21.
 Worms killed by a decoction II. 78.

V.

Vine XXII.
 Viper rattle II. 41.
 water II. 43.
 black II. 44.
 brown II. 45.
 Umbrella tree II. 80.
 Unicorn fish of Bahama II. 19.

Y.

Yams XIX.
 Yellow rump I. 58.
 yellow fish II. 10.



Index rerum.

N. B. Numeri Romani designant paginas in Relatione
Carolinæ et insularum Bahamensium.

Figuree Arithmeticae cum numero I vel II. preposito denotant
Paginas vel Tabulas in primo vel secundo Volumine.

A.

<i>Acacia foliis amplioribus siliquis citrinatis</i>	II. 97.
— <i>Buxi foliis rotundioribus, floribus albis, siliqua lata compressa</i>	II. 42.
— <i>Abruce foliis, triacanthos, capsula ovali unicum semen claudente</i>	I. 43.
<i>Acarauna major, pinnis cornutis</i>	II. 21.
<i>Acer Virginianum, folio majore, subus ar- genteo, supra viridi splendente</i>	II. 62.
<i>Accipiter cauda furcata</i>	II. 4.
— <i>p. alumbarius</i>	II. 3.
— <i>midot</i>	I. 5.
— <i>piscatorius</i>	I. 2.
<i>Anas maxima, squamosa, viridis</i>	II. 30.
<i>Agrifolium Carolin. fol. dentat. bacc. rubris</i>	I. 31.
<i>Alauda magna</i>	I. 33.
— <i>Gutturæ flavo</i>	I. 32.
<i>Alburnas Americanus</i>	II. 12.
<i>Albula Bahamensis</i>	II. 6.

A.

<i>Alcea floridana quinque capsularis, Laurinus foliis, levis crenatis seminibus confetarum instar alatis</i>	I. 44.
<i>Alga marina graminea angustissime folio</i>	II. 38.
<i>Alni folia Americana ferrata, floribus pentapetalis albis in spicam dispo- sitis</i>	II. 6.
<i>Amelanchior Virg. Lauro cerasi folio</i>	I. 6.
<i>Anapodophyllum Canadense Morini</i>	I. 24.
<i>Anser Canadensis</i>	I. 9.
<i>Anseri Bahamæ congenet avis fluvia- tilis</i>	I. 8.
— <i>affinis fusca avis</i>	I. 8.
<i>Anas Americanis lato rostro</i>	I. 9.
— <i>minor ex albo et fusco vario</i>	I. 9.
— <i>Americanus cristatus elegans</i>	I. 9.
— <i>Bahamensis rostro plumbeo, melle cula aurantii coloris</i>	I. 9.
— <i>cristatus</i>	I. 9.

Annona minor purpureo capite I. 95.
linguis ventre Cuprei coloris II. 46.
gracilis Cœruleo Viridis II. 47.
niger II. 48.
minor fuscus maculatus II. 49.
gracilis fuscus II. 50.
gracilis maculatus II. 51.
annulatus II. 52.
viridis maculatus II. 53.
Flagelli formis II. 54.
e rubro et albo varius II. 55.
capite Viperino II. 56.
viridis II. 57.
niger, maculis rubris et luteis
elegantiter varius II. 60.
e cœruleo et albo varius II. 58.
Annona maxima foliis latis fructu maximo
luteo conoide, cortice glabro II. 64.
fructu viridi lævi, Pyri inversi
forma II. 67.
lutescente, lævi scrotum
arietis referente II. 85.
maxima, foliis oblongis, angustis,
fructu maximo luteo conoide, cortice
glabro in areolas angustiore
distincto II. 86.
Annona foliis Laurinis in summitate

inisis fructu compresso scabro fusco,
medio acumine longo II. 87.
Anthea quartus Rondeletii II. 25.
Apocynum scandens folio, cordato flore
albo I. 58.
salicis folio, flore, amplo
pleno II. 53.
Aquila capite albo I. 1.
Arbor, populi nigra foliis; fructu reni-
formi monospermo II. 24.
Arbor foliis pinnatis, nullo impari alam
claudenti nervo ad latus unum excurrente
fructu anguloso magno, semine alato
instar pinus II. 81.
Arbor in aqua nascentis; foliis latis acu-
minatis et non dentatis fructu Eleagni
minore I. 41.
Arbor in aqua nascentis, foliis latis
acuminatis et dentatis fructu
Eleagni majore I. 60.
Arbor Guajai latiore, folio, Prignoniae
flore cœruleo, fructu duro in duas
partes divisiblem, seminibus alatis
imbricatim positis I. 42.
Arbor foliis spinnatis, spica pendula
sericea II. 44.

A. Index rerum. A.

- Arbor Tulipifera Virginiana tripartito acriis folio, media laudat velut absissa I. 48.
- Arbor baccifera laurifolia aromatica fructu viridi calyculato racemoso II. 50.
- Arbor lauri folio, floribus ex foliorum alis pentapetalis, pluribus staminibus donatis I. 54.
- Arbor Nasmini, floribus albis, foliis Cenchranmideae, fructu ovali, seminibus parvis nigris mucilaginis involutis I. 55.
- Arbor maritima, foliis conjugatis piformibus apice in summitate instructis floribus racemosis luteis I. 72.
- Arbor Zeylanica, Cotini foliis, subtus lanugine villosis, floribus albis, cuculi modo laciniatis I. 68.
- Ardea Coerulea I. 76.
- Alba minor Carolinensis I. 77.
- Stellaris Americana I. 78.
- Stellaris cristata Americana I. 79.
- Stellaris minima I. 80.

- Aristolochia pistolochia seu serpentina virginiana caule nodoso I. 2.
- Arum Americanum Betæ folio I. 7.
- Arum aquaticum minus; s. Arisatum fluitans pene nudo virginianum I. 1.
- Arum sagittariae folio angusto, acumine et auriculis acutis simis I. 8.
- Arum maximum Aegyptiacum quo vulgo Colocasia II. 4.
- Aurata Bahamensis II. 1.

B.

- Bagre secundae speciei affinis II. 2.
- Bignonia arbor Pentaphylla flore rosae majore siliquis planis I. 3.
- Bignonia Uruu foliis flore sordide albo, intus maculis purpureis et luteis asperso siliqua longissima angustissima I. 4.
- Bignonia Fraxini foliis, coecineo flore minore I. 6.
- Bignonia Americana, capreolis donata siliqua brevior II. 8.
- Buteo I. 1.

C. Index rerum.

C.

Calceolus Marianus glaber, petalis
 I. 29 angustis II. 73.
 I. 72 Canellus maximus Bahamensis. II. 34.
 ——— terrestris Bahamensis. . . . II. 33.
 I. 82 Cancer terrestris, uniaulos sub terra
 agens II. 32.
 ——— Arenarius II. 35.
 I. 83 ——— chelis crassissimis II. 36.
 ——— marinus chelis rubris II. 37.
 I. 95 Candela Americana, foliis Laurinis
 II. 16 flore tetrapetalo luteo, fructu an-
 gustiore II. 63.
 ——— Caprimulgus I. 8.
 ——— Carduelis Americanus I. 40.
 I. 37 Caryophyllus spurius inodorus, folio
 subrotundo scabro, flore racemoso
 hexapetaloides coccineo speciosis-
 simo II. 91.
 I. 42 Castanea pumila Virginiana, fructu
 racemoso parvo in singulis capsulis
 echinatis unico I. 9.
 I. 43 Castanea vera Floridanorum, Arbuscula,
 baccifera Alaterni fauie, foliis alter-
 natim sitis tetrapyrene. . . . II. 57.
 II. 100 Catesbaea II. 100.
 I. 59 Cecilia maculata I. 59.

Cenchramidea Arbor saxis adnascens,
 obrotundo pingui folio, fructu pomi-
 formi, in plurimas capsulas granula
 ficulnea stilo columnari hexadogono
 praeduro adherentia continentis, diviso,
 Balsamum fundens. II. 99.
 Cerasi similis arbuscula Mariana, Poedi
 folio, flore albo parvo racemoso. . . I. 28.
 Cerasus latiore folio fructu racemoso
 purpureo majore II. 94.
 Chamædaphne foliis Tini, floribus
 bullatis Umbellatis II. 98.
 Chrysanthemum Bermudense Leucii
 foliis vitentibus crassis. I. 93.
 ——— Americanum Doronici folio
 flore Persici coloris, umbone magno
 prominente, ex atro purpureo, viridi,
 et aureo fulgente II. 59.
 Cistus Virgin. flore, ex odore Peri-
 clymeni I. 57.
 Cocothraustes rubra I. 38.
 ——— Coerulea I. 39.
 ——— purpurea I. 40.
 Columba Capite albo I. 25.
 Convolvulus Carolinensis, angusto sa-
 gittato folio flore amplissimo purpureo
 radice crassa I. 35.

C. Index rerum. E.

<p><i>Convolvulus foliis variis, inferioribus trifariam divisio, superioribus sagittatis, floribus ea rubro purpureis</i> II. 87.</p> <p>— radice tuberosa esculenta. II. 60</p> <p>— minor pentaphyllos et heptaphyllos flore purpureo minore II. 91.</p> <p><i>Corallina fruticosa elatior ramis quadravertum expansis teretibus.</i> . . . II. 13.</p> <p><i>Corallodendron humile, spica florum longissima coccinea, radice crassissima.</i> II. 49.</p> <p><i>Cornus mas odorata, folio trifido margine plano</i> I. 55.</p> <p>— mas virginiana florulis in Corymbo digestis perianthio tetrapetalo albo I. 27.</p> <p>— foliis Laurinis, fructu majore luteo II. 75.</p> <p>— foliis salicis Laureae acuminatis, floribus albis; fructu Sassafras . . . II. 28.</p> <p><i>Cuculus Carolinensis.</i> I. 9.</p> <p><i>Cugupuguacu Brasil.</i> II. 14.</p> <p><i>Cuniculus Bahamensis.</i> II. 79.</p> <p><i>Cypressus Americana.</i> I. 11.</p>	<p><i>Eruca maxima cornuta.</i> II. 9.</p> <p><i>Ernanthe Americana pectore luteo</i> I. 5.</p> <p style="text-align: center;">F</p> <p><i>Flos Papionis minimus, trilobatus flore sub-cesuleo.</i> II. 5.</p> <p><i>Fraxinus Carolinensis, foliis angustioribus utrinque acuminatis, pendulis.</i> . . . I. 8.</p> <p><i>Fringilla Bahamensis.</i> I. 4.</p> <p>— purpurea I. 4.</p> <p>— tricolor I. 4.</p> <p><i>Frutex Lauri folio pendulo, fructu teretibus semine nigro splendente.</i> . . . I. 12.</p> <p>— cotini ferè folio crasso, in tumescere deliquium patiente, fructu ovali cesuleo ossiculum angulosum continente I. 2.</p> <p>— aquaticus, floribus luteis, fructu rotundo quinque capsulari . . . II. 3.</p> <p>— trifolius resinosis; floribus tetrapetalis albis racemosis . . . II. 32.</p> <p>— foliis oblongis serratis alternis II. 42.</p> <p><i>Acacia floribus luteis, fructu breviter caliculato viridi.</i> II. 42.</p> <p>— foliis serratis, floribus longioribus spicatis subviridibus capsula pentagona II. 42.</p>
--	---

F.

Index rerum. G.

G.

Frutex corni foliis conjugatis, floribus
 instar Anemones stellatae petalis oras
 his rigidis, colore sordide rubentes,
 cortice aromatico I. 46.
 — baccifer, verticillatus; foliis
 scabris latis densatis, et conjugatis;
 bacis purpuris dense congestis. II. 47.
 — Rubo similis, non spinosus ca-
 ppriolatus; fructu racemoso caeruleo
 moriformi II. 48.
 — Lauri longiore folio II. 52.
 — Padi foliis non serratis, floribus
 monopetalis albis, campani-formibus
 fructu crasso tetragono I. 64.
 — foliis oblongis acuminatis, floribus spi-
 catis uno versu dispositis I. 71.
 — Virginianis trifolius ulmi
 Lamarinis II. 83.
 — Bahamensis foliis oblongis su-
 culentis, fructu subrotundo unicum
 nucleum continente I. 85.
 — Pruxi foliis oblongis, bacis pallide
 virentibus apice donatis I. 98.
 — spinosus Pruxi foliis plurimis
 simul nascentibus, flore tetrapeta-
 loide pendulo, sordide flavo, tubo
 longissimo fructu ovali croceo, semina
 parva continente II. 100.

Gallinula Americana I. 70.
 Garrulus Carolinensis I. 46.
 Gelsemium sive Naminum luteum
 odoratum Virginianum scandens
 semper vivens I. 50.
 Gentiana forte; quae Perichlymeni Vir-
 giniani flore coccineo, planta Mari-
 landica spicata erecta, foliis
 conjugatis II. 78.
 — Virginiana, Saponarice folio,
 flore caeruleo longiore I. 70.
 Gramen Myloicophoron oxyphyllon
 Carolinianum, &c I. 92.
 Granadilla foliis Sarsaparillae trines-
 viis flore purpureo fructu oliva
 formi caeruleo II. 93.
 Grillo Talpa I. 8.
 Grus Americana alba I. 75.
 Guaiacum Arbor I. 42.
 Guajacana II. 76.
 Guasperva maxima caudata II. 22.

H.

Harangus minor Bahamensis II. 24.
 Haematopus I. 85.

H. Index rerum. L.

Heleborine. Lili folio caulem ambi-
 ente, flore unico hexapetalo, tribus
 petalis longis angustis obscure
 purpureis, caeteris brevioribus
 roseis I. 58.
Helleborine II. 70.
Hidundo marina minor capite
 albo I. 88.
 — purpurea I. 51.
 — piscis II. 58.
Hortulanus Carolinensis I. 14.

I.

Octerus ex aureo nigroque varius I. 48
 — minor — I. 49
Ispida I. 69.

K.

Keratophyton dichotomum fuscum I. 73
 — fructibus specie nigrum I. 74.
Ketmia frutescens glauca, Aceris
 majoris folio longiore, serrato,
 flore carneo I. 77.
Ketmia amplissimo Tiliae folio
 subtus argenteo flore magno
 luteo I. 90.

Lacertus omnium maximus, Cre-
odilus dictus II. 6.
 — Indicus, Senembi et Iguan
dictus II. 6.
 — viridis Carolinensis II. 6.
 — Jamaicensis II. 6.
 — Cauda caerulea II. 6.
 — griseus II. 6.
Larus major I. 8.
 — rostro inequali I. 9.
Laurus Carolinensis, foliis acuminatis
 bacis caeruleis, pediculis longis rubr
 insidentibus I. 6.
Lignum Campechianum II. 6.
Ligustrum Lauri folio, fructu vi-
laceo I. 6.
Lilium, sive Martagon Canadense
 flore luteo punctato II. 5.
 — Carolinianum, flore croce
 punctato, petalis longioribus et
 angustioribus II. 5.
Linaria caerulea I. 4.
Liquidambari Arbor, seu Syraiffa
 Aceris folio, fructu Tibuloide, i.e.
Pericarpio orbiculari ex quam plu
 rimis apicibus coagmentato, semenz
 reondente II. 6.

L.

Index rerum. M.

- Lithophyton longe racemosum cor-
ticis flavo perforato* . . . II. 21.
— *compressum obscure lutescens
marginibus purpureis asperis* . II. 34.
— *pinnatum purpureum
asperum* II. 35.
Belia frutescens, Portulacae folio . I. 79.
*Locusta Caroliniana elytris fuscis,
alis interioribus nigris, ad extre-
mitates luteis* II. 89.
*Lichnis viscosa, Virginiana, flore
amplo coccineo; seu Muscipula
Regia* II. 54.
Lycium II. 100.

M.

- Magnolia Lauri folio, subtus al-
bicante* I. 39.
*Magnolia altissima, flore ingenti
candido* II. 61.
*Magnolia amplissimo flore, albo,
fructu coccineo* II. 80.
Mamankanois II. 97.
Mancanella Pyri fauce . . . II. 93.
*Manghala Arbor Curassavica
foliis Salignis* II. 33.

M.

- Mellivora Avis Carolinensis* . . I. 63.
Monedula purpurea I. 12.
Morinellus marinus I. 72.
Normyrus ex cinereo nigricans . II. 13.
Muræna II. 20.
— *maculata nigra* II. 21.
Muscicapa cristata ventre luteo . I. 52.
— *nigrescens* I. 53.
— *fusca* I. 54.
— *Oculis rubris* I. 54.
— *Corona rubra* I. 55.
— *rubra* I. 56.
— *vertice nigro* I. 66.
*Myrtus Brabantica similis Carolinensis
humilior, foliis latioribus et magis
serratis* I. 13.
*Myrtus Brabantica similis, Carolinensis,
baccata, fructu racemoso sessili,
monopyreno* I. 69.

N.

- Noctua Aurita minor* I. 7.
Novacula II. 18.
Numenius Albus I. 82.
— *fuscus* I. 83.
— *ruber* I. 84.
Nox Juglans Virginiana I. 38.
*Nox Juglans Carolinensis, fructu mi-
nimo putamine levi* I. 38.

N. Index rerum. P.

Nux Juglans nigra Virginiana. I. 67.

O.

Orbis laevis variegatus. . . . II. 28.

*Ornithogalum luteum parvum foliis
gramineis glabris*. . . . I. 33.

Orobanche Virginiana, flore pen-

tapetalo cernuo. . . . I. 36.

P.

Pagurus maculatus. . . . II. 36.

Palumbus migratorius. . . . I. 20.

*Papilio caudatus luteus, maximus,
Carolinianus Umbris striisque
nigris*. . . . II. 83.

*Papilio caudatus, Carolinianus; fuscus
striis pallidibus, linea et maculis
sanguineis subtus ornatus*. . . II. 100.

Papilio diurna omnium maxima. II. 97.

Parus Americanus lutescens. . . I. 61.

— — guttore luteo . . . I. 62.

Parus Bahamensis. . . . I. 59.

— *Carolinensis luteus*. . . . I. 63.

— *Cristatus*. . . . I. 57.

— *cucullo nigro*. . . . I. 60.

— *Fringillaris*. . . . I. 64.

— *Uropygeo luteo*. . . . I. 58.

Passer fusca. . . . I. 32.

— *nivalis*. . . . I. 36.

— *niger oculis rubris*. . . . I. 34.

Passerculus. . . . I. 32.

— *Bicolor Bahamiensis*. . . . I. 32.

Pelicanus Americanus. . . . I. 81.

Perca fluviatilis gibbosa ventre

luteo. . . . II. 8.

Perca marina gibbosa cinerea. . . II. 2.

— *pina dorsi divisa*. . . II. 3.

— *rubra*. . . . II. 2.

— *pinnis branchialibus*

caerens. . . . II. 4.

— *Rhomboidalis fasciata*. . . II. 4.

— *venenosa punctata*. . . II. 5.

— *capite striato*. . . . II. 6.

— *puncticulata*. . . . II. 7.

— *cauda nigra*. . . . II. 7.

— *sectatrix*. . . . II. 8.

Petimbubo Brasil. . . . II. 12.

Phalena ingens, Caroliniana, oculata

e luteo fusca, lineis dilute purpureis

insignita. . . . II. 9.

Phalena maxima ex rufo et albo vari-

Americana. . . . II. 8.

Phalena plumata, caudata Caroliniana

virescens, oculata. . . . II. 8.

— *Caroliniana, minor, fulva, maculis*

nigris, alba linea pulvere aspersis. II. 9.

P. Index rerum.

Phaseolus? minor laetescens flores
 purpureo II. 28
Phenicopterus Bahamensis . . . I. 73
Philadelphus flore albo majore in-
 odoro II. 84.
Phylanthos Americana planta flores
 ad foliorum orenas proferens . . II. 26.
Pilea Glandaria caerulea cristata . . I. 15.
Pisus capite toto rubro I. 20.
 — major alio aureis I. 18.
 — maximus rostro albo I. 16.
 — medius quasi villosus I. 19.
 — niger maximus capite rubro . . I. 17.
 — varius minimus I. 21.
 — varius minor, ventre luteo . . . I. 21.
 — — ventre rubro I. 19.
Pittonia similis, Laureola foliis floribus
 albis, bacis rubris II. 79.
Platanus occidentalis I. 56.
Plumeria flore niveo foliis bre-
 vioribus II. 93.
 — flore roseo odoratissimo . . II. 92.
Pluvialis vociferus I. 71.
Prodiopsis minor, rostro vario . . I. 91.
*Populus nigra folio maximo gem-
 mis Balsamum odoratissimum*
 fundentibus I. 74.

Prunus Pruzi folio cordato, fructu
 nigro rotundo I. 75.
Prunus maritima racemosa folio
 rotundo glabro, fructu minore
 purpureo II. 96.
Pseudo-Phalangium ramosum . . II. 62.
 — *Santalum croceum* II. 51.
Puffinus Carolinensis, Avis I. 11.
 — *Paradisi ex Cuba* I. 10.
 — *pisca viridis, Bahamensis* . . II. 29.
Putorius Americanus striatus . . II. 62.
Q.
Quercus alba Virginiana I. 21.
 — *Castanea foliis proceris Arbor*
virginiana I. 18.
 — *Carolinensis videntibus venis*
muricata I. 21.
 — *Esculi divisa, foliis ampliori-*
bus aculeatis I. 23.
 — (forte) *Mariandica, folio trifido*
ad Sassafras accedente I. 19.
 — *folio non serrato, in summitate*
quasi triangulo I. 20.
 — *humilior salicis folio brevior* . I. 22.
 — *sempervivens foliis oblongis non*
sinuatis I. 17.
 — *An potius; Nux Mariandica folio*
longo angusto salicis? I. 16.

Q. Index rerum. S.

Quercuedula Americana fusca I. 99.
variegata . . . I. 100.

R.

Rana aquatica II. 70
maxima Americana aquatica II. 72.
terrestris II. 69
viridis arborea II. 71.
Remora II. 26
Ricinoides, an Eleagni folio . . . II. 46.
Rubicilla minor nigra I. 68
Rubiula Americana verrulea . . . I. 47.
Ruticilla Americana I. 67.

S.

Salpa purpurascens variegata II. 17.
Saltatrix II. 14.
Sarracena Canadensis foliis Cavis
et Auritis II. 70.
foliis brevioribus latioribus II. 70.
foliis longioribus et angustiori-
bus; Bucanephyllon elatius vir-
ginianum &c. II. 69.
Saurus ex cinereo nigricans . . . II. 2.
Sciurus niger II. 73.
striatus II. 75
virginianus cinereus. major II. 74.
volans II. 76.
Sitta capite fusco I. 22.
Sitta capite nigro I. 22.

Smilax Prionia nigrae foliis caule
spinoso, baccis nigris I. 5.
Smilax (forte) laevis, folio angulos
hederaceo I. 5.
laevis Lauri folio baccis nigris . I. 15.
non spinosa, humilis, folio Arist
lochiae, baccis rubris I. 47.
non spinosa baccis rubris . . . II. 82.
Solanum triphyllon flora hexape-
carneo I. 4.
Solanum triphyllon flore hexapeta-
tribus petalis purpureis erectis vir-
dibus reflexis I. 5.
Solea lunata et Punctata . . . II. 2.
Sturnus niger alis superne ru-
bentibus I. 1.
Suillus Piscis II. 1.
Syringa Baccifera I. 2.

T.

Tapia trifolia fructu majore
longo II. 2.
Terebinthus major Betulae cortice
fructu triangulari I. 9.
Testudo arcuata II. 4.
Caretta II. 39.
Marina Caouanna II. 40.
Marina viridis II. 38.

T

Index rerum. V.

Thymelaea: foliis obtusis . . . I. 86.
Stanoxeratophyton ramosissimum, fructu
 ta eleganti tuberculata . . . II. 37.
Toxicodendron foliis alatis, fructu pur-
 pureo pyriformi sparso . . . I. 40.
Turdus Aris minor cinereo albus non
maculatus . . . I. 27.
 ——— *minimus* . . . I. 31.
 ——— *Pilaris migratorius* . . I. 29.
 ——— *Rufus* . . . I. 28.
 ——— *visivorus plumbeus* . . I. 30.
Turdus piscis cauda convexa . . II. 10.
 ——— *cinereus peltatus* . . . II. 11.
 ——— *Flavus* . . . II. 11.
 ——— *oculo radiato* . . . II. 12.
 ——— *oc. rad. Guaperrea* . . . II. 22.
Pinnis branchialibus carens . . II. 9.
Romboidalis . . . II. 10.
Guttus Carolinensis . . . I. 24.
 ——— *minimus guttatus* . . . I. 26.


V.

Viscum Caryophylloides ramosum floribus
minimis albis . . . II. 55.
 ——— *Caryophylloides*, foliis longis in apice
 incis, floris labello albo trifido, petalis
 luteis longis angustissimis . . II. 68.
 ——— *Floribus parvis luteis*
punctatis . . . II. 74.

Viscum Caryophylloides Albes foliis vi-
 ridibus aluminatis, floribus racemosis
 luteis . . . II. 77.
 ——— *Lilii albi* foliis floris labello
 brevi purpureo, ceteris ex luteo vites-
 centibus . . . II. 88.
 ——— *angusti folium*, floribus longis
 tubulosis cœruleis ex spicis squamosis
 rubris erumpentibus . . . II. 89.
 ——— *foliis longioribus*, baccis rubris. II. 81.
 ——— *radice bulbosa*, floris labello carneo
 flore ceterum sordide luteo . . . II. 88.
Viperæ aquatica . . . II. 43.
 ——— *caudisone Americana* . . II. 41.
 ——— *caudisone Americana minor*. II. 42.
 ——— *fusca* . . . II. 45.
 ——— *nigra* . . . II. 44.
Umbra minor, marina maxillis lon-
gioribus . . . II. 1.
Unicornis . . . II. 19.
Vulpis cinereus Americanus . . II. 78.
 ——— *Piscis Bahamensis* . . . II. 1.

Z

Zanthoxylum spinosum, Lenthici lon-
 gioribus foliis, Evonimi fructu caps-
 tulari, insula Jamaicensi. . I. 26.



V

T

[Faint, illegible handwritten text in a cursive script, likely a ledger or account book, with a vertical line down the center.]

