

Badische Landesbibliothek Karlsruhe

Digitale Sammlung der Badischen Landesbibliothek Karlsruhe

Medizinische Rezepte - Cod. Rastatt 64

Welsch, Georg Hieronymus

[S.l.], [2. Hälfte des 16. Jahrh.]

[Text]

[urn:nbn:de:bsz:31-300564](https://nbn-resolving.org/urn:nbn:de:bsz:31-300564)

Capsaluan Caput
Ad ~~Capsaluan~~ frig: et catarrhos

℞ Mairam Rosmarini
Stechad: Vtiusq; an .p. i.
Rosarium Rubraz .p. is.
Chamomille
Melleloti . an .p. s.

Cory Citri siccati:

fran: aut sem: ~~Camomilla~~ Alkermes an .3.ij.

Macis. Piperis longi

Cubebaz. Chanophila: an. 3.5.

Fiat pulvis grossus, ex quo fiat cucurbita inter
duos sindones cum panco Bombace interpascha

Ad caphalran calid: et ad proho
candum somnium

℞ Florum Nornipha: Violaz
Melleloti . an .p. i.

Fol: Lactuce

Papaveris Albi . an .M. i. 3 parte

Se: Papaveris Albi . . 3.ij

Lactuce Anethi . an . 3. i.

Aliosciam Albi . . 3.5.

Contundantz oia et fiat frontah uel spherium
inter duas telas uel sindones ut docet ad tempora



Somniferum pro Rusticis

℞ Nucloz persicorum v° . vi.

Thuris .q. Anarium Auellana:

se: papaueris Albi . Cochlear . s.

Ruthy Viridis . Cochlear . i.

℞ Stentur bene, et inungantur tempora in
intuitu lecti

Ad sodam calidam et diarrhiam
contagiosam

℞ Theriaci probati . ʒi.

Beli Armeni . ʒi.

Nusq. Minsic

Mastichis . an. ʒs.

Cum Minc citamoy . q. s. fiat bolus

Potus Intiarer ad Melancholiam

~~carthecian~~

℞ Rad: Rhapontici. polipodii

Gliciriza an ʒij.

Cichory Azari

Brusoi. sparagi an ʒi.

Folioz serr ʒiij

Spice . ʒij.

Pasculaz . p. s.

Herba: Eupatorij Fumarij CAPV 2

Foeniculi Arthursis

Cuscute an M. 15.

se: Anisi carui

Cuminum ana 3i.

Coquantur in Vin et aqua ~~ad partibus~~ ^{ad partibus} remanentia ~~ad partibus~~ ^{ad partibus} fiat Expressio et colatura. ^{ad partibus}

Sir: Eupatorij .q. s. p dulcoratione

Digestivum opt. et cum hoc Minorativum
Melancholia ad oes eius aggritudines

℞ Rad: Polypodij 3i.

Ellobon nigri 3i.

Folij seneg 3is.

se: Carui Anisi an 3ij.

Herbaz Fumarij scabiosj

Boraginis Dnglosj

Melissj an Mi.

sebesten Turubar an v. vij.

Prunoz damascene v. x.

Infundantur hęc omnia in tb. vi. aquę Casri
stent p horas xij fiat Colatura, que cum
suffici: quanta: cinamomi et Saccari, Aromati
fietur et dulcoratur, de quo mane et sero
dentur ʒiij Calij

CAPVT Sudoriferum im Melancholia
post purgationem

℞ Thymae Electis:
Mitrdatij an ʒi.s.
Rhapontici . ʒ.s.
Azari spicij nardi an ʒi.
Cinamomi
Chanophiloꝝ an ʒij
Aqꝛ Boraginis Anglos. an ʒij

℞ Decodi Aconi et polipodij ʒiij.
El. Lenitiui . ʒs.
Indi maioris ʒij.

℞ Melancholia fiat haustus solutiuis in ~~alio~~ quem et postea
Balmum ex Tapsa barbata, et Betonica signari
tur siccum et loto capitis

℞ Sacentis uel Cerotum capitale in magno
dolore capitis ex humore et catarrho cronico



℞ Corij citri Xiba aloris crudi Balanstiaz
Macis. saluij Maiorane
Rosmarini an ʒi.
Olibani Cubebaz
Chanophiloꝝ an ʒi.s.
Sandarac ʒs.

℞ Laudani stircis liquidi Resin. an .q. s.
Fiat Cerotum siue splenium in forma pithi
ductum sup corio et subductum sindone Rubra
ac debile interpassatum in forma ista

Ad dolores Capitis et gravitūdines CAPVI 3 3
pectoris ex Matrice uel Virgine

℞ Castorei ℥ij.
Pulv. ij ℥ij.
Cinamomi ℥iſ.
Chariophiloz ℥i

Fiat pulvis qui sumatur quando punctio uel Angustia
tidii pectoris sentitur in brodio carnis uel pisoz
Promittat in Evacuatiuum phlogoz ut infra Reperitur

Ad Magnitudinem capitis puerorum ex
nimia humiditate. 7. Hebdomadum

Primo tempore purgetur uentris cum Mandificantibus
caput, et utatur domi dicta mediocri, et sumo
caucat offumantia

Postmodum fiant balnea puero Ieiunio stomacho,
et sacelletur caput eius cum saluz folijs, Nasturtio,
Rorremario, et se: pionis

Tandem fiat Emplastrum ex digitis allutim bene
Antorum cum .℥.ij. Mirrho, et pauco puluere
de Maiorana, fiat in modum pulvis cura quo
caput infantis Emplastrat, idq. per aliquot dies
et opus valebit

Ad sodam Acerrimam et
Hemicraniam longam

℞ Baccarum Lauri .℥i.
Scammouij ℥s.
Crocij ℥.ii.

Terantur in Aceta et ol. Rosarum et fiat Limmen-
tum, Applicetur fronti aut tempori lesio.

Ad Hemicraniam

℞ Pulverij serpilli viridium an. q. v.
Coquantur in oleo Rosato et Aceto, et imponantur
emplastri modo

In dolore capitis ex catarro
subtili calore

Epithematür frons et tempora aqua distillata ex
citonyis malis uel ex solis corticibus citoniorum

Contra Vertiginem pomum odorandum

℞ Se: Nigelle Romane . ʒi.

Calami Aromatici Usual:

Nucis moschatæ Rad: Irros an. ʒij

Xilo aloes Cubebarum

Se: Anisi . . . an ʒ. s.

Rosmarini Maiorane an. ʒi.

Puluerentur grosso modo, et ligentur in sindone
Rubra

Contra scotomiam et gravia
Insomnia

℞ Baccarum Lauri ro. vij.

Chanophiloꝝ Xiloaloes an ʒ. s.

Maiorane Rosmarini an ʒi.

Se: Anisi . . . ʒij

Contusa parum infundantur in vini subtili
mati ʒ. vi. Stent bene obdurata 402 dies
mane bibantur ʒ. i. Ieiuno

4

+
Contra Vertiginem

℞ Visci quercini ʒij
 Cubebaz Nurf mischaz an ʒi.
 Doronici nostratis ʒss
 Sacchari ʒi.
 Misch ad pyridos dosis ʒi. Sumorq mano inoffa

+
Contra Insomnietatem Vigiliasq senium
 et eorum qui calidis cum cibus tum
 medicamentis assueti fuerit

℞ Florum Violarum Anethi
 Rosarum alb.
 Nenuphari:
 Chamomillæ an ʒss.
 Se: Papaveris albi . . . ʒij.
 opij Thebaici . . . ʒss.
 Camphoræ ʒij
 Croci ʒij

Incidenda zucidantur et contundenda contunden-
 dantur, et simul postea aq Rosaz Redolentis irroran-
 tur et ligentur in sindone Rubra p homo ad
 collum suspendendo et sepius odorando

Contra Vertiginem fortem et Antiquam
 Cerebrum sciunt quocumq modo comestum protinere
 inuat et vix redire permittit Vertiginem
 Ziemi ex Recens capto a per siluestre assatum
 et comestum tollit omnem Vertiginem

Contra Maniam et Melancholia⁹

Re Caput Anctis nigri ^{fortem} nondū cōcūctis ē gregis
 sublatū, et vnicū amputatū coquātz
 cūm pilis et cūte, quod cerebrū recte
 decoctū ad esū sit, cui dem abiectis relin
 quīs commisce Pul: Chariophiloz zinib:
 Nūq̄ mōstaz Maris an̄ ʒij.

Et hūidatur pasta hoc in tres aequales partes
 ouarū Vna fūnsē comedenda etiam p̄ v̄m
 dato vno die, altero dem die, aham tertio, terti
 que tertiam partem et restituetz patiens
 a Mania (si deus voluerit)

Ad Idem

Re Aquā floz chiri ʒis
 da patienti tepide ad septem dies mane
 et vespri tantūdem et sanabitur

Purgatio delicata et optima atram bitem
 expurgans

Re Rad: verati nigri ʒij
 Polipodij ʒiij
 Passūlarz ʒvi.

Conquassata pax Infundantz p̄ xxiiii horas
 in Aq: Boraginis ʒij violaz Bugles: capil: Venc: an̄ ʒ
 Mane fiat Expressio fortis et colatura
 Cuius ʒiij permisce grimel: Tuhiam ʒ. x.
 fiat potū

Alia pro Mulieribus

- ℞ Conferre violar Boraginis Biglofer an ʒss.
 pul: Veratri nigri ꝑꝑti . . . ʒss.
 Diagridij . . . ʒiij
 Cinamomi opꝑ . q. s. fiat bolus

Alia similis

- ℞ Pul: Polipedy quercini ʒij.
 Rad: Veratri nigri ꝑꝑti ʒ.iiij.
 Spe: plures anhoet . ʒs.
 In aqua violarie vna uicq

Alia

- ℞ Spr: Diasore . . ʒi
 Veratri nigri ꝑꝑti ʒ.iiij.
 Conf hamrech ʒs.
 Cum .s. q. saccari fiat bolus

Contra Mammam

℞ Die Kotten ginner darm yn wein grolottem
 und vnsinnigen leyten des tags 2 mace vst 4 conf
 zündrinsten goren, giesth für wsee

Confectio de Karabe D. Ioan Mirgellij
ad Vertiginem

- ℞ Spe: Diarho: abbat Margarine vnt
 se: Fruce an ʒi.
 Karabe preparat ʒiij Nist ꝑꝑti
 ℞ Spr: vscriptaz . ʒvi. Saccari albi ʒviij.
 Dissoluti in aq Lauendule et Cerasoz nigroz an ʒi
 et aque vite infusio: se: Amisi ʒs. ꝑꝑti in retulis

Contra Epilepsiam curans et praeservans

℞ pul: violarum . . . ʒi.
 Cuminum . . .
 Carni an . . .
 Sc: Sese . . . ʒss
 Rūthē . . . ʒss
 Rad: peonia . . . ʒij
 Crani humani . . . ʒij
 Coralli Rubri vsti . . . ʒi

Fiat pulvis subtilissimus et ꝑ Angustissimum
 cribrum, certus detur in aqua violarum
 vel floz chirci: q. v ante et post paroxysmum
 sept in die

Contra Eandem passionem

℞ Aquarum Maioranz Rūthē Betonicę
 Melissę Rosmarini an ʒvi.
 Verbene . . . ʒiij
 Thriacę bove . . . ʒij
 Vngēly asini combusti . . . ʒij
 Cranz peonia an ʒss

Digerentz oia simul ad solem ferventz ꝑ 8 dies
 Arunde distillentz ꝑ Alembicum et Aq serva
 Cum qua patienti tempora inungz vel Epithimoz
 vel in nave yruice

NB Fung

CAPVT

NB. Fumus Galbani per nare acceptus facit
 hominem ab Epilepsia surgere C. Anicem:
 Fumus Galbani statim Epilepticum non bene
 curatum facit cadere C. Mes:
 Da puero habenti Epilepsiam gutt: iij. uel. v.
 sanguinis de sano Inuenit et liberabitur
 Gutta una uel iij. accepta in vino acerrimo
 de ol: Victrioli pseruat p 24 horas ab Epilepsia
 Tortionibus detur in aqua Vita

Ad Eandem p Inuenit

R. Malsa pitt	Stirre cum Aganiso	ʒij
	Cochiaz	ʒs
pul: Rad: Veratri neri	pph	ʒvi
Trocis: Alhandali		ʒiij
Cum Melle Rosacro	fiant pitt	no vij
Et postea detur	conser: sequens	oī mane decem
diebus	ʒs.	+
R. Conserua	Rosarum	ʒiij
	Thonacy bono	ʒs
pul: Cranii humani		ʒiij
Lioni Visci quercini		ʒi
se: piomis		ʒij
Cons: Rūthe		ʒi
Mellis Rosati .q.	sufficit fiat	Electua:

Ad Epilepsiam Inueteratam pro retardandis
dis paroxysmis pueniendo Vertiginem et
ad confortandum cerebrum

℞ Visci quercini ℥i
Missonum cornu cerui ℥ij
Occipiti cranii humani ℥ij
Vngule Alcis Rad: pumice
Nuris Moschate an ℥i
Margarit pprata: - - ℥ij
Coralloz Rubroꝝ ꝑꝑ ℥i
Fol: aurii ℥x

Fiat puluis subtilis: dotz quotidie ℥i. in prodis
pulli uel aq pice q. s. ꝑ medium annuo et
caucat a vino sublimato.

Electuarium ad Parahsin et Epilepsiam

℞ Rad: piroethni pome Herb: Hisopi siccoꝝ an ℥i
puluenzoꝝ et cum grimel: squilibꝝ ꝑ Electua:

Processus in Epilepsia J. D. Griffinus

℞ 4or Remolitorioꝝ
Mercenarie sichꝝ an M. i.
Bethonie Melisse
Primulꝝ Venic an M. s.
se: Anisi ℥s
Anethi ℥ij
Flo: Hipoc: Ruthe
Strocha: vtnusq an ꝑ. i
Cicerum Rubroꝝ ꝑꝑ
Fiat decoctia in aq Font (colatura)

CAPVI
Colatura ℞ qz̄ v.

Cassia ꝑ chstribꝫ ℞i

Hiere Archigreis . . . 3vi

El: Indi Maioris . . . 3v.

Olri Lihozꝫ ℞iij.

Mellis Rosati ℞ij.

Fiat Senema

℞ Sirāpi de strecha: ℞i

oximel squillitici

Sirāp: de Radicibꝫ añ ℞s.

Aq: primūle venis

Melisse

Capit: q añ ℞is.

Miscq: fiat Tūlop Aromatizety cūm

Visci quercini ℞ij

Pūl: Diambre ℞s.

Detur Mane pro vna dosi

℞ Conf: s. panli

Metridati optꝫ añ ℞i

Rad: peonie et sez: eiusdem

Gallitici añ ℞. vi.

conserva acori ℞ij

Incorporantꝫ simul et fiant Boli duo, capiantꝫ
q̄libet cūm ℞ij aq: primūle venis,

Quandocūq: ventris constipatio gtingat tūm
ūtrius suppositonūm ex sp̄cibꝫ Hiere

℞ Conserua Acari . . . ℞ij
 Rosarum recentis
 stachados Azari an ℞ij
 Radicum pruniv collecte S.A.
 Visci quercum recentis
 se: Gallitici . . . an ℞ij
 Coralloz Amboz
 Cimbrū hirundinū
 cucūli p̄p̄ . . . an ℞ij
 pul. Rosate nouelle . . . ℞ij
 plinis arrotici
 Diambry an ℞s.

Sir: conf. Mirabulanoz Emblicoz cum
 . Zaccaro ~~conf.~~ q. s. fiat in forma opiati
 de quo accipiat ter in hebdomada interpota
 fir diebus mane horis tribus ante pastum
 ad quabitatem nūris continuando p̄ mensum

℞ Diptami Basilio: se: pruniv
 serici crudi . . . an ℞s
 pul: Diarho: cois
 Aromatici Rosati
 El: Diatnon sanda:
 Diamary: frig: an ℞ij
 Cons: floz Cichorij corti citri
 Rad: Iros an ℞ij
 Zaccari dissoluti in aq̄ Melisre q. s. Et conf. in
 Lorengijs ponderantibz ℞ijs. De quibz capiatz

Caput

Capiatur .i. mane Eo die quando opiatu non
sumitur. idj fiat 3 horis ante cibum Tēde
Eryphi Epileptici confestim excitantur, Vti
oleum de saxo nambg indideris

Cura Epilepsiae in Iuvene satis floride
atatis, ex intemperantia et Venere cum
coitatioe debilis Ventriculi

Factis Vniuersalibz, instituta est cura Xilogna
iacti, cum vino, vt s̄q non insudauit, nec decoctū
cui s̄: p̄romis et Radix bromiz addita erant
calide bibit, nec oīo tenui dieta vsus est omni
in Mane 3i. puluēis s̄quentis in proelio
palli sumyfit

- R̄ Visci pirini . . . ʒss
- Crani hominis . . . ʒiij
- Coralli p̄prati
- Margarit̄ p̄ti an ʒi
- cornū ceruī . . . ʒij
- Rad: p̄romis Nuc̄ mescha: an ʒss.
- se: Basiliconis . . . ʒi
- Seneci crūti Macis an ʒs
- Folior̄ Auri . . . r̄o. vi.

Mist̄ ff pul: subtilis

Item Rasa commissura anteriora sagittali
hoc Emplastrum p̄prio capiti impesitum fuit

- R̄ Laudani . . . ʒss.
- Thuris . . . ʒiij.
- Zuphorbij . . . ʒij

Lapis Ematit ʒss Caput
Castori ʒi

Terebinthin .q.s. fiat Emplastrum sup Aluta
Ad hoc continuo restatit de collo et p amittito
et p pome o donifero sequentem nodum in
sindone Rubra

℞ Rad: peonie ʒi castori .ʒss
xiloaloes chariophilloz an ʒss
maiorane . p.s. ff puluis grossus
Ligatur in sindone vsqz hic 60 dieb opy habuit
Puluis Contra Epilepsiam et suffocatio
nem Matricis, catochumqz

℞ Rad: peonie vniqz moschar
Visci pirini - an ʒi
Galange Calami Aromatici
Cubebarum . an ʒss
Cranii hominis ʒiij
Vngule et cerui ʒij
Floz Rosmarini
Sc: Basilicis conandi pph
Ruthy - an ʒi
Margarit pph . . . ʒi
Saccari fini ʒi

Mist ff puluis, desis ʒi. manet et in paroxismo
Ad spasmodum Cyncum et veluti catochum

℞ Mas: pitt de oppo ponare. ʒij
Cubebaz xiloaloes Rad peonie
Aloes succotrim an ʒss
Cum aq betonicz formetz pit vs viii et dentz
vs ij p horam ante canam

Capit

Contra Vertiginem et Epilepsiam

℞ Rad: Ciraffoni Scotis visci quercini
Gentiane ostruty an .j. v.

Excipiantur melle fiat Electiva: drnty manr .zj.
conradus Gesnerus
Tiguring

Potus ordinarius ad cibum in
Epilepsia

℞ xilobaniaci pul: .zvj.

Rad: peonie zinzib: an .zj.

Mellis optimi destillati .ziii.

Aq Betonicæ Peonie an .℥.vj.

Stent simul Infusa p̄ xxiii horas drinde
bulliant ad 4te partis consumptio: colentz
et exprimatz, seruentz in vitro ad vsũ uol
in Bal: M. Distillentz et erit delectab: potz

Ad Epilepsiam Eradicandz post curam
ligni cum magna emolumento .p.

℞ Spc: Diambrz Phis arcotici

Aromatici Rosati an .zi.

Diamarg: frig: De Gemmis frig: an .3.s.

Pul: se: peonie Rũthy Basilicis

coniandi p̄prati . . an .zi

Rad: peonie Diftami Albẽ calami Aromaz

visci quercini . . an .z̄ xiii

Nūq̄ mſchate ſenci crūh Caput
Florum Roſmarini an ʒs
Crami hominis Ungule alciſ an ʒij
Conf. Rūthie Bethonice Roſarum
Maieram Emblico: gditay an ʒij
Artridati op̄ . . . ʒis.

Saccari aq̄ Meliſſe diſſoluti ʒxi fiat
Confectio in Rotulis uel Morſellis
pond: ʒs. dramentz ex una parte

Enema ad Apoplexiam oiaq̄ capitis
frigida vitia

ʒ Herba: a. commū: an M.ij
origani, Centaur: mino:
ſalvia vtriuſq̄ . an M.ij.
ſtechados vtriuſq̄ an ʒs.
Pulpe Colocinthid: interio:
Aganci Albi an ʒij.

Fiat decoctio et Colatura

ʒ Colaturę ʒxij.
Hiery pierr ſalini
Hiery Logodis: an ʒs
ſalis communis . q. ſ.

Miſq̄ fiat Enema

Ad Epileſſiam cataleptiam ſpaſmū
ing. ʒ et apoplexiam

ʒ Margaritarū Unicornū veri Auri puri et ſūt
Ungule buecephali an ʒis

Fiat pul: detz tribus vicibus in aqua peonię

Preservatio ab Apoplexia

S. S. f vom Saxon

℞ Karabe albi ppriati .ʒij.

spe: Diarho: tabbarq .ʒi.

Detur hora nonilunij .ʒi. in aq Cerasoz nigro:
dulcium idq fiat singuly mense, sed et in
paroxismo laudavit idem princeps

Ad Epilepsias omnes si in tegra anno
.ʒi. vel .ʒs. singulis diebus in offula,
quandocumq somnatz et tribus horis
desuper Ieiunatum fuerit

℞ Rad: pecony Visci pinini

Nurf moschate .an ʒij

Cranii humani ʒi

Violarum .ʒvi.

Fiat pul: subtilissimz si per diuitibus anni
pini, et limato ad quamlibet .ʒi. g. w. adderis
prestantius euadet

D. Iulius Alexand: Impat archiater Dietricho
Stambr pertinacis: Epilps: laborante, post
infinitas curas consuluit vt Moschi Ambry an ʒs
Coralli Rubri ꝑꝑ .ʒi. Miserruntz et de hoc ʒi.
ad decem dies ginnuos daretur

Ad Apoplexian et omnes cerebri frig:
debilitates memoria 129 seruans et
debili sto: vtilis

℞ cubebarz cardamomi granoz paradisi

Galange Cinamomi
Nur moschate Ganiophiloz
calami Aromatici et Albi
Piperis longi, Xiloalors
Zedoarie, Macis, spice nardi
Floz et herbe Pulgij
se: coriandri . . . ana . ʒi.

Fiat omnium puluis subtilis: cui addo
saccari communis ʒvi. fiat tragema,
de quo cubitum itari. ʒi. cum vino Maruisio
uel Moschatellino cum pane testo sumant
nempe ut mane surgentes ita in, ut ante
et post semp ij horas neq commedant neq
bibant

Confert et Vertigin, si cum cerebro suillo
mane in vino prius cocto ac drim sup crati-
cula testo, neq laminas discisso in simili
dosi edatur Ad Idem

ʒi Betonice M. i. coquantur in tbi vini albi
et . ʒ. Cochlearibus aque ad consumptionem
tertie partis fiat colatura, et expressio,
ac herba sup caput apoplectici ponatur uel
ligatur in panno lencanturq 3 grana
cubobarum interim in ort, donec herba
non amplius calida sit

CAPVI Preseruatō in timore Aplia

℞ Acori gđiti ℥ij Aurea Alexandrino ℥s
pul: Castori .3i.
cūbrbaz xilolors Nūq moschaty
Rūthy an .3s.

Thriacy Andromachi vtrius .q.s. fiatq
mirtura dentur manū .3ij.

℞ spe: Diambre .3s. pul cūbrbaz
visci quercini xilolors Thūnis an ℥ij
Gariophiloꝝ Maiorane Rosaz rubr: an .3s
Boli Armeni ℥ij fiat pul. sero cranni
anteriorē commissurā cūm aq Maiorane
Ad Idem

℞ oli Violati de croco an .3ij
Rad: 2ros Piperis Euphor: an ℥ij
cere medicūm fiat Linimentūm in naris
sero cūm vadit cūbitūm

℞ Castori Piperis an .3s
Nūq moschaty . 3i
cūbebarūm3s.

Fiat puluis et cūm Thriacy vtrū fiant
Trois: in forma Lupinoꝝ pro Masticatorio
cūm Mastichē manū faciūndūm se: Eriacy
commodūm addere poter

Ad prouocandam loquelam

℞ Aquaz Lauendūle saluis an ℥vi.
Peoniy, Rosismarini an ℥iij

Melisse ℥iij

Lilioꝝ gūallium, Lilioꝝ alboꝝ

Absinthij . . . an ℥iij

De quibus mane et vespri dabis patienti ℥is
quas paululum in ore retineant et demum
deglutiat +

Mixtura in paralisi et Epilepsia

℞ Conserva Rūthę Maioram an ℥i

Peonie Rosarum an ℥s

Aconi conditi . . . ℥vi

spe: phis arctici . ℥i

Diamosfi dulci

Diambre an ℥ii

Visci pini xiloalors

Cūbrarum an ℥s

se: Peonie Coriandi

Cranii humani an ℥i

Cūm sirupi de Betonica fiat mixtura
addendo sol. Anni 140. ℥ij.

Handwritten text in a historical script, possibly Latin or German, with a large section of the page missing or heavily faded. The text is arranged in several lines, with some words appearing to be in a different script or dialect. The page is aged and shows signs of wear, including a large tear in the center.



Processus in ophthalmia cholericæ

℞ Siniſi dr storchade . ℥i.
 Calamento . ℥s.
 Aq salinis Formiculi
 Hisopi an . ℥i
 Misq fiat haustus detur Arx

℞ Casis nouiter extracte . ℥x.
 El. succi Rosarum . ℥iij.
 Siniſi Violati . ℥iij.
 Aq Eudimie . q. s. fiat haustus

℞ Folioꝝ solatri recentium
 Rosarum Rubearz
 Flo: chamomille an M. s

Bulliam simul in aqua solatri ad aliquam
 mollitiem postea fortiter et breue conquiscentz
 fiatq Emplastrum cum farina Hordei . q. s.

℞ Aqua Rosarum Redolentis: ℥ij
 Albuminis uinis oui medietate
 Sc: Papanens Albi . ℥ij

Primo papauer pistatur cum aqua Rosarum,
 fiat Emulsio, et Colatura, dem cum Albumine
 fiat conquiscentio fortis, atq post residentiam
 partis aquasioris serua colaturam, quia utitur ut scis

℞ Massa Pitt Aurarum . ℥ij
 Azaceth . ℥i.
 Cum aq chelidonic fiant pitt ix
 Item suppositona si uenter sit clausus

℞ Conferua Acori Buglossi
 Rosarum an ʒi.
 spe: Diarhod: .3ʒ.
 Maratri Anisi an ʒis.
 Misq: fiat Mixture

℞ Aq Formiculi Rosarum an ʒi
 In huius Album omi medicta: bene concute
 et facta Residentia fiat collis: et utere ut scis

℞ Aq Rosarum Elcty ʒis
 Album: omi medicta: p temp
 Lity opy . ʒi.
 Thutir ppraty . ʒs.

Dissoluatür Litiüm in vitro seminario, stant
 .ij. horis, tandem facta residentia, parte claris
 ficata. Utter. +

℞ Massa Pitt Aurraz ʒijr fiant Pitt v'ix
 Item ventose dur ponantür ad collum et
 ad vnumquodiq brachiüm vna.

℞ Aquarum Rosarum Indivir an ʒi
 Formiculi Chelidemi an ʒs
 Sicut albi dysentp Msp: ʒ. vij. Misq
 Ad oculos

℞ Mas: Pitt Agavith . . ʒs.
 Cochiaz Aggregatua an ʒi
 Cum aqua vite fiant Pitt v' vij. quas capiat
 in introitu lecti ter in mensē post

Post primam acceptionem pillularum fiat phlebotomia in cephalia dextri brachij uel manus

Dem R Aloes Epaticæ . . . ʒss.
 Sacchari candi albi ʒij
 Aqua Rosarum
 Vini Albi antiqui an ʒij
 Aqua Euphrasie Chelidoniæ
 Formiculi Ruthæ an ʒss

Misce simul et post 24. horas administratur, stillando in angulos oculorum ter in die et sero in introitu lecti. Item ter in septimana balneat patiens pedes sero ante caenam in aq. deceduo: Betonica cum salis Mi. ꝑ horam continuando

Item semel in hebdomada accipiat patiens Metridati opti ʒi. i. conferua rosarum ʒss. Et super bibat aq. Ruthæ ʒi vini Albi antiq. ʒss. Misceantur mane ante diem, et desuper ieiunando per sex horas 4

Ad ophthalmiam calidam

R Sarrocolle nutritæ lacte mulieris
 puellam lactantis . . . ʒij
 Siccæ Armithæ . . . ʒss
 se: Anthem. Croci an ʒi
 Balanstitæ Papauensis an ʒss
 Thuris Mirrhæ - an ʒi

Cum succo solati, uel olio papauenno incorporantur omnia simul ꝑ Implastro quod sedat dolorem et calorem

Item Restringit fluxum descendens ad oculos

Contra scabium et vlcera oculorum et ad
dolorem et debilitatem visus

℞ Liti Tutis ꝑꝑꝑ an .3i.

Alumini .3s.

Kebulorum .3iij

Zinzibens .3ij

Mirrhē pipens an .3i

Cum aqua pluuiali fiat siccus ad usum

Contra vlcuscula conuulsiue
oculorum et ophthalmiam

Fiat Emulsio cum ay formiculi ex amigdalis
dulcibz .q. s. cui addantur grana camphur. q. v.
et imponit oculis

Contra Linorrs oculoz

Aqua Marati valde sang: mondif: sub oculis resoluat

Aloe cum melle vsuigijs ꝑens: ꝑiccando confert

Acetum cum melle deht vsuigia lunda cum

Adips Asini certis: aufert Linorrs facit cūctis

Maiorana cum melle confert inorrd: sang: in oculis:

Rafani semen cum melle confert omnibz vsuigijs

Sinapi mundificat faciem

Cuminum Anitum et cum cera mixtum ut frequenter

cal: sub Linorrs positum opꝑ valet

Aqua Nobilissima experientie in clarificati visu

pellend: vberit glaucomat et omnibz
visus obstraculis

℞ Tutis draci in aqua Rosaz extincte .3s.

Zingiberis camphure an .3ij

coralli rubei
Margaritaz ppata:

Frag: saphiurum

Galactes . . . an . 31

Victrioli albi

avis vindiis

Ganiophilo . . . an . 35

Aque Rosarum relobrens: . . . 31

Vini Maruisij . . . 31

Ductis simplicibz sup porphino lapideo domo fiat
pulsis subtilissimis tandem miserantz oia in
vitrum bene obturatam et concutiantz die p
nouem integris dies

Tandem impone vino stomachi gut: q uelut
in lachrimat oculi et sta suping p quartate unius
horz idq pnis corpore ruacuato et mirabris effectu

Ad tollendam rugulam ex oculo

R Thutir pp 31

avis vindiis . 31

Camphur . 35

Arunge porcine in aq Rosaz lote 31

Misc fiat Unguentum

Collirium in causa frigida

R Aq chelido: Toemiculi an 31 Litiij 3. vi. Misc

Ad Eandem causam

R Thutir pp 31. Zaccari candi 3ij obsis sepiis 35.

Antimonij 3s salis armoniaci 3ij Aloes epaticy 3ij.
corq Mirab: citri 3s. Terantz vltima duo grossa
modo et infundantz simul in aq chelido: Rosaz an 3is
Vini vetris opt 3s Misc concutiendo, se collirium

Collirium in causa calida

℞ Aquæ Rosarum ℥ij
Chelidoni Formiculi
Euphrasie an ℥ss
Succ albi Mof. ℥ iij Misq

In causa calida et sicca cum dolore nocturno oculorum

℞ collirij albi Ros. . ʒij.

Thuris ppy . . . ʒs
Lactis mulier: puellula lactan: ʒss
Aquay Formiculi Violarum
solati an . ʒ. s.

Fiat bene commis: et genticendo collirium

In vulnere oculi et Ulcere, ex vulnere coniunctivæ

℞ Thuris in aq formiculi 4ter ablute . ʒij
Lity . ʒs. Anthimony . ʒij
Aloes epaticy . . . ʒi.
Saccari candidy . . . ʒij

Aq Rosarum ℥ij
Formiculi Euphrasie an ℥is

Fiat . s. A collirium

In Ulcere sarcocolly ꝑ noctem in lacte mulieris nutrity ʒi Adde

Vbi Rumpitur tunica oculi, continens
albugineum humorem, ita ut ~~pro~~ ^{prominent}
extra et dependat instar mucii narium

℞ pul Agrimonie Baccaꝝ Tūmpen
seminis Foeniculi an. q. v.
Beli Armeni parā

Cum Albumine oui fiat Emplaf. cum quo ^{ca}
minuentem humorem aut q̄qd. in plura protulit
calide excipe et in locum suum atq. oculum
debile religato et tūde sanabisq. affectu tūc
quater. die

+
Aqua Mirabilis ad oculorum tenebrositates
et oia eius vitia q̄ et visum confortat

℞ Foeniculi Euphrasie Rūthe
Verbene Tormentille Betonicæ
Endiuiæ siluest. Rosarū
Gallitanti Hippia Pimpinelle
Chelidoniæ Filaginis
Herba: peonie Apij Fol: vitis
Agrimonie Caprifolij an. q. s.

Terantur omnia ista bene et primo die infun-
dantur in bonum Vinum album q̄ triduo
die in Vinam p̄ueni Virginis imponentur
Tertio in lacte m̄liebri Quarto et Vltimo in
Melle bono Et tūc domum distillentur
secundum Artē

Aquaq. igitur isthæc diligenter seruetur ad vsus

OCVLI

Cortin. Valis hęc distillatio sembis iuuenibus
 et medijs. Item scriptoribus medicis, noctilupam
 habentibus et cataractam, confert et opte ovis
 debilitati et conseruat visum acutum, et bonum
 facit finem oculi ad mortem vsq
 vsus rurs est ut potetur parum in vino et gutt. 3.
 uel for in oculos mittantur

†
 Contra visus debilitatem

Re silenis Montani, Cinamomi Electi
 sr: Ciurini flo: Rosmarini an ʒij
 Herba: Euphrasie sr: Fomiculi
 Anisi an ʒi.
 Cubebarum Macis
 Gharophylorum
 Granor paradisi an ʒi
 Sacchari ad pondus oꝝum vrl ʒxxij. ʒi.
 Fiat pul: subtilissimus

1472
[Faint, mostly illegible handwritten text, possibly a list of ingredients or a recipe.]

Contra hanc debilitatem .

Cinnamon 2 lb
[Faint handwritten text, including names of ingredients and quantities.]

